




PRODUCTS
CATALOGUE

ITEM DESCRIPTION : Cortical Screw 4.5mm Hexa.

Thread Dia.	4.5 mm
Drill Bit for Threaded Hole	3.2 mm
Drill Bit for Gliding Hole	4.5 mm
Core Dia.	3.0 mm (Tit. 3.1mm)
Hexagonal Socket Width	3.5 mm
Head Dia.	8.0 mm



ITEM CODES

Length	Stainless Steel	Titanium
12mm	001.012	301.012
14mm	001.014	301.014
16mm	001.016	301.016
18mm	001.018	301.018
20mm	001.020	301.020
22mm	001.022	301.022
24mm	001.024	301.024
26mm	001.026	301.026
28mm	001.028	301.028
30mm	001.030	301.030
32mm	001.032	301.032
34mm	001.034	301.034
36mm	001.036	301.036
38mm	001.038	301.038
40mm	001.040	301.040
42mm	001.042	301.042
44mm	001.044	301.044
46mm	001.046	301.046
48mm	001.048	301.048
50mm	001.050	301.050
52mm	001.052	301.052
54mm	001.054	301.054
56mm	001.056	301.056
58mm	001.058	301.058
60mm	001.060	301.060
62mm	001.062	301.062
64mm	001.064	301.064
66mm	001.066	301.066
68mm	001.068	301.068
70mm	001.070	301.070
72mm	001.072	301.072
74mm	001.074	301.074
76mm	001.076	301.076
78mm	001.078	301.078
80mm	001.080	301.080
82mm	001.082	301.082
84mm	001.084	301.084
86mm	001.086	301.086
88mm	001.088	301.088
90mm	001.090	301.090
92mm	001.092	301.092
94mm	001.094	301.094
96mm	001.096	301.096
98mm	001.098	301.098
100mm	001.100	301.100
102mm	001.102	301.102
105mm	001.105	301.105
110mm	001.110	301.110

BONE SCREWS

ITEM DESCRIPTION : Cortical Screw 4.5mm Hexa. (Self Tapping)

Thread Dia.	4.5 mm
Drill Bit for Threaded Hole	3.2 mm
Drill Bit for Gliding Hole	4.5 mm
Core Dia.	3.0 mm (Tit. 3.1mm)
Hexagonal Socket Width	3.5 mm
Head Dia.	8.0 mm



ITEM CODES

Length	Stainless Steel	Titanium
12mm	000.012	300.012
14mm	000.014	300.014
16mm	000.016	300.016
18mm	000.018	300.018
20mm	000.020	300.020
22mm	000.022	300.022
24mm	000.024	300.024
26mm	000.026	300.026
28mm	000.028	300.028
30mm	000.030	300.030
32mm	000.032	300.032
34mm	000.034	300.034
36mm	000.036	300.036
38mm	000.038	300.038
40mm	000.040	300.040
42mm	000.042	300.042
44mm	000.044	300.044
46mm	000.046	300.046
48mm	000.048	300.048
50mm	000.050	300.050
52mm	000.052	300.052
54mm	000.054	300.054
56mm	000.056	300.056
58mm	000.058	300.058
60mm	000.060	300.060
62mm	000.062	300.062
64mm	000.064	300.064
66mm	000.066	300.066
68mm	000.068	300.068
70mm	000.070	300.070
72mm	000.072	300.072
74mm	000.074	300.074
76mm	000.076	300.076
78mm	000.078	300.078
80mm	000.080	300.080
82mm	000.082	300.082
84mm	000.084	300.084
86mm	000.086	300.086
88mm	000.088	300.088
90mm	000.090	300.090
92mm	000.092	300.092
94mm	000.094	300.094
96mm	000.096	300.096
98mm	000.098	300.098
100mm	000.100	300.100
102mm	000.102	300.102
105mm	000.105	300.105
110mm	000.110	300.110

ITEM DESCRIPTION : Cortical Screw 3.5mm Hexagonal Socket

Thread Dia.	3.5 mm
Drill Bit for Threaded Hole	2.5 mm
Drill Bit for Gliding Hole	3.5 mm
Core Dia.	2.4 mm
Hexagonal Socket Width	2.5 mm
Head Dia.	6.0 mm



ITEM CODES

Length	Stainless Steel	Titanium
10mm	002.010	302.010
12mm	002.012	302.012
14mm	002.014	302.014
16mm	002.016	302.016
18mm	002.018	302.018
20mm	002.020	302.020
22mm	002.022	302.022
24mm	002.024	302.024
26mm	002.026	302.026
28mm	002.028	302.028
30mm	002.030	302.030
32mm	002.032	302.032
34mm	002.034	302.034
36mm	002.036	302.036
38mm	002.038	302.038
40mm	002.040	302.040
42mm	002.042	302.042
44mm	002.044	302.044
46mm	002.046	302.046
48mm	002.048	302.048
50mm	002.050	302.050
52mm	002.052	302.052
54mm	002.054	302.054
56mm	002.056	302.056
58mm	002.058	302.058
60mm	002.060	302.060
62mm	002.062	302.062
64mm	002.064	302.064
66mm	002.066	302.066
68mm	002.068	302.068
70mm	002.070	302.070
72mm	002.072	302.072
74mm	002.074	302.074
76mm	002.076	302.076
78mm	002.078	302.078
80mm	002.080	302.080

BONE SCREWS

ITEM DESCRIPTION : Cortical Screw 3.5mm Hexa Socket (Self Tapping)

Thread Dia.	3.5 mm
Drill Bit for Threaded Hole	2.5 mm
Drill Bit for Gliding Hole	3.5 mm
Core Dia.	2.4 mm
Hexagonal Socket Width	2.5 mm
Head Dia.	6.0 mm



ITEM CODES

Length	Stainless Steel	Titanium
10mm	003.810	303.810
12mm	003.812	303.812
14mm	003.814	303.814
16mm	003.816	303.816
18mm	003.818	303.818
20mm	003.820	303.820
22mm	003.822	303.822
24mm	003.824	303.824
26mm	003.826	303.826
28mm	003.828	303.828
30mm	003.830	303.830
32mm	003.832	303.832
34mm	003.834	303.834
36mm	003.836	303.836
38mm	003.838	303.838
40mm	003.840	303.840
42mm	003.842	303.842
44mm	003.844	303.844
46mm	003.846	303.846
48mm	003.848	303.848
50mm	003.850	303.850

ITEM DESCRIPTION : Cortical Screw 2.7mm Hexa. Socket

Thread Dia.	2.7 mm
Drill Bit for Threaded Hole	2.0 mm
Drill Bit for Gliding Hole	2.7 mm
Core Dia.	1.9 mm
Hexagonal Socket Width	2.5 mm
Head Dia.	5.0 mm



ITEM CODES

Length	Stainless Steel	Titanium
6.0mm	004.006	304.006
7.0mm	002.007	302.007
8.0mm	002.008	302.008
9.0mm	002.009	302.009
10mm	002.010	302.010
11mm	002.011	302.011
12mm	002.012	302.012
14mm	002.014	302.014
16mm	002.016	302.016
18mm	002.018	302.018
20mm	002.020	302.020
22mm	002.022	302.022
24mm	002.024	302.024
26mm	002.026	302.026
28mm	002.028	302.028
30mm	002.030	302.030
32mm	002.032	302.032
34mm	002.034	302.034
36mm	002.036	302.036
38mm	002.038	302.038
40mm	002.040	302.040
42mm	002.042	302.042
44mm	002.044	302.044
46mm	002.046	302.046
48mm	002.048	302.048
50mm	002.050	302.050
52mm	002.052	302.052
54mm	002.054	302.054
56mm	002.056	302.056
58mm	002.058	302.058
60mm	002.060	302.060

BONE SCREWS

ITEM DESCRIPTION : Cortex Screw 2.4mm

Thread Dia.	2.4 mm
Core Dia.	1.6 mm
Hexagonal Socket Width	2.0 mm/1.5mm
Head Dia.	4.0 mm

ITEM CODES

Length	Stainless Steel	Titanium
6.0mm	005.006	305.006
8.0mm	005.008	305.008
10mm	005.010	305.010
12mm	005.012	305.012
14mm	005.014	305.014
16mm	005.016	305.016
18mm	005.018	305.018
20mm	005.020	305.020
22mm	005.022	305.022
24mm	005.024	305.024
26mm	005.026	305.026
28mm	005.028	305.028
30mm	005.030	305.030
32mm	005.032	305.032
34mm	005.034	305.034
36mm	005.036	305.036
38mm	005.038	305.038
40mm	005.040	305.040



ITEM DESCRIPTION : Cortical Screw 2.0mm

Thread Dia.	2.0 mm
Drill Bit for Threaded Hole	1.5 mm
Drill Bit for Gliding Hole	2.0 mm
Core Dia.	1.3 mm (Tit. 1.4mm)
Hexagonal Socket Width	1.5 mm
Head Dia.	4.0mm / Tit. 3.5mm

ITEM CODES

Length	Stainless Steel	Titanium
6.0mm	006.006	306.006
7.0mm	006.007	306.007
8.0mm	006.008	306.008
9.0mm	006.009	306.009
10mm	006.010	306.010
11mm	006.011	306.011
12mm	006.012	306.012
14mm	006.014	306.014
16mm	006.016	306.016
18mm	006.018	306.018
20mm	006.020	306.020
22mm	006.022	306.022
24mm	006.024	306.024
26mm	006.026	306.026
28mm	006.028	306.028
30mm	006.030	306.030
32mm	006.032	306.032
34mm	006.034	306.034
36mm	006.036	306.036
38mm	006.038	306.038
40mm	006.040	306.040



ITEM DESCRIPTION : Cortical Screw 1.5mm

Thread Dia.	1.5 mm
Drill Bit for Threaded Hole	1.1 mm
Drill Bit for Gliding Hole	1.5 mm
Core Dia.	1.0 mm
Hexagonal Socket Width	1.5 mm
Head Dia.	3.0 mm

ITEM CODES

Length	Stainless Steel	Titanium
6.0mm	007.006	307.006
7.0mm	007.007	307.007
8.0mm	007.008	307.008
9.0mm	007.009	307.009
10mm	007.010	307.010
11mm	007.011	307.011
12mm	007.012	307.012
14mm	007.014	307.014
16mm	007.016	307.016
18mm	007.018	307.018
20mm	007.020	307.020
22mm	007.022	307.022
24mm	007.024	307.024
26mm	007.026	307.026
28mm	007.028	307.028
30mm	007.030	307.030



ITEM DESCRIPTION : Cancellous Screw 6.5 mm (16 Threaded)

Thread Dia.	6.5 mm
Thread Length	16 mm
Drill Bit for Threaded Hole	3.2 mm
Shaft Dia.	4.5 mm
Drill Bit for Shaft	4.5 mm
Core Dia.	3.0 mm (Tit. 3.2mm)
Hexagonal Socket Width	3.5 mm
Head Dia.	8.0mm

ITEM CODES

Length	Stainless Steel	Titanium
25mm	008.025	308.025
30mm	008.030	308.030
35mm	008.035	308.035
40mm	008.040	308.040
45mm	008.045	308.045
50mm	008.050	308.050
55mm	008.055	308.055
60mm	008.060	308.060
65mm	008.065	308.065
70mm	008.070	308.070
75mm	008.075	308.075
80mm	008.080	308.080
85mm	008.085	308.085
90mm	008.090	308.090
95mm	008.095	308.095
100mm	008.100	308.100
105mm	008.105	308.105
110mm	008.110	308.110
115mm	008.115	308.115
120mm	008.120	308.120



BONE SCREWS

ITEM DESCRIPTION : Cancellous Screw 6.5 mm (32 Threaded)

Thread Dia.	6.5 mm
Thread Length	32 mm
Drill Bit for Threaded Hole	3.2 mm
Shaft Dia.	4.5 mm
Drill Bit for Shaft	4.5 mm
Core Dia.	3.0 mm (Tit. 3.2mm)
Hexagonal Socket Width	3.5 mm
Head Dia.	8.0mm

ITEM CODES

Length	Stainless Steel	Titanium
25mm	009.025	309.025
30mm	009.030	309.030
35mm	009.035	309.035
40mm	009.040	309.040
45mm	009.045	309.045
50mm	009.050	309.050
55mm	009.055	309.055
60mm	009.060	309.060
65mm	009.065	309.065
70mm	009.070	309.070
75mm	009.075	309.075
80mm	009.080	309.080
85mm	009.085	309.085
90mm	009.090	309.090
95mm	009.095	309.095
100mm	009.100	309.100
105mm	009.105	309.105
110mm	009.110	309.110
115mm	009.115	309.115
120mm	009.120	309.120



ITEM DESCRIPTION : Cancellous Screw 6.5 mm (Fully Threaded) Hexagonal Socket

Thread Dia.	6.5 mm
Thread Length	Full
Drill Bit for Threaded Hole	3.2 mm
Core Dia.	3.0 mm (Tit. 3.2mm)
Hexagonal Socket Width	3.5 mm
Head Dia.	8.0mm

ITEM CODES

Length	Stainless Steel	Titanium
25mm	010.025	310.025
30mm	010.030	310.030
35mm	010.035	310.035
40mm	010.040	310.040
45mm	010.045	310.045
50mm	010.050	310.050
55mm	010.055	310.055
60mm	010.060	310.060
65mm	010.065	310.065
70mm	010.070	310.070
75mm	010.075	310.075
80mm	010.080	310.080
85mm	010.085	310.085
90mm	010.090	310.090
95mm	010.095	310.095
100mm	010.100	310.100
105mm	010.105	310.105
110mm	010.110	310.110
115mm	010.115	310.115
120mm	010.120	310.120



BONE SCREWS

ITEM DESCRIPTION : Cancellous Screw 4.0mm Partially Threaded Hexa. Socket

Thread Dia.	4.0 mm
Drill Bit for Threaded Hole	2.5 mm
Shaft Dia.	2.4 mm
Core Dia.	1.9 mm (Tit. 2.0mm)
Hexagonal Socket Width	2.5 mm
Head Dia.	6.0 mm



ITEM CODES

Length	Stainless Steel	Titanium
10mm	011.010	311.010
12mm	011.012	311.012
14mm	011.014	311.014
16mm	011.016	311.016
18mm	011.018	311.018
20mm	011.020	311.020
22mm	011.022	311.022
24mm	011.024	311.024
26mm	011.026	311.026
28mm	011.028	311.028
30mm	011.030	311.030
32mm	011.032	311.032
34mm	011.034	311.034
36mm	011.036	311.036
38mm	011.038	311.038
40mm	011.040	311.040
42mm	011.042	311.042
44mm	011.044	311.044
46mm	011.046	311.046
48mm	011.048	311.048
50mm	011.050	311.050
55mm	011.055	311.055
60mm	011.060	311.060

ITEM DESCRIPTION : Cancellous Screw 4.0mm Fully Threaded Hexa. Socket

Thread Dia.	4.0 mm
Drill Bit for Threaded Hole	2.5 mm
Core Dia.	1.9 mm (Tit. 2.0mm)
Hexagonal Socket Width	2.5 mm
Head Dia.	6.0 mm

ITEM CODES

Length	Stainless Steel	Titanium
10mm	012.010	312.010
12mm	012.012	312.012
14mm	012.014	312.014
16mm	012.016	312.016
18mm	012.018	312.018
20mm	012.020	312.020
22mm	012.022	312.022
24mm	012.024	312.024
26mm	012.026	312.026
28mm	012.028	312.028
30mm	012.030	312.030
32mm	012.032	312.032
34mm	012.034	312.034
36mm	012.036	312.036
38mm	012.038	312.038
40mm	012.040	312.040
42mm	012.042	312.042
44mm	012.044	312.044
46mm	012.046	312.046
48mm	012.048	312.048
50mm	012.050	312.050
55mm	012.055	312.055
60mm	012.060	312.060



BONE SCREWS

ITEM DESCRIPTION : Cancellous Screw 3.5 mm Partially Threaded Hexa. Socket

Thread Dia.	3.5 mm
Drill Bit for Threaded Hole	2.5 mm
Core Dia.	1.9 mm
Hexagonal Socket Width	2.5 mm
Head Dia.	6.0 mm

ITEM CODES

Length	Stainless Steel	Titanium
10mm	013.110	313.110
12mm	013.112	313.112
14mm	013.114	313.114
16mm	013.116	313.116
18mm	013.118	313.118
20mm	013.120	313.120
22mm	013.122	313.122
24mm	013.124	313.124
26mm	013.126	313.126
28mm	013.128	313.128
30mm	013.130	313.130
32mm	013.132	313.132
34mm	013.134	313.134
36mm	013.136	313.136
38mm	013.138	313.138
40mm	013.140	313.140
42mm	013.142	313.142
44mm	013.144	313.144
46mm	013.146	313.146
48mm	013.148	313.148
50mm	013.150	313.150
55mm	013.155	313.155
60mm	013.160	313.160



ITEM DESCRIPTION : Cancellous Screw 3.5 mm Fully Threaded Hexa. Socket

Thread Dia.	3.5 mm
Drill Bit for Threaded Hole	2.5 mm
Core Dia.	1.8 mm
Hexagonal Socket Width	2.5 mm
Head Dia.	6.0 mm

ITEM CODES

Length	Stainless Steel	Titanium
10mm	014.010	314.010
12mm	014.012	314.012
14mm	014.014	314.014
16mm	014.016	314.016
18mm	014.018	314.018
20mm	014.020	314.020
22mm	014.022	314.022
24mm	014.024	314.024
26mm	014.026	314.026
28mm	014.028	314.028
30mm	014.030	314.030
32mm	014.032	314.032
34mm	014.034	314.034
36mm	014.036	314.036
38mm	014.038	314.038
40mm	014.040	314.040
42mm	014.042	314.042
44mm	014.044	314.044
46mm	014.046	314.046
48mm	014.048	314.048
50mm	014.050	314.050
55mm	014.055	314.055
60mm	014.060	314.060



BONE SCREWS

ITEM DESCRIPTION :

Large Cannulated Cancellous Screw 7.0mm Self Tapping 16mm Thread

Thread Dia.	7.0 mm
Thread Length	16 mm
Shaft Dia.	4.5 mm
Core Dia.	4.5 mm
Hexagonal Socket Width	3.5 mm
Head Dia	8.0 mm
Cannulated	2.2 mm

ITEM CODES

Length	Stainless Steel	Titanium
30mm	015.030	315.030
35mm	015.035	315.035
40mm	015.040	315.040
45mm	015.045	315.045
50mm	015.050	315.050
55mm	015.055	315.055
60mm	015.060	315.060
65mm	015.065	315.065
70mm	015.070	315.070
75mm	015.075	315.075
80mm	015.080	315.080
85mm	015.085	315.085
90mm	015.090	315.090
95mm	015.095	315.095
100mm	015.100	315.100
105mm	015.105	315.105
110mm	015.110	315.110
115mm	015.115	315.115
120mm	015.120	315.120
125mm	015.125	315.125
130mm	015.130	315.130



ITEM DESCRIPTION :

Large Cannulated Cancellous Screw 7.0mm Self Tapping 32mm Thread

Thread Dia.	7.0 mm
Thread Length	32 mm
Shaft Dia.	4.5 mm
Core Dia.	4.5 mm
Hexagonal Socket Width	3.5 mm
Head Dia	8.0 mm
Cannulated	2.2 mm

ITEM CODES

Length	Stainless Steel	Titanium
45	016.045	316.045
50	016.050	316.050
55	016.055	316.055
60	016.060	316.060
65	016.065	316.065
70	016.070	316.070
75	016.075	316.075
80	016.080	316.080
85	016.085	316.085
90	016.090	316.090
95	016.095	316.095
100	016.100	316.100
105	016.105	316.105
110	016.110	316.110
115	016.115	316.115
120	016.120	316.120
125	016.125	316.125
130	016.130	316.130



BONE SCREWS

ITEM DESCRIPTION :

Large Cannulated Cancellous Screw 7.0mm Hexa. Socket, 16mm

Thread Dia.	7.0 mm
Thread Length	16 mm
Shaft Dia.	4.5 mm
Core Dia.	4.5 mm
Hexagonal Socket Width	3.5 mm
Head Dia	8.0 mm
Cannulated	2.2 mm

ITEM CODES

Length	Stainless Steel	Titanium
45mm	017.045	317.045
50mm	017.050	317.050
55mm	017.055	317.055
60mm	017.060	317.060
65mm	017.065	317.065
70mm	017.070	317.070
75mm	017.075	317.075
80mm	017.080	317.080
85mm	017.085	317.085
90mm	017.090	317.090
95mm	017.095	317.095
100mm	017.100	317.100
105mm	017.105	317.105
110mm	017.110	317.110
115mm	017.115	317.115
120mm	017.120	317.120
125mm	017.125	317.125
130mm	017.130	317.130
135mm	017.135	317.135
140mm	017.140	317.140
145mm	017.145	317.145
150mm	017.150	317.150



ITEM DESCRIPTION :

Large Cannulated Cancellous Screw 7.0mm Hexagonal Socket, 32mm

Thread Dia.	7.0 mm
Thread Length	32 mm
Shaft Dia.	4.5 mm
Core Dia.	4.5 mm
Hexagonal Socket Width	3.5 mm
Head Dia	8.0 mm
Cannulated	2.2 mm

ITEM CODES

Length	Stainless Steel	Titanium
45mm	018.045	318.045
50mm	018.050	318.050
55mm	018.055	318.055
60mm	018.060	318.060
65mm	018.065	318.065
70mm	018.070	318.070
75mm	018.075	318.075
80mm	018.080	318.080
85mm	018.085	318.085
90mm	018.090	318.090
95mm	018.095	318.095
100mm	018.100	318.100
105mm	018.105	318.105
110mm	018.110	318.110
115mm	018.115	318.115
120mm	018.120	318.120
125mm	018.125	318.125
130mm	018.130	318.130
135mm	018.135	318.135
140mm	018.140	318.140
145mm	018.145	318.145
150mm	018.150	318.150



BONE SCREWS

ITEM DESCRIPTION : Large Cannulated Cancellous Screw 7.0mm
Hexa. Socket, Fully Threaded

Thread Dia.	7.0 mm
Thread Length	Full
Shaft Dia.	4.5 mm
Core Dia.	4.5 mm
Hexagonal Socket Width	3.5 mm
Head Dia	8.0 mm
Cannulated	2.2 mm

ITEM CODES

Length	Stainless Steel	Titanium
45mm	019.045	319.045
50mm	019.050	319.050
55mm	019.055	319.055
60mm	019.060	319.060
65mm	019.065	319.065
70mm	019.070	319.070
75mm	019.075	319.075
80mm	019.080	319.080
85mm	019.085	319.085
90mm	019.090	319.090
95mm	019.095	319.095
100mm	019.100	319.100
105mm	019.105	319.105
110mm	019.110	319.110
115mm	019.115	319.115
120mm	019.120	319.120
125mm	019.125	319.125
130mm	019.130	319.130
140mm	019.140	319.140
150mm	019.150	319.150



ITEM DESCRIPTION : Small Cannulated Cancellous Screw 4.0mm
Hexagonal Socket, Short Thread

Thread Dia.	4.0 mm
Shaft Dia.	2.7 mm
Core Dia.	2.5 mm
Hexagonal Socket Width	2.5 mm
Head Dia	6.0 mm
Cannulation	1.4 mm
Cannulated Drill Bit	2.7 mm



ITEM CODES

Length	Stainless Steel	Titanium
10mm	020.010	320.010
12mm	020.012	320.012
14mm	020.014	320.014
16mm	020.016	320.016
18mm	020.018	320.018
20mm	020.020	320.020
22mm	020.022	320.022
24mm	020.024	320.024
26mm	020.026	320.026
28mm	020.028	320.028
30mm	020.030	320.030
32mm	020.032	320.032
34mm	020.034	320.034
36mm	020.036	320.036
38mm	020.038	320.038
40mm	020.040	320.040
42mm	020.042	320.042
44mm	020.044	320.044
46mm	020.046	320.046
48mm	020.048	320.048
50mm	020.050	320.050
55mm	020.055	320.055
60mm	020.060	320.060

BONE SCREWS

ITEM DESCRIPTION :

Small Cannulated Cancellous Screw 4.0mm Hexa. Socket, Fully Thread

Thread Dia.	4.0 mm
Core Dia.	2.5 mm
Hexagonal Socket Width	2.5 mm
Head Dia	6.0 mm
Cannulation	1.4 mm
Cannulated Drill Bit	2.7 mm

ITEM CODES

Length	Stainless Steel	Titanium
10mm	021.010	321.010
12mm	021.012	321.012
14mm	021.014	321.014
16mm	021.016	321.016
18mm	021.018	321.018
20mm	021.020	321.020
22mm	021.022	321.022
24mm	021.024	321.024
26mm	021.026	321.026
28mm	021.028	321.028
30mm	021.030	321.030
32mm	021.032	321.032
34mm	021.034	321.034
36mm	021.036	321.036
38mm	021.038	321.038
40mm	021.040	321.040
42mm	021.042	321.042
44mm	021.044	321.044
46mm	021.046	321.046
48mm	021.048	321.048
50mm	021.050	321.050
55mm	021.055	321.055
60mm	021.060	321.060



ITEM DESCRIPTION :

Cannulated Cancellous Screw 4.5mm Partially Thread

Thread Dia.	4.5 mm
Shaft Dia.	3.2 mm
Core Dia.	3.1 mm
Hexagonal Socket Width	2.5 mm
Head Dia	6.0 mm
Cannulation	1.4 mm
Cannulated Drill Bit	3.2 mm

ITEM CODES

Length	Stainless Steel	Titanium
20mm	022.020	322.020
25mm	022.025	322.025
30mm	022.030	322.030
35mm	022.035	322.035
40mm	022.040	322.040
45mm	022.045	322.045
50mm	022.050	322.050
55mm	022.055	322.055
60mm	022.060	322.060
65mm	022.065	322.065
70mm	022.070	322.070
75mm	022.075	322.075
80mm	022.080	022.080



ITEM DESCRIPTION :

Cannulated Cancellous Screw 4.5mm Fully Thread

Thread Dia.	4.5 mm
Core Dia.	3.1 mm
Hexagonal Socket Width	2.5 mm
Head Dia	6.0 mm
Cannulation	1.4 mm
Cannulated Drill Bit	3.2 mm

ITEM CODES

Length	Stainless Steel	Titanium
20mm	023.020	323.020
25mm	023.025	323.025
30mm	023.030	323.030
35mm	023.035	323.035
40mm	023.040	323.040
45mm	023.045	323.045
50mm	023.050	323.050
55mm	023.055	323.055
60mm	023.060	323.060
65mm	023.065	323.065
70mm	023.070	323.070
75mm	023.075	323.075
80mm	023.080	323.080



BONE SCREWS

ITEM DESCRIPTION :

Cannulated Cancellous Screw 4.5mm Partially Thread Self Tapping & Drilling

Thread Dia.	4.5 mm
Shaft Dia.	3.2 mm
Core Dia.	3.1 mm
Hexagonal Socket Width	2.5 mm
Head Dia	6.0 mm
Cannulation	1.4 mm
Cannulated Drill Bit	3.2 mm

ITEM CODES

Length	Stainless Steel	Titanium
20mm	024.020	324.020
25mm	024.025	324.025
30mm	024.030	324.030
35mm	024.035	324.035
40mm	024.040	324.040
45mm	024.045	324.045
50mm	024.050	324.050
55mm	024.055	324.055
60mm	024.060	324.060
65mm	024.065	324.065
70mm	024.070	324.070
75mm	024.075	324.075



ITEM DESCRIPTION :

Cannulated Cancellous Screw 4.5mm FullyThread Self Tapping & Drilling

Thread Dia.	4.5 mm
Core Dia.	3.1 mm
Hexagonal Socket Width	2.5 mm
Head Dia	6.0 mm
Cannulation	1.4 mm
Cannulated Drill Bit	3.2 mm

ITEM CODES

Length	Stainless Steel	Titanium
20mm	025.020	325.020
25mm	025.025	325.025
30mm	025.030	325.030
35mm	025.035	325.035
40mm	025.040	325.040
45mm	025.045	325.045
50mm	025.050	325.050
55mm	025.055	325.055
60mm	025.060	325.060
65mm	025.065	325.065
70mm	025.070	325.070
75mm	025.075	325.075



ITEM DESCRIPTION : Malleolar Screw 3.5 mm
Hexagonal Socket

Thread Dia.	3.5 mm
Shaft Dia.	2.4 mm
Core Dia.	2.4 mm
Hexagonal Socket Width	2.5 mm
Head Dia	6.0 mm
Drill Bit for Thread Hole	2.5 mm



ITEM CODES

Length	Stainless Steel	Titanium
25mm	026.025	326.025
30mm	026.030	326.030
35mm	026.035	326.035
40mm	026.040	326.040
45mm	026.045	326.045
50mm	026.050	326.050
55mm	026.055	326.055
60mm	026.060	326.060
65mm	026.065	326.065
70mm	026.070	326.070

ITEM DESCRIPTION : Malleolar Screw 4.5 mm Hexagonal Socket

Thread Dia.	4.5 mm
Drill Bit for Threaded Hole	3.2 mm
Shaft Dia.	3.0 mm
Core Dia.	3.0 mm
Hexagonal Socket	3.5 mm
Head Dia	8.0 mm



ITEM CODES

Length	Stainless Steel	Titanium
25mm	027.025	327.025
30mm	027.030	327.030
35mm	027.035	327.035
40mm	027.040	327.040
45mm	027.045	327.045
50mm	027.050	327.050
55mm	027.055	327.055
60mm	027.060	327.060
65mm	027.065	327.065
70mm	027.070	327.070
75mm	027.075	327.075
80mm	027.080	327.080
85mm	027.085	327.085
90mm	027.090	327.090
95mm	027.095	327.095
100mm	027.100	327.100

BONE SCREWS

ITEM DESCRIPTION :

Herbert Cannulated Bone Screw 2.7mm Star Head T10/Hex.

Thread Dia.	2.7 mm
Shaft Dia.	1.9 mm
Core Dia.	1.9 mm
Head Dia	4.0 mm
Cannulation	1.0 mm
Cannulated Drill Bit	2.0 mm

ITEM CODES

Length	Stainless Steel	Titanium
14mm	028.014	328.014
16mm	028.016	328.016
18mm	028.018	328.018
20mm	028.020	328.020
22mm	028.022	328.022
24mm	028.024	328.024
26mm	028.026	328.026
28mm	028.028	328.028
30mm	028.030	328.030
32mm	028.032	328.032
34mm	028.034	328.034
36mm	028.036	328.036
38mm	028.038	328.038
40mm	028.040	328.040
42mm	028.042	328.042
44mm	028.044	328.044
46mm	028.046	328.046
48mm	028.048	328.048
50mm	028.050	328.050

ITEM DESCRIPTION : Herbert Screw 3.5mm

Leading Thread Major Dia.	3.5 mm
Trailing Thread Major Dia.	5.0 mm
Cannulation	1.4 mm
Core Dia.	2.5 mm
Shaft Dia.	2.4mm

ITEM CODES

Length	Stainless Steel	Titanium
25mm	029.025	329.025
30mm	029.030	329.030
35mm	029.035	329.035
40mm	029.040	329.040
45mm	029.045	329.045
50mm	029.050	329.050
55mm	029.055	329.055
60mm	029.060	329.060
65mm	029.065	329.065
70mm	029.070	329.070
75mm	029.075	329.075
80mm	029.080	329.080
85mm	029.085	329.085
90mm	029.090	329.090
95mm	029.095	329.095
100mm	029.100	329.100



ITEM DESCRIPTION : Herbert Screw 4.5mm

Leading Thread Major Dia.	4.5 mm
Trailing Thread Major Dia.	5.8 mm
Cannulation	1.4 mm
Hax.	3.5 mm
Shaft Dia.	3.0 mm
Core Dia	3.0 mm

ITEM CODES

Length	Stainless Steel	Titanium
25mm	030.025	330.025
30mm	030.030	330.030
35mm	030.035	330.035
40mm	030.040	330.040
45mm	030.045	330.045
50mm	030.050	330.050
55mm	030.055	330.055
60mm	030.060	330.060
65mm	030.065	330.065
70mm	030.070	330.070
75mm	030.075	330.075
80mm	030.080	330.080
85mm	030.085	330.085
90mm	030.090	330.090
95mm	030.095	330.095
100mm	030.100	330.100



ITEM DESCRIPTION : Herbert Screw 6.5 mm

Leading Thread Major Dia.	6.5 mm
Trailing Thread Major Dia.	8.0 mm
Cannulation	2.2mm
Shaft Dia.	4.5mm
Core Dia	4.5mm

ITEM CODES

Length	Stainless Steel	Titanium
25mm	031.025	331.025
30mm	031.030	331.030
35mm	031.035	331.035
40mm	031.040	331.040
45mm	031.045	331.045
50mm	031.050	331.050
55mm	031.055	331.055
60mm	031.060	331.060
65mm	031.065	331.065
70mm	031.070	331.070
75mm	031.075	331.075
80mm	031.080	331.080
85mm	031.085	331.085
90mm	031.090	331.090
95mm	031.095	331.095
100mm	031.100	331.100



BONE SCREWS

ITEM DESCRIPTION : Washer for Small Screw 10mm

Inner Diameter	5.0 mm
Outer Diameter	10 mm
Thickness	1.3 mm

ITEM CODES

Length	Stainless Steel	Titanium
10mm	100.010	300.010



ITEM DESCRIPTION : Washer for Large Screw 4.5, 7.0 to 13mm

Inner Diameter	7.0 mm
Outer Diameter	13 mm
Thickness	1.5 mm

ITEM CODES

Length	Stainless Steel	Titanium
13mm	100.013	300.013



ITEM DESCRIPTION : D.H.S. / Lag Screw

Thread Dia.	12.5 mm
Core Dia	8.0 mm
Cannulation	3.2mm
Shaft Dia	8.0mm
A/F	7.0mm
Slot	3.0 x 3.0mm

ITEM CODES

Length	Stainless Steel	Titanium
50mm	032.050	332.050
55mm	032.055	332.055
60mm	032.060	332.060
65mm	032.065	332.065
70mm	032.070	332.070
75mm	032.075	332.075
80mm	032.080	332.080
85mm	032.085	332.085
90mm	032.090	332.090
95mm	032.095	332.095
100mm	032.100	332.100
105mm	032.105	332.105
110mm	032.110	332.110
115mm	032.115	332.115
120mm	032.120	332.120
125mm	032.125	332.125
130mm	032.130	332.130
135mm	032.135	332.135
140mm	032.140	332.140
145mm	032.145	332.145



ITEM DESCRIPTION : Counter Sink

ITEM CODES

Length	Stainless Steel
1.5mm	I100.015
2.0mm	I100.020
3.5mm	I100.035
4.5mm	I100.045
6.5mm	I100.065



ITEM DESCRIPTION : Depth Gauge (A.O. Type)

ITEM CODES

Length	Stainless Steel
Large	001
Small	002
Mini	003



ITEM DESCRIPTION : Drill Sleeve / Stop

ITEM CODES

Length	Stainless Steel
2.0mm	IDS100.020
2.7mm	IDS100.027
3.2mm	IDS100.032



ITEM DESCRIPTION : Drill Sleeve Insert

ITEM CODES

Length	Stainless Steel
2.5mm	IDS1.025
3.2mm	IDS1.032



BONE SCREWS

ITEM DESCRIPTION : Tap Sleeve

ITEM CODES	
Length	Stainless Steel
3.5mm	TS.035
4.5mm	TS.045



ITEM DESCRIPTION : Tripple Drill Guide 2.0mm

ITEM CODES	
Length	Stainless Steel
2.0mm	TDG.020D



ITEM DESCRIPTION : Gauge for Screw

ITEM CODES	
Length	Stainless Steel
6"	GS.006



ITEM DESCRIPTION : Combined Drill & Tap Sleeve

ITEM CODES	
Length	Stainless Steel
1.5/2.0mm	000.15x20
2.0/2.7mm	000.20x27
2.5/3.5mm	000.25x35
3.2/4.5mm	000.32x45
3.2/6.5mm	000.32x65



INSTRUMENTS FOR BONE SCREWS

ITEM DESCRIPTION : Screw Driver Shaft

1.5mm (for 1.5/2.0mm Screw)
2.5mm (for 2.7/3.5mm Screw)
3.5mm (for 4.5/6.5mm Screw)

ITEM CODES

Length	Stainless Steel
1.5mm	SDS.015
2.5mm	SDS.025
3.5mm	SDS.035




ITEM DESCRIPTION : Screw Driver for Hexagonal

1.5 for 1.5mm & 2.0mm Screw, 2.5 for 2.7mm & 3.5mm Screw
3.5mm/4.5mm for 6.5mm Screw

ITEM CODES

Length	Stainless Steel
1.5mm	SDH.015
2.5mm	SDH.025
3.5mm	SDH.035



ITEM DESCRIPTION : Screw Driver with Holding Sleeve

ITEM CODES

Length	Stainless Steel
1.5mm	SDHS.015
2.5mm	SDHS.025
3.5mm	SDHS.035



ITEM DESCRIPTION :

Cannulated Screw Driver 3.5mm (for 4.5mm Screw)
Cannulated Screw Driver 4.5mm (for 7.0mm Screw)

ITEM CODES

Length	Stainless Steel
2.0mm	CSD.020
3.5mm	CSD.035
4.5mm	CSD.045



INSTRUMENTS FOR BONE SCREWS

ITEM DESCRIPTION : Cannulated Screw Driver (Star Drive) 2.7mm Herbert

ITEM CODES

Length	Stainless Steel
2.7mm	CSDS.001



ITEM DESCRIPTION : Bone Taps Q.C

ITEM CODES


Length	Stainless Steel
1.5mm Cortical	BTQC.015
2.0mm Cortical	BTQC.020
2.7mm Cortical	BTQC.027
3.5mm Cortical	BTQC.035
3.5mm Cancellous	BTQCC.035
4.0mm Cancellous	BTQCC.040
4.5mm Cortical	BTQC.045
6.5mm Cancellous	BTQCC.065



ITEM DESCRIPTION : Pointed Drill Guide

ITEM CODES

Stainless Steel
PDG.003



ITEM DESCRIPTION : Washer Hanger

ITEM CODES

Stainless Steel
WH.004



INSTRUMENTS FOR BONE SCREWS

ITEM DESCRIPTION : Cannulated Tap

ITEM CODES	
Length	Stainless Steel
4.0mm	CT.040
4.5mm	CT.045
7.0mm	CT.070

Length	Stainless Steel
4.0mm	CT.040
4.5mm	CT.045
7.0mm	CT.070




ITEM DESCRIPTION : Screw Holding Forceps

ITEM CODES	
Stainless Steel	
SHF.002	



ITEM DESCRIPTION : Quick Coupling Handle

ITEM CODES	
Stainless Steel	
QCH.005	



INSTRUMENTS FOR BONE SCREWS

ITEM DESCRIPTION :

Quick Coupling Attachment with Fiber Handle

ITEM CODES

Stainless Steel

QCFH.006



ITEM DESCRIPTION : Neutral and Eccentric Drill Guide

ITEM CODES

Length	Stainless Steel
1.1/1.5mm	NEDG.11.15
1.5/2.0mm	NEDG.15.20
2.0/2.7mm	NEDG.20.27
2.7/3.5mm	NEDG.27.5
2.5/3.5mm	NEDG.25.35
3.2/4.5mm	NEDG.32.45



ITEM DESCRIPTION : Cannulated Drill Bit



ITEM CODES

Length	Stainless Steel
4.5mm for 7mm Screw	CDB.045
3.2mm (for 4.5mm Screw)	CDB.032
2.7mm (for 4.0mm Screw)	CDB.027

INSTRUMENTS FOR BONE SCREWS

ITEM DESCRIPTION : Bone Tap T-Handle Cortical

ITEM CODES

Length	Stainless Steel
1.5mm Cortical	BTC.015
2.0mm Cortical	BTC.020
2.7mm Cortical	BTC.027
3.5mm Cortical	BTC.035
3.5mm Cancellous	BTCC.035
4.0mm Cancellous	BTCC.040
4.5mm Cortical	BTC.045
6.5mm Cancellous	BTCC.065



ITEM DESCRIPTION :
Parallel Wire Guide

ITEM CODES

Stainless Steel

PWG.009



ITEM DESCRIPTION : Hollow Mill for Removal Screw

ITEM CODES

Stainless Steel

HMRS.007



INSTRUMENTS FOR BONE SCREWS

ITEM DESCRIPTION :
Triple Trocar Set with Handle


ITEM CODES

Stainless Steel

TTSH.008



ITEM DESCRIPTION : Guide Wire for Cannulated Screw



ITEM CODES

Length	Stainless Steel
0.9mm x 175mm for Herber 2.7mm	GWCS.009
1.0mm x 230mm for 4.0mm	GWCS.010
1.2mm x 230mm for 4.5mm	GWCS.012
1.8mm x 230mm for 7.0mm	GWCS.018
2.5mm x 230mm DHS	GWCS.025

LOCKING HEAD SCREWS

ITEM DESCRIPTION : Locking Cancellous Screw 6.5mm Fully Threaded

Thread Dia. 6.5mm
Core Dia. 3.7mm
Head Dia. 7.5mm
Shaft Dia. 3.5mm



ITEM CODES

Length	Stainless Steel	Titanium
25mm	038.025	338.025
30mm	038.030	338.030
35mm	038.035	338.035
40mm	038.040	338.040
45mm	038.045	338.045
50mm	038.050	338.050
55mm	038.055	338.055
60mm	038.060	338.060
65mm	038.065	338.065
70mm	038.070	338.070
75mm	038.075	338.075
80mm	038.080	338.080
85mm	038.085	338.085
90mm	038.090	338.090
95mm	038.095	338.095
100mm	038.100	338.100
105mm	038.105	338.105
110mm	038.110	338.110
115mm	038.0115	338.0115
120mm	038.0120	338.0120

ITEM DESCRIPTION :

Self Tapping Locking Screw (*Star Head*) 2.4mm

Thread Dia. 2.4 mm
Core Dia. 1.6 mm
Star Hex. Head T-7
Head Dia. 3.5 mm



ITEM CODES

Length	Stainless Steel	Titanium
10mm	034.010	334.010
12mm	034.012	334.012
14mm	034.014	334.014
16mm	034.016	334.016
18mm	034.018	334.018
20mm	034.020	334.020
22mm	034.022	334.022
24mm	034.024	334.024
26mm	034.026	334.026
28mm	034.028	334.028
30mm	034.030	334.030

LOCKING HEAD SCREWS

ITEM DESCRIPTION :

Self Tapping Locking Screw 2.7mm, Hex. Dia 2.0mm

Thread Dia. 2.7 mm
Core Dia. 1.8 mm
Star Hex. Head T-7
Head Dia. 3.5 mm



ITEM CODES

Length	Stainless Steel	Titanium
10mm	035.010	335.010
12mm	035.012	335.012
14mm	035.014	335.014
16mm	035.016	335.016
18mm	035.018	335.018
20mm	035.020	335.020
22mm	035.022	335.022
24mm	035.024	335.024
26mm	035.026	335.026
28mm	035.028	335.028
30mm	035.030	335.030
32mm	035.032	335.032
34mm	035.034	335.034
36mm	035.036	335.036
38mm	035.038	335.038
40mm	035.040	335.040
42mm	035.042	335.042
44mm	035.044	335.044
46mm	035.046	335.046
48mm	035.048	335.048
50mm	035.050	335.050
52mm	035.052	335.052
54mm	035.054	335.054
56mm	035.056	335.056
58mm	035.058	335.058
60mm	035.060	335.060

LOCKING HEAD SCREWS

ITEM DESCRIPTION :

Locking Compression Screw 3.5mm Self Tapping

Thread Dia 3.5mm
Core Dia 2.8mm
Head Hex. 2.5mm
Shaft Dia. 5.0mm



ITEM CODES

Length	Stainless Steel	Titanium
10mm	036.010	336.010
12mm	036.012	336.012
14mm	036.014	336.014
16mm	036.016	336.016
18mm	036.018	336.018
20mm	036.020	336.020
22mm	036.022	336.022
24mm	036.024	336.024
26mm	036.026	336.026
28mm	036.028	336.028
30mm	036.030	336.030
32mm	036.032	336.032
34mm	036.034	336.034
36mm	036.036	336.036
38mm	036.038	336.038
40mm	036.040	336.040
42mm	036.042	336.042
44mm	036.044	336.044
46mm	036.046	336.046
48mm	036.048	336.048
50mm	036.050	336.050
52mm	036.052	336.052
55mm	036.055	336.055
60mm	036.060	336.060
65mm	036.065	336.065
70mm	036.070	336.070
75mm	036.075	336.075
80mm	036.080	336.080

LOCKING HEAD SCREWS

ITEM DESCRIPTION :

Locking Compression Screw 5.0mm Self Tapping

Thread Dia 5.0mm
Core Dia 4.2mm
Head Hex. 3.5mm
Head Dia. 6.7mm



ITEM CODES

Length	Stainless Steel	Titanium
14mm	037.014	337.014
16mm	037.016	337.016
18mm	037.018	337.018
20mm	037.020	337.020
22mm	037.022	337.022
24mm	037.024	337.024
26mm	037.026	337.026
28mm	037.028	337.028
30mm	037.030	337.030
32mm	037.032	337.032
34mm	037.034	337.034
36mm	037.036	337.036
38mm	037.038	337.038
40mm	037.040	337.040
42mm	037.042	337.042
44mm	037.044	337.044
46mm	037.046	337.046
48mm	037.048	337.048
50mm	037.050	337.050
55mm	037.055	337.055
60mm	037.060	337.060
65mm	037.065	337.065
70mm	037.070	337.070
75mm	037.075	337.075
80mm	037.080	337.080
85mm	037.085	337.085
90mm	037.090	337.090

LOCKING HEAD SCREWS

ITEM DESCRIPTION :

Self Tapping Locking Screw 2.4mm, Hex. Dia 2.0mm

Thread Dia.	2.4 mm
Hexagonal Socket Width	2.0 mm
Core Dia.	1.6 mm
Head Dia.	3.3 mm



ITEM CODES

Length	Stainless Steel	Titanium
10mm	033.010	333.010
12mm	033.012	333.012
14mm	033.014	333.014
16mm	033.016	333.016
18mm	033.018	333.018
20mm	033.020	333.020
22mm	033.022	333.022
24mm	033.024	333.024
26mm	033.026	333.026
28mm	033.028	333.028
30mm	033.030	333.030

ITEM DESCRIPTION : Locking Cancellous Screw 6.5mm Fully threaded

Thread Dia	5.0mm
Core Dia	2.7mm
Head Hex.	3.5mm
Head Dia.	6.5mm
Shaft Dia.	3.0mm

ITEM CODES

Length	Stainless Steel	Titanium
25mm	039.025	339.025
30mm	039.030	339.030
35mm	039.035	339.035
40mm	039.040	339.040
45mm	039.045	339.045
50mm	039.050	339.050
55mm	039.055	339.055
60mm	039.060	339.060
65mm	039.065	339.065
70mm	039.070	339.070
75mm	039.075	339.075
80mm	039.080	339.080
85mm	039.085	339.085
90mm	039.090	339.090
95mm	039.095	339.095
100mm	039.100	339.100
105mm	039.105	339.105
110mm	039.110	339.110
115mm	039.0115	339.0115
120mm	039.0120	339.0120



LOCKING HEAD SCREWS

ITEM DESCRIPTION :

Locking Head Cancellous Screw 5.0mm 32 Thread

Thread Dia	5.0mm
Core Dia	2.7mm
Head Hex.	3.5mm
Head Dia.	6.5mm
Shaft Dia.	3.0mm

ITEM CODES

Length	Stainless Steel	Titanium
25mm	040.32.25	340.32.25
30mm	040.32.30	340.32.30
35mm	040.32.35	340.32.35
40mm	040.32.40	340.32.40
45mm	040.32.45	340.32.45
50mm	040.32.50	340.32.50
55mm	040.32.55	340.32.55
60mm	040.32.60	340.32.60
65mm	040.32.65	340.32.65
70mm	040.32.70	340.32.70
75mm	040.32.75	340.32.75
80mm	040.32.80	340.32.80
85mm	040.32.85	340.32.85
90mm	040.32.90	340.32.90
95mm	040.32.95	340.32.95
100mm	040.32.100	340.32.100
105mm	040.32.105	340.32.105
110mm	040.32.110	340.32.110
115mm	040.32.115	340.32.115
120mm	040.32.120	340.32.120



ITEM DESCRIPTION :

Locking Head Cancellous Screw 5.0mm Fully Thread

Thread Dia	5.0mm
Core Dia	2.7mm
Head Hex.	3.5mm
Head Dia.	6.5mm

ITEM CODES

Length	Stainless Steel	Titanium
25mm	041.50.25	341.50.25
30mm	041.50.30	341.50.30
35mm	041.50.35	341.50.35
40mm	041.50.40	341.50.40
45mm	041.50.45	341.50.45
50mm	041.50.50	341.50.50
55mm	041.50.55	341.50.55
60mm	041.50.60	341.50.60
65mm	041.50.65	341.50.65
70mm	041.50.70	341.50.70
75mm	041.50.75	341.50.75
80mm	041.50.80	341.50.80
85mm	041.50.85	341.50.85
90mm	041.50.90	341.50.90
95mm	041.50.95	341.50.95
100mm	041.50.00	341.50.00
105mm	041.50.05	341.50.05
110mm	041.50.10	341.50.10
115mm	041.50.15	341.50.15
120mm	041.50.20	341.50.20



LOCKING HEAD SCREWS

ITEM DESCRIPTION :

Locking Head Cancellous Screw 3.5mm Fully Thread

Thread Dia 3.5mm

Core Dia 1.8mm

Head Dia. 5.0mm

Hex. Head 2.5mm



ITEM CODES

Length	Stainless Steel	Titanium
25mm	042.025	342.025
30mm	042.030	342.030
35mm	042.035	342.035
40mm	042.040	342.040
45mm	042.045	342.045
50mm	042.050	342.050
55mm	042.055	342.055
60mm	042.060	342.060

INSTRUMENT FOR LOCKING SCREWS

ITEM DESCRIPTION : Drill Sleeve for Locking Screw 2.4/2.7mm

ITEM CODES

Length	Stainless Steel
2.4mm	043.024
2.7mm	043.027



ITEM DESCRIPTION : Drill Bit for Locking Cancellous 2.8mm Classic Type



ITEM CODES

Stainless Steel

DBLC.028

ITEM DESCRIPTION : Drill Bit for Locking Cancellous 4.3mm Classic Type



ITEM CODES

Stainless Steel

DBLC.043

ITEM DESCRIPTION : Drill Sleeve for Locking Screw 6.5mm

ITEM CODES

Length	Stainless Steel
6.5mm	046.065



INSTRUMENT FOR LOCKING SCREWS

ITEM DESCRIPTION : Drill Bit for Locking Cancellous 2.0mm Classic Type



ITEM CODES
Stainless Steel
DBLC.020

ITEM DESCRIPTION : Drill Sleeve for Locking Screw 3.5mm

ITEM CODES	
Length	Stainless Steel
3.5mm	044.035



ITEM DESCRIPTION : Drill Sleeve for Locking Screw 5.0mm

ITEM CODES	
Length	Stainless Steel
5.0mm	045.050



ITEM DESCRIPTION :

Cannulated Screw Driver (Star Drive) 2.7mm Herbert Screw

ITEM CODES	
Length	Stainless Steel
2.7mm	048.027



INSTRUMENT FOR LOCKING SCREWS

ITEM DESCRIPTION : Torque Screw Driver

ITEM CODES	
Length	Stainless Steel
3.5mm	047.035
5.0mm	047.050

Length	Stainless Steel
3.5mm	047.035
5.0mm	047.050



ITEM DESCRIPTION : Dynamic Self Compression Plate for 2.0mm Screws

Thickness 1.0mm
Width 5.0mm
Hole Space 5 & 6mm

ITEM CODES

Holes	Length	S.S.	Titanium
4	22mm	BP.04.22	BP.04.022
5	27mm	BP.05.27	BP.05.027
6	32mm	BP.06.32	BP.06.032
7	37mm	BP.07.37	BP.07.037
8	42mm	BP.08.42	BP.08.042



ITEM DESCRIPTION : Dynamic Self Compression Plate for 2.4mm Screws

Thickness 2.0mm
Width 7.0mm
Head Dia. 7.0mm

ITEM CODES

Holes	Length	S.S.	Titanium
4	31mm	048.04.31	348.04.31
5	38mm	048.05.38	348.05.38
6	45mm	048.06.45	348.06.45
7	52mm	048.07.52	348.07.52
8	59mm	048.08.59	348.08.59
9	66mm	048.09.66	348.09.66
10	73mm	048.10.73	348.10.73
11	80mm	048.11.80	348.11.80
12	87mm	048.12.87	348.12.87
14	94mm	048.14.94	348.14.94



ITEM DESCRIPTION : Dynamic Self Compression Plate for 2.7mm Screws

Profile S.S.

Thickness Upto 6 Holes 2.0 mm
Thickness 7 - 12 Holes 2.5 mm
Width 8.0 mm
Hole Spacing 8 & 12 mm

ITEM CODES

Holes	Length	S.S.	Titanium
2	22mm	049.02.22	349.02.22
3	28mm	049.03.28	349.03.28
4	36mm	049.04.36	349.04.36
5	44mm	049.05.44	349.05.44
6	52mm	049.06.52	349.06.52
7	60mm	049.07.60	349.07.60
8	68mm	049.08.68	349.08.68
9	76mm	049.09.76	349.09.76
10	84mm	049.10.84	349.10.84
12	100mm	049.12.100	349.12.100



BONE PLATES

ITEM DESCRIPTION : Dynamic Self Compression Plate (LC-DCP) 2.7mm

Thickness 2.5mm
Width 8.0mm
Hole Space 8 & 13mm

ITEM CODES

Holes	Length	S.S.	Titanium
2	22mm	050.02.22	350.02.22
3	28mm	050.03.28	350.03.28
4	36mm	050.04.36	350.04.36
5	44mm	050.05.44	350.05.44
6	52mm	050.06.52	350.06.52
7	60mm	050.07.60	350.07.60
8	68mm	050.08.68	350.08.68
9	76mm	050.09.76	350.09.76
10	84mm	050.10.84	350.10.84
12	100mm	050.12.100	350.12.100



ITEM DESCRIPTION : L- and T- Plate 2.0 For Finger Joint Head Shaft with 2 Holes, Head with 2

Thickness 1.0mm
Width 5.0mm
Hole Space 6.0mm

ITEM CODES

Size	S.S.	Titanium
L-Left	051.20L	351.20L
L-Right	051.20LR	351.20LR
L- Oblique	051.20LO	351.20LO
R-oblique	051.20R	351.20R
T-Shaped	051.20TS	351.20TS



ITEM DESCRIPTION : L- and T- Plate 2.7mm having 3 Hole Shaft & 2 holes in head

Thickness 1.0mm
Width 7.0mm
Hole Space 8.0mm

ITEM CODES

Size	S.S.	Titanium
L-Left	051.27L	351.27L
L-Right	051.27LR	351.27LR
L- Oblique	051.27LO	351.27LO
R-Oblique	051.27R	351.27R
T-Shaped	051.27TS	351.27TS



ITEM DESCRIPTION : Reconstruction Plate 2.7mm Screws PROFILE S.S.

Thickness	3.1mm & 2.7mm
Width	8.0mm
Hole Spacing	8.0mm



ITEM CODES

Holes	Length	S.S.	Titanium
5	40mm	051.05.40	351.05.40
6	48mm	051.06.48	351.06.48
8	64mm	051.08.64	351.08.64
10	80mm	051.10.80	351.10.80
12	96mm	051.12.96	351.12.96
14	112mm	051.14.112	351.14.112
16	128mm	051.16.128	351.16.128
18	144mm	051.18.144	351.18.144
20	160mm	051.20.160	351.20.160
22	176mm	051.22.176	351.22.176
24	192mm	051.24.192	351.24.192

ITEM DESCRIPTION : Quarter Tubular Plate

Thickness	1.0mm
Width	7.0mm
Hole Spacing	8.0mm



ITEM CODES

Holes	Length	S.S.	Titanium
3	23mm	051.03.23	351.03.23
4	31mm	051.04.31	351.04.31
5	39mm	051.05.39	351.05.39
6	47mm	051.06.47	351.06.47
7	55mm	051.07.55	351.07.55
8	63mm	051.08.63	351.08.63

ITEM DESCRIPTION : Cloverleaf Plate

Thickness	2.0mm
Width	16mm
Hole Space	16mm



ITEM CODES

Holes	Length	S.S.	Titanium
3	88mm	052.03.088	352.03.088
4	104mm	052.04.104	352.04.104
5	120mm	052.05.120	352.05.120
6	136mm	052.06.136	352.06.136
7	152mm	052.07.152	352.07.152
8	168mm	052.08.168	352.08.168
9	184mm	052.09.184	352.09.184
10	200mm	052.10.200	352.10.200
11	216mm	052.11.216	352.11.216
12	232mm	052.12.232	352.12.232
13	248mm	052.13.248	352.13.248
14	264mm	052.14.264	352.14.264

BONE PLATES


ITEM DESCRIPTION : Dynamic Self Compression Plate for Small Fragment for Ulna and Radius.

PROFILE S.S.

THICKNESS	3.5mm
WIDTH	10mm
HOLE SPACING	12 & 16mm

ITEM CODES

Holes	Length	S.S.	Titanium
2	25	053.02.025	353.02.025
3	37	053.03.037	353.03.037
4	49	053.04.049	353.04.049
5	61	053.05.061	353.05.061
6	73	053.06.073	353.06.073
7	85	053.07.085	353.07.085
8	97	053.08.097	353.08.097
9	109	053.09.109	353.09.109
10	121	053.10.121	353.10.121
11	133	053.11.133	353.11.133
12	145	053.12.145	353.12.145
13	157	053.13.157	353.13.157
14	169	053.14.169	353.14.169



ITEM DESCRIPTION : Limited Contact Dynamic Compression Plate (LC-DCP - Small)

PROFILE S.S.

THICKNESS	4.0mm
WIDTH	11mm
HOLE SPACING	13mm

ITEM CODES

Holes	Length	S.S.	Titanium
3	38	054.03.038	354.03.038
4	51	054.04.051	354.04.051
5	54	054.05.054	354.05.054
6	77	054.06.077	354.06.077
7	90	054.07.090	354.07.090
8	103	054.08.103	354.08.103
9	116	054.09.116	354.09.116
10	129	054.10.129	354.10.129
11	142	054.11.142	354.11.142
12	155	054.12.155	354.12.155
13	168	054.13.168	354.13.168
14	181	054.14.181	354.14.181



ITEM DESCRIPTION :

Reconstruction Plate 3.5mm Screws

PROFILE S.S

Thickness 2.5mm
Width 10.0mm
Hole Spacing 12.0mm
Fixation With 3.5 & 4.0mm Screw



ITEM CODES

Holes	Length	S.S.	Titanium
5	58mm	055.05.058	355.05.058
6	70mm	055.06.070	355.06.070
7	82mm	055.07.082	355.07.082
8	94mm	055.08.094	355.08.094
9	106mm	055.09.106	355.09.106
10	118mm	055.10.118	355.10.118
11	130mm	055.11.130	355.11.130
12	142mm	055.12.142	355.12.142
13	154mm	055.13.154	355.13.154
14	166mm	055.14.166	355.14.166
15	178mm	055.15.178	355.15.178
16	190mm	055.16.190	355.16.190
17	202mm	055.17.202	355.17.202
18	214mm	055.18.214	355.18.214
19	226mm	055.19.226	355.19.226
20	238mm	055.20.238	355.20.238
21	250mm	055.21.250	355.21.250
22	262mm	055.22.262	355.22.262


ITEM DESCRIPTION : Y - Reconstruction Plate

PROFILE S.S

THICKNESS 2.0mm
WIDTH 10.0mm

ITEM CODES

Holes	Length	S.S.	Titanium
6	Small	055.06S	355.06S
9	Medium	055.09M	355.09M
12	Large	055.12L	355.12L



BONE PLATES


ITEM DESCRIPTION : Tubular Plates 1/3rd

PROFILE S.S

THICKNESS	1.0mm
WIDTH	9mm
HOLE SPACING	12 & 16mm

ITEM CODES

Holes	Length	S.S.	Titanium
2	25	056.002.025	356.002.025
3	37	056.003.037	356.003.037
4	49	056.004.049	356.004.049
5	61	056.005.061	356.005.061
6	73	056.006.073	356.006.073
7	85	056.007.085	356.007.085
8	97	056.008.097	356.008.097
9	109	056.009.109	356.009.109
10	121	056.010.121	356.010.121
11	133	056.011.133	356.011.133
12	145	056.020.145	356.020.145



ITEM DESCRIPTION : T Plate (Small) for 3.5mm Screws

PROFILE S.S

THICKNESS	1.2mm
WIDTH	10.0mm
HOLE SPACING	10, 11, 14mm

ITEM CODES

Holes	Length	S.S.	Titanium
3	39mm	057.003.039	357.003.039
4	56mm	057.004.056	357.004.056
5	67mm	057.005.067	357.005.067
6	78mm	057.006.078	357.006.078
7	89mm	057.007.089	357.007.089
8	100mm	057.008.100	357.008.100
9	111mm	057.009.111	357.009.111
10	122mm	057.010.122	357.010.122
11	133mm	057.011.133	357.011.133



ITEM DESCRIPTION : Small T - Plate Oblique Angled (Left/Right)

PROFILE S.S

THICKNESS	1.2mm
WIDTH	10.0mm
HOLE SPACING	10, 11, 14mm

ITEM CODES

Holes	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
3	057.03L	057.03TL	057.03R	057.03TR
4	057.04L	057.04TL	057.04R	057.04TR
5	057.05L	057.05TL	057.05R	057.05TR
6	057.06L	057.06TL	057.06R	057.06TR
8	057.08L	057.08TL	057.08R	057.08TR



ITEM DESCRIPTION :

T Plate (Small) Right Angled with 4 Head Holes

PROFILE S.S.

THICKNESS	1.2mm
WIDTH	10.0mm
HOLE SPACING	10, 11, 14mm

ITEM CODES

Holes	Length	S.S.	Titanium
3	39mm	058.03.039	358.03.039
4	56mm	058.04.056	358.04.056
5	67mm	058.05.067	358.05.067
6	78mm	058.06.078	358.06.078
7	89mm	058.07.089	358.07.089
8	100mm	058.08.100	358.08.100
9	111mm	058.09.111	358.09.111
10	122mm	058.10.122	358.10.122
12	133mm	058.12.133	358.12.133



ITEM DESCRIPTION :

Calcaneal Plate for 3.5mm
Thickness 1.2mm

ITEM CODES

Length	S.S.	Titanium
60	059.060S	359.060S
70	059.070S	359.070S



ITEM DESCRIPTION : Olecranon Plate

PROFILE S.S.

THICKNESS	1.0 mm
WIDTH	10 mm
HOLE SPACING	12 mm

ITEM CODES

Holes	S.S.	Titanium
3	060.003S	360.003T
4	060.004S	360.004T
5	060.005S	360.005T
6	060.006S	360.006T
7	060.007S	360.007T
8	060.008S	360.008T
10	060.010S	360.010T



BONE PLATES

ITEM DESCRIPTION : Angle Blade Plate 130°

PROFILE S.S

THICKNESS	5.6 mm
WIDTH	16 mm
HOLE SPACING	12 & 16mm



ITEM CODES

Length	4 Holes	5 Holes	6 Holes	7 Holes	8 Holes	9 Holes	12 Holes	14 Holes	16 Holes	18 Holes
50mm	061.050.04	061.050.05	061.050.06	061.050.07	061.050.08	-	-	-	-	-
60mm	061.060.04	061.060.05	061.060.06	061.060.07	061.060.08	-	-	-	-	-
70mm	061.070.04	061.070.05	061.070.06	061.070.07	061.070.08	061.70.09	061.70.12	061.70.14	061.70.16	061.70.18
75mm	061.075.04	061.075.05	061.075.06	061.075.07	061.075.08	-	-	061.75.14	061.75.16	061.75.18
80mm	061.080.04	061.080.05	061.080.06	061.080.07	061.080.08	061.80.09	061.80.12	061.80.14	061.80.16	061.80.18
85mm	061.085.04	061.085.05				-	-	061.85.14	061.85.16	061.85.18
90mm	061.090.04	061.090.05				061.90.09	061.90.12	061.90.14	061.90.16	061.90.18
95mm	061.095.04	061.095.05				-	-	-	-	-
100mm	061.100.04	061.100.05				-	-	-	-	-
105mm	061.105.04	061.105.05				-	-	-	-	-
110mm	061.110.04	061.110.05				-	-	-	-	-

ITEM DESCRIPTION : Condylar Blade Plate 95°

PROFILE S.S

THICKNESS	5.6 mm
WIDTH	16 mm
HOLE SPACING	16 mm

ITEM CODES

Length	5 Holes	6 Holes	7 Holes	8 Holes	9 Holes
50	062.50.05	062.50.06	062.50.07	062.50.08	062.50.09
60	062.60.05	062.60.06	062.60.07	062.60.08	062.60.09
70	062.70.05	062.70.06	062.70.07	062.70.08	062.70.09
80	062.80.05	062.80.06	062.80.07	062.80.08	062.80.09

ITEM CODES

Length	12 Holes	14 Holes	16 Holes	18 Holes
50	063.50.12	063.50.14	063.50.16	063.50.18
60	063.60.12	063.60.14	063.60.16	063.60.18
70	063.70.12	063.70.14	063.70.16	063.70.18
80	063.80.12	063.80.14	063.80.16	063.80.18



BONE PLATES

ITEM DESCRIPTION :
Condylar Buttress Plate

PROFILE S.S

Thickness	5.6 mm
Width	16.0mm
Holes Space	16.0mm

ITEM CODES

Holes	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
7	063.07SL	063.07TL	063.07SR	063.07TR
9	063.09SL	063.09TL	063.09SR	063.09TR
11	063.11SL	063.11TL	063.11SR	063.11TR
13	063.13SL	063.13TL	063.13SR	063.13TR
15	063.15SL	063.15TL	063.15SR	063.15TR



ITEM DESCRIPTION : Cobra Head Plate 4.5mm

PROFILE S.S

Thickness	6.0 mm
Width	16.0mm
Holes Space	16.0mm

ITEM CODES

Holes	Length	S.S.	Titanium
7	152mm	064.07.152	364.07.152
8	168mm	064.08.168	364.08.168
9	184mm	064.09.184	364.09.184
10	200mm	064.10.200	364.10.200
11	216mm	064.11.216	364.11.216
12	232mm	064.12.232	364.12.232
13	248mm	064.13.248	364.13.248
14	264mm	064.14.264	364.14.264
16	296mm	064.16.296	364.16.296



BONE PLATES

ITEM DESCRIPTION : D.H.S. Barrel Plates with Dynamic Compression Holes

PROFILE S.S

THICKNESS	5.8mm
WIDTH	19mm
HOLE SPACING	16mm
Barrel Length	38mm
Barrel Dia.	12.6mm



ITEM CODES (S.S.)

Holes	Length	125°	130°	135°	140°	145°	150°
2	46mm	165.02.125°	165.02.130°	165.02.135°	165.02.140°	165.02.145°	165.02.150°
3	62mm	165.03.125°	165.03.130°	165.03.135°	165.03.140°	165.03.145°	165.03.150°
4	78mm	165.04.125°	165.04.130°	165.04.135°	165.04.140°	165.04.145°	165.04.150°
5	94mm	165.05.125°	165.05.130°	165.05.135°	165.05.140°	165.05.145°	165.05.150°
6	110mm	165.06.125°	165.06.130°	165.06.135°	165.06.140°	165.06.145°	165.06.150°
7	126mm	165.07.125°	165.07.130°	165.07.135°	165.07.140°	165.07.145°	165.07.150°
8	142mm	165.08.125°	165.08.130°	165.08.135°	165.08.140°	165.08.145°	165.08.150°
9	158mm	165.09.125°	165.09.130°	165.09.135°	165.09.140°	165.09.145°	165.09.150°
10	174mm	165.10.125°	165.10.130°	165.10.135°	165.10.140°	165.10.145°	165.10.150°
12	206mm	165.12.125°	165.12.130°	165.12.135°	165.12.140°	165.12.145°	165.12.150°
14	238mm	165.14.125°	165.14.130°	165.14.135°	165.14.140°	165.14.145°	165.14.150°
16	270mm	165.16.125°	165.16.130°	165.16.135°	165.16.140°	165.16.145°	165.16.150°


ITEM CODES (Titanium)

Holes	Length	125°	130°	135°	140°	145°	150°
2	46mm	165.02.125°T	165.02.130°T	165.02.135°T	165.02.140°T	165.02.145°T	165.02.150°T
3	62mm	165.03.125°T	165.03.130°T	165.03.135°T	165.03.140°T	165.03.145°T	165.03.150°T
4	78mm	165.04.125°T	165.04.130°T	165.04.135°T	165.04.140°T	165.04.145°T	165.04.150°T
5	94mm	165.05.125°T	165.05.130°T	165.05.135°T	165.05.140°T	165.05.145°T	165.05.150°T
6	110mm	165.06.125°T	165.06.130°T	165.06.135°T	165.06.140°T	165.06.145°T	165.06.150°T
7	126mm	165.07.125°T	165.07.130°T	165.07.135°T	165.07.140°T	165.07.145°T	165.07.150°T
8	142mm	165.08.125°T	165.08.130°T	165.08.135°T	165.08.140°T	165.08.145°T	165.08.150°T
9	158mm	165.09.125°T	165.09.130°T	165.09.135°T	165.09.140°T	165.09.145°T	165.09.150°T
10	174mm	165.10.125°T	165.10.130°T	165.10.135°T	165.10.140°T	165.10.145°T	165.10.150°T
12	206mm	165.12.125°T	165.12.130°T	165.12.135°T	165.12.140°T	165.12.145°T	165.12.150°T
14	238mm	165.14.125°T	165.14.130°T	165.14.135°T	165.14.140°T	165.14.145°T	165.14.150°T
16	270mm	165.16.125°T	165.16.130°T	165.16.135°T	165.16.140°T	165.16.145°T	165.16.150°T

ITEM DESCRIPTION : D.C.S. Barrel Plates 95°
Fixation with 4.5 mm Cortex Screws

PROFILE S.S

Thickness	5.6 mm
Width	16 mm
Holes Space	16 mm
Barrel Length	25 mm



ITEM CODES

Holes	Length	S.S.	Titanium
6	100mm	166.06.100	366.06.100
7	115mm	166.07.115	366.07.115
8	130mm	166.08.130	366.08.130
9	146mm	166.09.146	366.09.146
10	163mm	166.10.163	366.10.163
12	198mm	166.12.198	366.12.198
14	225mm	166.14.225	366.14.225
16	260mm	166.16.260	366.16.260

ITEM DESCRIPTION : Dynamic Self Compression Plate Narrow

PROFILE S.S

THICKNESS	4.0mm
WIDTH	12mm
HOLE SPACING	16 & 25mm



ITEM CODES

Holes	Length	S.S.	Titanium
2	39mm	167.02.039	367.02.039
3	55mm	167.03.055	367.03.055
4	71mm	167.04.071	367.04.071
5	87mm	167.05.087	367.05.087
6	103mm	167.06.103	367.06.103
7	119mm	167.07.119	367.07.119
8	135mm	167.08.135	367.08.135
9	151mm	167.09.151	367.09.151
10	167mm	167.10.167	367.10.167
11	183mm	167.11.183	367.11.183
12	199mm	167.12.199	367.12.199
13	215mm	167.13.215	367.13.215
14	231mm	167.14.231	367.14.231

ITEM DESCRIPTION :

Limited Contact Dynamic Compression Plate (LCDCP- Narrow)

PROFILE S.S

THICKNESS	4.5mm
WIDTH	13.5mm
HOLE SPACING	18.0mm



ITEM CODES

Holes	S.S.	Titanium
4	168.004S	168.004T
5	168.005S	168.005T
6	168.006S	168.006T
7	168.007S	168.007T
8	168.008S	168.008T
9	168.009S	168.009T
10	168.010S	168.010T
11	168.011S	168.011T
12	168.012S	168.012T
13	168.013S	168.013T
14	168.014S	168.014T
15	168.015S	168.015T
16	168.016S	168.016T

BONE PLATES

ITEM DESCRIPTION :

Dynamic Self Compression Plate Broad.

PROFILE S.S

THICKNESS	5.0mm
WIDTH	16mm
HOLE SPACING	16mm - 25mm



ITEM CODES

Holes	Length	S.S.	Titanium
5	87	169.05.087S	169.05.087T
6	103	169.06.103S	169.06.103T
7	119	169.07.119S	169.07.119T
8	135	169.08.135S	169.08.135T
9	151	169.09.151S	169.09.151T
10	167	169.10.183S	169.10.183T
11	183	169.11.199S	169.11.199T
12	199	169.12.215S	169.12.215T
13	215	169.13.231S	169.13.231T
14	231	169.14.247S	169.14.247T
15	247	169.15.263S	169.15.263T
16	263	169.16.279S	169.16.279T
17	279	169.17.279S	169.17.279T
18	295	169.18.295S	169.18.295T

ITEM DESCRIPTION :

Dynamic Compression Plate (LC-DCP Broad)

PROFILE S.S

THICKNESS	6.0mm
WIDTH	17.5mm
HOLE SPACING	18mm



ITEM CODES

Holes	Length	S.S.	Titanium
4	70mm	170.04.070S	170.04.070T
5	88mm	170.05.088S	170.05.088T
6	106mm	170.06.106S	170.06.106T
7	124mm	170.07.124S	170.07.124T
8	142mm	170.08.142S	170.08.142T
9	160mm	170.09.160S	170.09.160T
10	178mm	170.10.178S	170.10.178T
11	196mm	170.11.196S	170.11.196T
12	214mm	170.12.214S	170.12.214T
13	232mm	170.13.232S	170.13.232T
14	250mm	170.14.250S	170.14.250T
15	268mm	170.15.268S	170.15.268T
16	286mm	170.16.286S	170.16.286T
17	304mm	170.17.304S	170.17.304T
18	322mm	170.18.322S	170.18.322T
19	340mm	170.19.340S	170.19.340T
20	358mm	170.20.358S	170.20.358T

ITEM DESCRIPTION : Jewett Nail Plate (Modified) 130°

PROFILE S.S

THICKNESS	5.5 mm
WIDTH	20 mm
HOLE SPACING	20 mm

ITEM CODES

Length	4 Holes	5 Holes	6 Holes	7 Holes	8 Holes	9 Holes
50	171.04.50	171.05.50	171.06.50	171.07.50	171.08.50	171.09.50
60	171.04.60	171.05.60	171.06.60	171.07.60	171.08.60	171.09.60
70	171.04.70	171.05.70	171.06.70	171.07.70	171.08.70	171.09.70
80	171.04.80	171.05.80	171.06.80	171.07.80	171.08.80	171.09.80
90	171.04.90	171.05.90	171.06.90	171.07.90	171.08.90	171.09.90
100	171.04.00	171.05.00	171.06.00	171.07.00	171.08.00	171.09.00
110	171.04.10	171.05.10	171.06.10	171.07.10	171.08.10	171.09.10

ITEM CODES

Length	10 Holes	12 Holes	14 Holes	16 Holes	18 Holes
50	171.10.50	171.12.50	171.14.50	171.16.50	171.18.50
60	171.10.60	171.12.60	171.14.60	171.16.60	171.18.60
70	171.10.70	171.12.70	171.14.70	171.16.70	171.18.70
80	171.10.80	171.12.80	171.14.80	171.16.80	171.18.80
90	171.10.90	171.12.90	171.14.90	171.16.90	171.18.90
100	171.10.00	171.12.00	171.14.00	171.16.00	171.18.00
110	171.10.10	171.12.10	171.14.10	171.16.10	171.18.10



ITEM DESCRIPTION : Jewett Nail Plate (Modified) 135°

ITEM CODES

Length	4 Holes	5 Holes	6 Holes	7 Holes	8 Holes	9 Holes
50	172.24.050	172.25.050	172.26.050	172.27.050	172.28.050	172.29.050
60	172.24.060	172.25.060	172.26.060	172.27.060	172.28.060	172.29.060
70	172.24.070	172.25.070	172.26.070	172.27.070	172.28.070	172.29.070
80	172.24.080	172.25.080	172.26.080	172.27.080	172.28.080	172.29.080
90	172.24.090	172.25.090	172.26.090	172.27.090	172.28.090	172.29.090
100	172.24.100	172.25.100	172.26.100	172.27.100	172.28.100	172.29.100
110	172.24.110	172.25.110	172.26.110	172.27.110	172.28.110	172.29.110

ITEM CODES

Length	10 Holes	12 Holes	14 Holes	16 Holes	18 Holes
50	172.30.050	172.32.050	172.34.050	172.36.050	172.38.050
60	172.30.060	172.32.060	172.34.060	172.36.060	172.38.060
70	172.30.070	172.32.070	172.34.070	172.36.070	172.38.070
80	172.30.080	172.32.080	172.34.080	172.36.080	172.38.080
90	172.30.090	172.32.090	172.34.090	172.36.090	172.38.090
100	172.30.100	172.32.100	172.34.100	172.36.100	172.38.100
110	172.30.110	172.32.110	172.34.110	172.36.110	172.38.110



BONE PLATES

ITEM DESCRIPTION : L – Buttress Plates-Left

Width : 16mm
 Thickness : 2.0mm
 Hole Space : 16mm

ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
3	71mm	173.03SL	373.03TL	173.03SR	373.03TR
4	87mm	173.04SL	373.04TL	173.04SR	373.04TR
5	104mm	173.05SL	373.05TL	173.05SR	373.05TR
6	120mm	173.06SL	373.06TL	173.06SR	373.06TR
7	135mm	173.07SL	373.07TL	173.07SR	373.07TR
8	151mm	173.08SL	373.08TL	173.08SR	373.08TR
9	167mm	173.09SL	373.09TL	173.09SR	373.09TR
10	181mm	173.10SL	373.10TL	173.10SR	373.10TR



ITEM DESCRIPTION :

Reconstruction Plate 4.5mm Screws

Thickness : 2.8mm
 Width : 12 mm
 Hole Space : 16 mm

ITEM CODES

Holes	Length	S.S.	Titanium
5	77mm	174.05S	374.05T
6	93mm	174.06S	374.06T
7	109mm	174.07S	374.07T
8	125mm	174.08S	374.08T
9	141mm	174.09S	374.09T
10	157mm	174.10S	374.10T
12	189mm	174.12S	374.12T
14	221mm	174.14S	374.14T
16	253mm	174.16S	374.16T
18	285mm	174.18S	374.18T
20	317mm	174.20S	374.20T
22	349mm	174.22S	374.22T



ITEM DESCRIPTION : Spoon Plates

Width : 2.0 mm
 Thickness : 33 mm

ITEM CODES

Holes	Length	S.S.	Titanium
5	100	175.05S	175.05T
6	120	175.06S	175.06T



ITEM DESCRIPTION : Tubular Plates-Semi Tubular

Thickness : 1.0 mm
 Width : 12 mm
 Hole Space : 16 mm - 25 mm

ITEM CODES

Holes	Length	S.S.	Titanium
2	39	176.02S	376.02T
3	55	176.03S	376.03T
4	71	176.04S	376.04T
5	87	176.05S	376.05T
6	103	176.06S	376.06T
7	119	176.07S	376.07T
8	135	176.08S	376.08T
9	151	176.09S	376.09T
10	167	176.10S	376.10T
11	183	176.11S	376.11T
12	199	176.12S	376.12T



ITEM DESCRIPTION : T-Plate for 4.5mm Screws

Thickness : 2.0 mm
 Width : 16 mm
 Hole Spacing : 16 mm

ITEM CODES

Holes	Length	S.S.	Titanium
3	68	176.03S	376.03S
4	84	176.04S	376.04S
5	100	176.05S	376.05S
6	116	176.06S	376.06S
7	132	176.07S	376.07S
8	148	176.08S	376.08S
9	164	176.09S	376.09S
10	180	176.10S	376.10S
11	196	176.11S	376.11S



ITEM DESCRIPTION : T-Buttress Plate for 4.5mm Screws

Thickness : 2.0 mm
 Width : 16 mm
 Hole Space : 16mm

ITEM CODES

Holes	Length	S.S.	Titanium
3	84mm	177.03S	377.03T
4	100mm	177.04S	377.04T
5	116mm	177.05S	377.05T
6	132mm	177.06S	377.06T
7	149mm	177.07S	377.07T
8	164mm	177.08S	377.08T
9	180mm	177.09S	377.09T
10	196mm	177.10S	377.10T



BONE PLATES

ITEM DESCRIPTION :

Distal Tibia Bone Plate

Thickness : 4.0 mm

Width : 14 mm

Hole Space : 16 mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
5	86mm	178.05SL	378.05TL	178.05SR	378.05TR
6	104mm	178.06SL	378.06TL	178.06SR	378.06TR
7	122mm	178.07SL	378.07T	178.07SR	378.07TR
8	140mm	178.08SL	378.08TL	178.08SR	378.08TR
9	158mm	178.09SL	378.09TL	178.09SR	378.09TR
10	176mm	178.10SL	378.10TL	178.10SR	378.10TR
11	194mm	178.11SL	378.11TL	178.11SR	378.11TR
12	212mm	178.12SL	378.12TL	178.12SR	378.12TR
13	230mm	178.13SL	378.13TL	178.13SR	378.13TR
14	248mm	178.14SL	378.14TL	178.14SR	378.14TR
15	266mm	178.15SL	378.15TL	178.15SR	378.15TR

ITEM DESCRIPTION : Distal Humeral Bone Plate

Thickness : 2.0 mm

Width : 13 mm

Hole Space : 16 mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
2	86mm	179.02SL	379.02TL	179.02SR	379.02TR
3	103mm	179.03SL	379.03TL	179.03SR	379.03TR
4	120mm	179.04SL	379.04TL	179.04SR	379.04TR
5	137mm	179.05SL	379.05TL	179.05SR	379.05TR
6	150mm	179.06SL	379.06TL	179.06SR	379.06TR
7	167mm	179.07SL	379.07TL	179.07SR	379.07TR
8	184mm	179.08SL	379.08TL	179.08SR	379.08TR
9	201mm	179.09SL	379.09TL	179.09SR	379.09TR
10	218mm	179.10SL	379.10TL	179.10SR	379.10TR

ITEM DESCRIPTION :

Medial Proximal Tibia Bone Plate 4.5mm

Thickness : 4.0 mm

Width : 14 mm

Hole Space : 16 mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
2	86mm	180.02SL	380.02TL	180.02SR	380.02TR
3	104mm	180.03SL	380.03TL	180.03SR	380.03TR
4	128mm	180.04SL	380.04TL	180.04SR	380.04TR
5	140mm	180.05SL	380.05TL	180.05SR	380.05TR
6	158mm	180.06SL	380.06TL	180.06SR	380.06TR
7	176mm	180.07SL	380.07TL	180.07SR	380.07TR
8	194mm	180.08SL	380.08TL	180.08SR	380.08TR
9	212mm	180.09SL	380.09TL	180.09SR	380.09TR
10	230mm	180.10SL	380.10TL	180.10SR	380.10TR

ITEM DESCRIPTION :

Proximal Humerus Bone Plate

Thickness : 2.5 mm

Width : 15 mm

Hole Space : 14 mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
5	80mm	181.05SL	381.05TL	181.05SR	381.05TR
6	98mm	181.06SL	381.06TL	181.06SR	381.06TR
7	116mm	181.07SL	381.07TL	181.07SR	381.07TR
9	152mm	181.09SL	381.09TL	181.09SR	381.09TR

ITEM DESCRIPTION :

Proximal Femur Bone Plate

Thickness : 4.0 mm

Width : 15 mm

Hole Space : 16 mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
2	86mm	182.02SL	382.02TL	182.02SL	382.02TR
3	104mm	182.03SL	382.03TL	182.03SL	382.03TR
4	128mm	182.04SL	382.04TL	182.04SL	382.04TR
5	140mm	182.05SL	382.05TL	182.05SL	382.05TR
6	158mm	182.06SL	382.06TL	182.06SL	382.06TR
7	176mm	182.07SL	382.07TL	182.07SL	382.07TR
8	194mm	182.08SL	382.08TL	182.08SL	382.08TR
9	212mm	182.09SL	382.09TL	182.09SL	382.09TR
10	230mm	182.10SL	382.10TL	182.10SL	382.10TR

ITEM DESCRIPTION : Lateral Tibial Head
Buttress Plate (Left/Right)

PROFILE S.S

Thickness : 4.0mm

Width : 15 mm

Holes Space : 16.0mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
5	117	183.05SL	383.05TL	183.05SR	383.05TR
7	149	183.07SL	383.07TL	183.07SR	383.07TR
9	181	183.09SL	383.09TL	183.09SR	383.09TR
11	213	183.11SL	383.11TL	183.11SR	383.11TR
13	245	183.13SL	383.13TL	183.13SR	383.13TR

BONE PLATES

ITEM DESCRIPTION : Distal Femur Bone Plate

PROFILE S.S

Thickness : 4 mm
Width : 15 mm
Holes Space : 16 mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
5	81 mm	184.05SL	184.05TL	184.05SL	184.05TR
6	101mm	184.06SL	184.06TL	184.06SL	184.06TR
7	122mm	184.07SL	184.07TL	184.07SL	184.07TR
8	140mm	184.08SL	184.08TL	184.08SL	184.08TR
9	158mm	184.09SL	184.09TL	184.09SL	184.09TR
10	176mm	184.10SL	184.10TL	184.10SL	184.10TR
11	194mm	184.11SL	184.11TL	184.11SL	184.11TR
12	212mm	184.12SL	184.12TL	184.12SL	184.12TR
13	230mm	184.13SL	184.13TL	184.13SL	184.13TR

ITEM DESCRIPTION : Eight Plate DCP Hole

PROFILE S.S

Thickness : 2.0mm
Width : 10mm
Holes Space : 12 & 16 mm

ITEM CODES

Length	S.S.	Tit.
12mm	EP.012S	EP.012T
16mm	EP.016S	EP.016T



ITEM DESCRIPTION : Cannulated Screw 4.5mm x Fully Thread S.S for Eight Plate

ITEM CODES

Length	S.S.	Tit.
12mm	185.12S	185.12T
14mm	185.14S	185.14T
16mm	185.16S	185.16T
18mm	185.18S	185.18T
20mm	185.20S	185.20T
22mm	185.22S	185.22T
24mm	185.24S	185.24T
26mm	185.26S	185.26T
28mm	185.28S	185.28T
30mm	185.30S	185.30T
32mm	185.21S	185.21T
34mm	185.34S	185.34T
36mm	185.36S	185.36T
38mm	185.38S	185.38T
40mm	185.40S	185.40T



INSTRUMENTS FOR BONE PLATES

ITEM DESCRIPTION : Plate Bending Press

ITEM CODES

Stainless Steel

191.001



ITEM DESCRIPTION : Bone Plate Bender Small (Pair)

ITEM CODES

Stainless Steel

187.002



ITEM DESCRIPTION : Bone Plate Bender Mini (Pair)

ITEM CODES

Stainless Steel

188.003




ITEM DESCRIPTION : Plate Holding Forceps

ITEM CODES

Stainless Steel

191.003



ITEM DESCRIPTION : Plate Bending Pliers (Roller Type)

ITEM CODES

Stainless Steel

191.002



INSTRUMENTS FOR BONE PLATES

ITEM DESCRIPTION : Bone Plate Bender Large (Pair)

ITEM CODES
Stainless Steel
186.001




ITEM DESCRIPTION : Reconstruction Plate Bender

ITEM CODES	
Length	Stainless Steel
3.5mm	190.35.001
4.5mm	190.45.001



ITEM DESCRIPTION : Bone & Bone Plate Holding Forceps with Foot for D.C.P (Thread Lock)

ITEM CODES	
Length	Stainless Steel
Large, 4.5mm	189.45.001
Small, 3.5mm	189.35.001
Mini, 2.7mm	189.27.001



LOCKING PLATE SYSTEM

ITEM DESCRIPTION : Locking Rigid Plate S.S

ITEM CODES

Step	S.S.	Tit.
5	192.001S	392.001T
10	192.002S	392.002T
15	192.003S	392.003T



ITEM DESCRIPTION :

Locking Volar Distal Radius Buttress
Plate 2.4mm (Left/Right)
Thickness : 2.0mm

ITEM CODES

Holes	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
3	193.003SL	393.003TL	193.003SR	393.003TR
4	193.004SL	393.004TL	193.004SR	393.004TR
5	193.005SL	393.005TL	193.005SR	393.005TR
6	193.006SL	393.006TL	193.006SR	393.006TR



ITEM DESCRIPTION :

Locking Distal Radius Variable
Angle Distal Radius 2.4mm

ITEM CODES

Holes	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
3	194.003SL	394.003TL	194.003SR	394.003TR
4	194.004SL	394.004TL	194.004SR	394.004TR
5	194.005SL	394.005TL	194.005SR	394.005TR
6	194.006SL	394.006TL	194.006SR	394.006TR
7	194.007SL	394.007TL	194.007SR	394.007TR
8	194.008SL	394.008TL	194.008SR	394.008TR



ITEM DESCRIPTION :

Locking Superior Anterior Clavicle Lateral
Extn. Plate 2.7mm /3.5mm Screw
Thickness : 3.0 mm
Width : 11 mm
Hole Space : 13 mm

ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
3	69	196.069SL	396.069TL	196.069SR	396.069TR
4	81	196.081SL	396.081TL	196.081SR	396.081TR
5	94	196.094SL	396.094TL	196.094SR	396.094TR
6	108	196.108SL	396.108TL	196.108SR	396.108TR
7	123	196.123SL	396.123TL	196.123SR	396.123TR
8	135	196.135SL	396.135TL	196.135SR	396.135TR



LOCKING PLATE SYSTEM

ITEM DESCRIPTION : Cloverleaf Locking Plate

Thickness 2.5mm
Width 16mm
Hole Space 16mm



ITEM CODES

Holes	Length	Stainless Steel	Titanium
3	88mm	229.03S	429.03T
4	104mm	229.04S	429.04T
5	120mm	229.05S	429.05T
6	136mm	229.06S	429.06T
7	152mm	229.07S	429.07T
8	168mm	229.08S	429.08T
9	184mm	229.09S	429.09T
10	200mm	229.10S	429.10T
11	216mm	229.11S	429.11T
12	232mm	229.12S	429.12T
13	248mm	229.13S	429.13T
14	264mm	229.14S	429.14T
15	280mm	229.15S	429.15T
16	296mm	229.16S	429.16T
18	312mm	229.18S	429.18T
20	328mm	229.20S	429.20T

ITEM DESCRIPTION :

Reconstruction Locking Plate 4.5mm Screws

Thickness 3.0mm
Width 12mm
Hole Space 18mm



ITEM CODES

Holes	Length	Stainless Steel	Titanium
4	58mm	230.04S	430.04T
5	70mm	230.05S	430.05T
6	82mm	230.06S	430.06T
7	94mm	230.07S	430.07T
8	106mm	230.08S	430.08T
9	118mm	230.09S	430.09T
10	130mm	230.10S	430.10T
11	142mm	230.11S	430.11T
12	154mm	230.12S	430.12T
13	166mm	230.13S	430.13T
14	178mm	230.14S	430.14T
15	199mm	230.15S	430.15T
16	202mm	230.16S	430.16T
17	214mm	230.17S	430.17T
18	226mm	230.18S	430.18T
19	238mm	230.19S	430.19T
20	250mm	230.20S	430.20T

LOCKING PLATE SYSTEM

ITEM DESCRIPTION : Locking Distal Humeral Medial Plate

Thickness 2.5mm
Width 11mm
Hole Space 13mm



ITEM CODES

Holes	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
3	200.003SL	400.003TL	200.003SR	400.003TR
5	200.005SL	400.005TL	200.005SR	400.005TR
7	200.007SL	400.007TL	200.007SR	400.007TR
9	200.009SL	400.009TL	200.009SR	400.009TR
11	200.011SL	400.011TL	200.011SR	400.011TR
14	200.014SL	400.014TL	200.014SR	400.014TR

ITEM DESCRIPTION :

Locking Distal Lateral Humeral Extra Articular Plate

Thickness 4.0mm
Width 13mm
Hole Space 18mm



ITEM CODES

Holes	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
5	201.005SL	401.005TL	201.005SR	401.005TR
7	201.007SL	401.007TL	201.007SR	401.007TR
9	201.009SL	401.009TL	201.009SR	401.009TR
11	201.011SL	401.011TL	201.011SR	401.011TR
13	201.013SL	401.013TL	201.013SR	401.013TR
15	201.015SL	401.015TL	201.015SR	401.015TR

ITEM DESCRIPTION : Locking Clavicle "S" Shape Plate

Thickness 3.0mm
Width 9.0mm
Hole Space 10mm



ITEM CODES

Holes	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
6	202.006SL	402.006TL	202.006SR	402.006TR
8	202.008SL	402.008TL	202.008SR	402.008TR

LOCKING PLATE SYSTEM

ITEM DESCRIPTION : 4.5mm Broad Locking Plates

Thickness 5.0mm
Width 17mm
Hole Space 18mm



ITEM CODES

Holes	Length	Stainless Steel	Titanium
6	116mm	224.06S	424.06T
7	134mm	224.07S	424.07T
8	152mm	224.08S	424.08T
9	170mm	224.09S	424.09T
10	188mm	224.10S	424.10T
11	206mm	224.11S	424.11T
12	224mm	224.12S	424.12T
13	242mm	224.13S	424.13T
14	260mm	224.14S	424.14T
15	278mm	224.15S	424.15T
16	296mm	224.16S	424.16T
17	314mm	224.17S	424.17T
18	332mm	224.18S	424.18T

ITEM DESCRIPTION : 4.5mm Locking T-Plates

Thickness 2.5mm
Width 16mm
Hole Space 16mm



ITEM CODES

Holes	Length	Stainless Steel	Titanium
3	62mm	225.03S	425.03T
4	80mm	225.04S	425.04T
5	98mm	225.05S	425.05T
6	116mm	225.06S	425.06T
7	134mm	225.07S	425.07T
8	152mm	225.08S	425.08T
9	170mm	225.09S	425.09T
10	188mm	225.10S	425.10T
11	206mm	225.11S	425.11T
12	224mm	225.12S	425.12T

ITEM DESCRIPTION : T-Buttress Locking Plate

Thickness 2.5mm
Width 16mm
Hole Space 16mm



ITEM CODES

Holes	Length	Stainless Steel	Titanium
3	60mm	226.03S	426.03T
4	80mm	226.04S	426.04T
5	98mm	226.05S	426.05T
6	116mm	226.06S	426.06T
7	134mm	226.07S	426.07T
8	152mm	226.08S	426.08T
9	170mm	226.09S	426.09T
10	188mm	226.10S	426.10T
11	206mm	226.11S	426.11T
12	224mm	226.12S	426.12T

ITEM DESCRIPTION :
 Locking T-Plate Right Angle 3.5mm
 Thickness 2.0mm
 Width 11mm
 Hole Space 11mm

ITEM CODES			
Holes	Length	S.S.	Titanium
3	50mm	205.03S	405.03T
4	56mm	205.04S	405.04T
5	67mm	205.05S	405.05T
6	78mm	205.06S	405.06T
7	89mm	205.07S	405.07T
8	100mm	205.08S	405.08T
10	111mm	205.10S	405.10T



ITEM DESCRIPTION :
 Locking Small T-Plate Oblique 3.5mm
 Thickness 2.0mm
 Width 11mm
 Hole Space 11mm

ITEM CODES					
Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
3	52mm	206.03SL	406.03TL	206.03SR	406.03TR
4	63mm	206.04SL	406.04TL	206.04SR	406.04TR
5	74mm	206.05SL	406.05TL	206.05SR	406.05TR
6	85mm	206.06SL	406.06TL	206.06SR	406.06TR
7	96mm	206.07SL	406.07TL	206.07SR	406.07TR
8	107mm	206.08SL	406.08TL	206.08SR	406.08TR



ITEM DESCRIPTION :
 Small Locking T-Plate with 4 holes in head
 Thickness 2.0mm
 Width 11mm
 Hole Space 11mm

ITEM CODES		
Holes	Stainless Steel	Titanium
4x3	207.43S	407.43T
4x4	207.44S	407.44T
4x5	207.45S	407.45T
4x6	207.46S	407.46T
4x7	207.47S	407.47T
4x8	207.48S	407.48T



LOCKING PLATE SYSTEM

ITEM DESCRIPTION : Metaphyseal Locking Plate

Thickness 4.5mm
Width 14mm
Hole Space 18mm x 8mm



ITEM CODES

Holes	Length	Stainless Steel	Titanium
5x3	118	219.03S	419.03T
5x4	136	219.04S	419.04T
5x5	154	219.05S	419.05T
5x6	172	219.06S	419.06T
5x7	190	219.07S	419.07T
5x8	208	219.08S	419.08T
5x9	226	219.09S	419.09T
5x10	244	219.10S	419.10T
5x11	262	219.11S	419.11T
5x12	280	219.12S	419.12T
5x13	298	219.13S	419.13T
5x14	316	219.14S	419.14T
5x15	334	219.15S	419.15T

ITEM DESCRIPTION :

Locking Proximal Tibia Plate 4.5mm

Thickness 5.0mm
Width 16mm
Hole Space 20mm




ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
4	120mm	220.04SL	420.04TL	220.04SR	420.04TR
6	160mm	220.06SL	420.06TL	220.06SR	420.06TR
8	200mm	220.08SL	420.08TL	220.08SR	420.08TR
10	240mm	220.10SL	420.10TL	220.10SR	420.10TR
12	280mm	220.12SL	420.12TL	220.12SR	420.12TR
14	320mm	220.14SL	420.14TL	220.14SR	420.14TR

ITEM DESCRIPTION : Femoral Head Locking Plate (Distal Femoral)

Thickness 6.0mm
Width 16mm
Hole Space 20mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
5	156mm	221.05SL	421.05TL	221.05SR	421.05TR
6	176mm	221.06SL	421.06TL	221.06SR	421.06TR
7	196mm	221.07SL	421.07TL	221.07SR	421.07TR
8	216mm	221.08SL	421.08TL	221.08SR	421.08TR
9	236mm	221.09SL	421.09TL	221.09SR	421.09TR
10	256mm	221.10SL	421.10TL	221.10SR	421.10TR
11	276mm	221.11SL	421.11TL	221.11SR	421.11TR
12	296mm	221.12SL	421.12TL	221.12SR	421.12TR
13	316mm	221.13SL	421.13TL	221.13SR	421.13TR
14	336mm	221.14SL	421.14TL	221.14SR	421.14TR
15	356mm	221.15SL	421.15TL	221.15SR	421.15TR
16	376mm	221.16SL	421.16TL	221.16SR	421.16TR
18	416mm	221.18SL	421.18TL	221.18SR	421.18TR

ITEM DESCRIPTION : 3.5mm Proximal Humeral Locking Plate Short

Thickness 3.5mm
Width 12mm
Hole Space 12mm



ITEM CODES

Holes	S.S.	Titanium
3	211.03S	411.03T
4	211.04S	411.04T
5	211.05S	411.05T
6	211.06S	411.06T
7	211.07S	411.07T
8	211.08S	411.08T
9	211.09S	411.09T
10	211.10S	411.10T
11	211.11S	411.11T
12	211.12S	411.12T

ITEM DESCRIPTION :

Medial Distal End Tibia Locking Plate With Tab (Left/Right)

Thickness 4.0mm
Width 11mm
Hole Space 13mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
4	117mm	212.04SL	412.04TL	212.04SR	412.04TR
6	144mm	212.06SL	412.06TL	212.06SR	412.06TR
8	171mm	212.08SL	412.08TL	212.08SR	412.08TR
10	198mm	212.10SL	412.10TL	212.10SR	412.10TR
12	225mm	212.12SL	412.12TL	212.12SR	412.12TR
14	252mm	212.14SL	412.14TL	212.14SR	412.14TR
16	279mm	212.16SL	412.16TL	212.16SR	412.16TR
18	306mm	212.18SL	412.18TL	212.18SR	412.18TR

ITEM DESCRIPTION :

Medial Distal End Tibial Locking Plate Without Tap

Thickness 3.0mm
Width 14.8mm
Hole Space 13 mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
4	116mm	213.04SL	413.04TL	213.04SR	413.04TR
5	129mm	213.05SL	413.05TL	213.05SR	413.05TR
6	142mm	213.06SL	413.06TL	213.06SR	413.06TR
7	155mm	213.07SL	413.07TL	213.07SR	413.07TR
8	168mm	213.08SL	413.08TL	213.08SR	413.08TR
9	181mm	213.09SL	413.09TL	213.09SR	413.09TR
10	194mm	213.10SL	413.10TL	213.10SR	413.10TR
11	207mm	213.11SL	413.11TL	213.11SR	413.11TR
12	220mm	213.12SL	413.12TL	213.12SR	413.12TR
13	233mm	213.13SL	413.13TL	213.13SR	413.13TR
14	246mm	213.14SL	413.14TL	213.14SR	413.14TR
15	259mm	213.15SL	413.15TL	213.15SR	413.15TR
16	272mm	213.16SL	413.16TL	213.16SR	413.16TR
17	285mm	213.17SL	413.17TL	213.17SR	413.17TR
18	298mm	213.18SL	413.18TL	213.18SR	413.18TR

LOCKING PLATE SYSTEM

ITEM DESCRIPTION :

Locking Anterolateral Tibia Distal Plate 3.5mm Screws (Left/Right)

Thickness 4.0mm
Width 12mm
Hole Space 13mm

ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
4	67mm	214.04SL	414.04TL	214.04SR	414.04TR
5	80 mm	214.05SL	414.05TL	214.05SR	414.05TR
6	93 mm	214.06SL	414.06TL	214.06SR	414.06TR
7	106mm	214.07SL	414.07TL	214.07SR	414.07TR
8	119mm	214.08SL	414.08TL	214.08SR	414.08TR
9	132mm	214.09SL	414.09TL	214.09SR	414.09TR
10	145mm	214.10SL	414.10TL	214.10SR	414.10TR
11	158mm	214.11SL	414.11TL	214.11SR	414.11TR
12	171mm	214.12SL	414.12TL	214.12SR	414.12TR
13	184mm	214.13SL	414.13TL	214.13SR	414.13TR
14	197mm	214.14SL	414.14TL	214.14SR	414.14TR
15	210mm	214.15SL	414.15TL	214.15SR	414.15TR
16	223mm	214.16SL	414.16TL	214.16SR	414.16TR



ITEM DESCRIPTION :

Proximal Tibia Locking Plate 3.5mm

Thickness : 2.5mm
Width : 12 mm
Hole Space : 13 mm

ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
4	81mm	215.04SL	415.04TL	215.04SR	415.04TR
6	107mm	215.06SL	415.06TL	215.06SR	415.06TR
8	133mm	215.08SL	415.08TL	215.08SR	415.08TR
10	159mm	215.10SL	415.10TL	215.10SR	415.10TR
12	185mm	215.12SL	415.12TL	215.12SR	415.12TR
14	211mm	215.14SL	415.14TL	215.14SR	415.14TR
16	237mm	215.16SL	415.16TL	215.16SR	415.16TR



ITEM DESCRIPTION : Locking Proximal Tibia Plate 3.5mm

Thickness 4.0mm
Width 11mm
Hole Space 13mm

ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
4	93mm	216.04SL	416.04TL	216.04SR	416.04TR
6	119mm	216.06SL	416.06TL	216.06SR	416.06TR
8	145mm	216.08SL	416.08TL	216.08SR	416.08TR
10	171mm	216.10SL	416.10TL	216.10SR	416.10TR
12	197mm	216.12SL	416.12TL	216.12SR	416.12TR
14	223mm	216.14SL	416.14TL	216.14SR	416.14TR
16	249mm	216.16SL	416.16TL	216.16SR	416.16TR
18	275mm	216.18SL	416.18TL	216.18SR	416.18TR
20	301mm	216.20SL	416.20TL	216.20SR	416.20TR



LOCKING PLATE SYSTEM

ITEM DESCRIPTION :

Locking Medial Proximal Tibia Plate 4.5mm/5.0mm

Thickness 4.5 mm
Width 14 mm
Hole Space 18 mm



ITEM CODES


Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
4	120mm	217.04SL	417.04TL	217.04SR	417.04TR
6	160mm	217.06SL	417.06TL	217.06SR	417.06TR
8	200mm	217.08SL	417.08TL	217.08SR	417.08TR
10	240mm	217.10SL	417.10TL	217.10SR	417.10TR
12	280mm	217.12SL	417.12TL	217.12SR	417.12TR
14	320mm	217.14SL	417.14TL	217.14SR	417.14TR
16	360mm	217.16SL	417.16TL	217.16SR	417.16TR

ITEM DESCRIPTION : Reconstruction Locking Plate 3.5mm Screws

Thickness 3.0mm
Width 11mm
Hole Space 13mm

ITEM CODES

Holes	Length	Stainless Steel	Titanium
4	58mm	218.04S	418.04T
5	70mm	218.05S	418.05T
6	82mm	218.06S	418.06T
7	94mm	218.07S	418.07T
8	106mm	218.08S	418.08T
9	118mm	218.09S	418.09T
10	130mm	218.10S	418.10T
11	142mm	218.11S	418.11T
12	154mm	218.12S	418.12T
13	166mm	218.13S	418.13T
14	178mm	218.14S	418.14T
15	190mm	218.15S	418.15T
16	202mm	218.16S	418.16T
17	214mm	218.17S	418.17T
18	226mm	218.18S	418.18T
19	238mm	218.19S	418.19T
20	250mm	218.20S	418.20T



LOCKING PLATE SYSTEM

ITEM DESCRIPTION :


Calcaneal Locking Plate 3.5mm

Thickness 2.5mm

Length 69mm & 76mm

ITEM CODES

Holes	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
69mm	208.69SL	408.69TL	208.69SR	408.69TR
76mm	208.76SL	408.76TL	208.76SR	408.76TR



ITEM DESCRIPTION :

Locking Olecranon Plate

Thickness 3.0mm

Length 11mm

ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
2	86mm	209.02SL	409.02SR	209.02SR	409.02TR
3	99mm	209.03SL	409.03SR	209.03SR	409.03TR
4	112mm	209.04SL	409.04SR	209.04SR	409.04TR
5	125mm	209.05SL	409.05SR	209.05SR	409.05TR
6	138mm	209.06SL	409.06SR	209.06SR	409.06TR
7	151mm	209.07SL	409.07SR	209.07SR	409.07TR
8	164mm	209.08SL	409.08SR	209.08SR	409.08TR
9	177mm	209.09SL	409.09SR	209.09SR	409.09TR
10	189mm	209.10SL	409.10SR	209.10SR	409.10TR
12	215mm	209.12SL	409.12SR	209.12SR	409.12TR



ITEM DESCRIPTION : One Third Tubular Locking 3.5mm

Screw Plate


Thickness 1.5mm

Width 11mm

Hole Space 12 & 16mm

ITEM CODES

Holes	Length	Stainless Steel	Titanium
3	33mm	210.003S	410.003T
4	45mm	210.004S	410.004T
5	57mm	210.005S	410.005T
6	69mm	210.006S	410.006T
7	81mm	210.007S	410.007T
8	93mm	210.008S	410.008T
9	105mm	210.009S	410.009T
10	117mm	210.010S	410.010T
11	129mm	210.011S	410.011T
12	141mm	210.012S	410.012T
13	153mm	210.013S	410.013T
14	165mm	210.014S	410.014T



ITEM DESCRIPTION : Proximal Femur Locking Plate

Thickness 6.0mm
Width 16mm
Hole Space 20mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
4	175mm	222.04SL	422.04TL	222.04SR	422.04TR
5	193mm	222.05SL	422.05TL	222.05SR	422.05TR
6	211mm	222.06SL	422.06TL	222.06SR	422.06TR
7	229mm	222.07SL	422.07TL	222.07SR	422.07TR
8	247mm	222.08SL	422.08TL	222.08SR	422.08TR
9	265mm	222.09SL	422.09TL	222.09SR	422.09TR
10	283mm	222.10SL	422.10TL	222.10SR	422.10TR
11	301mm	222.11SL	422.11TL	222.11SR	422.11TR
12	319mm	222.12SL	422.12TL	222.12SR	422.12TR
13	337mm	222.13SL	422.13TL	222.13SR	422.13TR
14	355mm	222.14SL	422.14TL	222.14SR	422.14TR
15	373mm	222.15SL	422.15TL	222.15SR	422.15TR
16	391mm	222.16SL	422.16TL	222.16SR	422.16TR
17	409mm	222.17SL	422.17TL	222.17SR	422.17TR
18	427mm	222.18SL	422.18TL	222.18SR	422.18TR

ITEM DESCRIPTION : 4.5mm Narrow Locking Plates

Thickness 4.0mm
Width 13.5mm
Hole Space 18mm



ITEM CODES

Holes	Length	Stainless Steel	Titanium
4	80mm	223.04S	423.04T
5	98mm	223.05S	423.05T
6	116mm	223.06S	423.06T
7	132mm	223.07S	423.07T
8	152mm	223.08S	423.08T
9	170mm	223.09S	423.09T
10	188mm	223.10S	423.10T
11	206mm	223.11S	423.11T
12	224mm	223.12S	423.12T
13	242mm	223.13S	423.13T
14	260mm	223.14S	423.14T
15	278mm	223.15S	423.15T
16	296mm	223.16S	423.16T
17	314mm	223.17S	423.17T
18	332mm	223.18S	423.18T

LOCKING PLATE SYSTEM


ITEM DESCRIPTION :

Plate Hook Clavicle Locking with Hook Depth (L/R)

Thickness 3.0mm

Width 11mm

Hole Space 13mm



ITEM CODES

Holes	Depth	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
4	12	203.4.12SL	403.4.12TL	203.4.12SR	403.4.12TR
4	15	203.4.15SL	403.4.15TL	203.4.15SR	403.4.15TR
4	18	203.4.18SL	403.4.18TL	203.4.18SR	403.4.18TR
5	12	203.5.12SL	403.5.12TL	203.5.12SR	403.5.12TR
5	15	203.5.15SL	403.5.15TL	203.5.15SR	403.5.15TR
5	18	203.5.18SL	403.5.18TL	203.5.18SR	403.5.18TR
6	12	203.6.12SL	403.6.12TL	203.6.12SR	403.6.12TR
6	15	203.6.15SL	403.6.15TL	203.6.15SR	403.6.15TR
6	18	203.6.18SL	403.6.18TL	203.6.18SR	403.6.18TR
7	12	203.7.12SL	403.7.12TL	203.7.12SR	403.7.12TR
7	15	203.7.15SL	403.7.15TL	203.7.15SR	403.7.15TR
7	18	203.7.18SL	403.7.18TL	203.7.18SR	403.7.18TR
8	12	203.8.12SL	403.8.12TL	203.8.12SR	403.8.12TR
8	15	203.8.15SL	403.8.15TL	203.8.15SR	403.8.15TR
8	18	203.8.18SL	403.8.18TL	203.8.18SR	403.8.18TR

ITEM DESCRIPTION : Locking Plate 3.5mm

Thickness 3.5mm

Width 11mm

Hole Space 13mm

ITEM CODES

Holes	Length	S.S.	Titanium
5	72mm	204.05.072S	404.05.072T
6	85mm	204.06.085S	404.06.085T
7	98mm	204.07.098S	404.07.098T
8	111mm	204.08.111S	404.08.111T
9	124mm	204.09.124S	404.09.124T
10	137mm	204.10.137S	404.10.137T
11	150mm	204.11.150S	404.11.150T
12	163mm	204.12.163S	404.12.163T
13	176mm	204.13.176S	404.13.176T
14	189mm	204.14.189S	404.14.189T



LOCKING PLATE SYSTEM

ITEM DESCRIPTION : L-Buttress Locking Plate

Thickness 2.5mm
Width 16mm
Hole Space 16mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
3	69mm	227.03SL	427.03TL	227.03SR	427.03TR
4	85mm	227.04SL	427.04TL	227.04SR	427.04TR
5	101mm	227.05SL	427.05TL	227.05SR	427.05TR
6	117mm	227.06SL	427.06TL	227.06SR	427.06TR
7	133mm	227.07SL	427.07TL	227.07SR	427.07TR
8	149mm	227.08SL	427.08TL	227.08SR	427.08TR
9	165mm	227.09SL	427.09TL	227.09SR	427.09TR
10	181mm	227.10SL	427.10TL	227.10SR	427.10TR
11	197mm	227.11SL	427.11TL	227.11SR	427.11TR
12	213mm	227.12SL	427.12TL	227.12SR	427.12TR
13	229mm	227.13SL	427.13TL	227.13SR	427.13TR
14	245mm	227.14SL	427.14TL	227.14SR	427.14TR

ITEM DESCRIPTION : DHS Locking Plate 135°

Thickness 5.8mm
Width 19mm
Hole Space 18mm

ITEM CODES

Holes	Length	Stainless Steel	Titanium
2	54mm	228.02S	428.02T
3	72mm	228.03S	428.03T
4	90mm	228.04S	428.04T
5	108mm	228.05S	428.05T
6	126mm	228.06S	428.06T
7	144mm	228.07S	428.07T
8	162mm	228.08S	428.08T
9	180mm	228.09S	428.09T
10	198mm	228.10S	428.10T
11	216mm	228.11S	428.11T
12	234mm	228.12S	428.12T
13	252mm	228.13S	428.13T
14	270mm	228.14S	428.14T
15	288mm	228.15S	428.15T
16	306mm	228.16S	428.16T



LOCKING PLATE SYSTEM

ITEM DESCRIPTION :

Locking Anterior Superior Clavicle Plate, Without Extension

Thickness 3.0mm

Width 10mm

Hole Space 13mm



ITEM CODES

Holes	Length	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
5	94	197.094SL	397.094TL	197.094SR	397.094TR
6	110	197.110SL	397.110TL	197.110SR	397.110TR
7	126	197.126SL	397.126TL	197.126SR	397.126TR
8	142	197.142SL	397.142TL	197.142SR	397.142TR

ITEM DESCRIPTION :

Distal Humeral Locking Plate Dorsolateral

Thickness 2.5mm

Width 11mm

Hole Space 13mm

ITEM CODES

Holes	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
3	198.003SL	398.003TL	198.003SR	398.003TR
5	198.005SL	398.005TL	198.005SR	398.005TR
7	198.007SL	398.007TL	198.007SR	398.007TR
9	198.009SL	398.009TL	198.009SR	398.009TR
14	198.014SL	398.014TL	198.014SR	398.014TR

ITEM DESCRIPTION : Distal Humeral Locking Plate

Dorsolateral with Lateral Support

Thickness 2.5mm

Width 11mm

Hole Space 13mm

ITEM CODES


Holes	S.S. (Left)	Tit. (Left)	S.S. (Right)	Tit. (Right)
3	199.003SL	399.003TL	199.003SR	399.003TR
5	199.005SL	399.005TL	199.005SR	399.005TR
7	199.007SL	399.007TL	199.007SR	399.007TR
9	199.009SL	399.009TL	199.009SR	399.009TR
11	199.011SL	399.011TL	199.011SR	399.011TR
13	199.013SL	399.013TL	199.013SR	399.013TR

NAILING INSTRUMENTS

ITEM DESCRIPTION :
K-Nail Extractor with 2 hooks

Cat. No.

267.006



ITEM DESCRIPTION :
Spare Hook for K-Nail Extractor

Cat. No.

267.007



ITEM DESCRIPTION :
Guide Wire for K Nail

Size Cat. No.

7/64" 267.07.64

5/32" 267.05.32

3/16" 267.03.16



ITEM DESCRIPTION :
Nail Removal Set For Interlocking

Cat. No.

267.008



NAILING SYSTEM

ITEM DESCRIPTION : Unreamed Tibial Nails (Stainless Steel)

Proximal Shaft Dia.	14 mm
Proximal Bolt Used	4.9 mm
Distal Bolt Used	4.9 mm (Except in 8.0mm Nails)
Distal Bolt in 8.0mm	3.9 mm

DIAMETER (S.S.)

Length	8MM	9MM	10MM	11MM	12MM
26cm	233.08.026	233.09.026	233.10.026	233.11.026	233.12.026
28cm	233.08.028	233.09.028	233.10.028	233.11.028	233.12.028
30cm	233.08.030	233.09.030	233.10.030	233.11.030	233.12.030
32cm	233.08.032	233.09.032	233.10.032	233.11.032	233.12.032
34cm	233.08.034	233.09.034	233.10.034	233.11.034	233.12.034
36cm	233.08.036	233.09.036	233.10.036	233.11.036	233.12.036
38cm	233.08.038	233.09.038	233.10.038	233.11.038	233.12.038

DIAMETER (Titanium)

Length	8MM	9MM	10MM	11MM	12MM
26cm	433.08.026	433.09.026	433.10.026	433.11.026	433.12.026
28cm	433.08.028	433.09.028	433.10.028	433.11.028	433.12.028
30cm	433.08.030	433.09.030	433.10.030	433.11.030	433.12.030
32cm	433.08.032	433.09.032	433.10.032	433.11.032	433.12.032
34cm	433.08.034	433.09.034	433.10.034	433.11.034	433.12.034
36cm	433.08.036	433.09.036	433.10.036	433.11.036	433.12.036
38cm	433.08.038	433.09.038	433.10.038	433.11.038	433.12.038

ITEM DESCRIPTION : Femoral Nail Cannulated (Stainless Steel)

Proximal Shaft Dia.	14 mm
Proximal Bolt Used	4.9 mm
Distal Bolt Used	4.9 mm
Guide Wire	2.5mm x 950mm

DIAMETER (S.S.)

Length	9MM	10MM	11MM	12MM	13MM
32cm	234.09.032	234.10.032	234.11.032	234.12.032	234.13.032
34cm	234.09.034	234.10.034	234.11.034	234.12.034	234.13.034
36cm	234.09.036	234.10.036	234.11.036	234.12.036	234.13.036
38cm	234.09.038	234.10.038	234.11.038	234.12.038	234.13.038
40cm	234.09.040	234.10.040	234.11.040	234.12.040	234.13.040
42mm	234.09.042	234.10.042	234.11.042	234.12.042	234.13.042
44mm	234.09.044	234.10.044	234.11.044	234.12.044	234.13.044
46mm	234.09.046	234.10.046	234.11.046	234.12.046	234.13.046

DIAMETER (S.S.)

Length	9MM	10MM	11MM	12MM	13MM
32cm	434.09.032	434.10.032	434.11.032	434.12.032	434.13.032
34cm	434.09.034	434.10.034	434.11.034	434.12.034	434.13.034
36cm	434.09.036	434.10.036	434.11.036	434.12.036	434.13.036
38cm	434.09.038	434.10.038	434.11.038	434.12.038	434.13.038
40cm	434.09.040	434.10.040	434.11.040	434.12.040	434.13.040
42mm	434.09.042	434.10.042	434.11.042	434.12.042	434.13.042
44mm	434.09.044	434.10.044	434.11.044	434.12.044	434.13.044
46mm	434.09.046	434.10.046	434.11.046	434.12.046	434.13.046

NAILING INSTRUMENTS

ITEM DESCRIPTION :
Square Nail Reamer

Dia (mm)	Cat. No.
2.0mm	265.20
2.5mm	265.25
3.0mm	265.30
3.5mm	265.35
4.0mm	265.40
4.5mm	265.45
5.0mm	265.50



ITEM DESCRIPTION :
Square Nail Extractor Hook

Dia (mm)	Cat. No.
2.0mm	266.20
2.5mm	266.25
3.0mm	266.30
3.5mm	266.35
4.0mm	266.40
4.5mm	266.45
5.0mm	266.50




ITEM DESCRIPTION :
Awl. Diamond pointed for Kuntscher Nails - Straight

Cat. No.
267.001



ITEM DESCRIPTION :
Gauge for Kuntscher Nails

Cat. No.
267.002



NAILING SYSTEM

ITEM DESCRIPTION : Proximal Femoral Nail Short

Proximal Shaft Dia. 14 mm
 Proximal Bolt Used 6.5 & 7.5 mm
 Distal Bolt Used 4.9 mm
 Guide Wire 2.5mm x 950mm

DIAMETER (S.S.)

Length	9MM	10MM	11MM	12MM
22cm	237.09.022	237.10.022	237.11.022	237.12.022
24cm	237.09.024	237.10.024	237.11.024	237.12.024
26cm	237.09.026	237.10.026	237.11.026	237.12.026
28cm	237.09.028	237.10.028	237.11.028	237.12.028

DIAMETER (Titanium)

Length	9MM	10MM	11MM	12MM
22cm	437.09.022	437.10.022	437.11.022	437.12.022
24cm	437.09.024	437.10.024	437.11.024	437.12.024
26cm	437.09.026	437.10.026	437.11.026	437.12.026
28cm	437.09.028	437.10.028	437.11.028	437.12.028

ITEM DESCRIPTION : Proximal Femoral Nail Universal

Proximal Shaft Dia. 14 mm
 Proximal Bolt Used 6.5 & 7.5 mm
 Distal Bolt Used 4.9 mm
 Guide Wire 2.5mm x 950mm

DIAMETER (S.S.)

Length	9MM	10MM	11MM	12MM
30cm	238.09.30	238.10.30	238.11.30	238.12.30
32cm	238.09.32	238.10.32	238.11.32	238.12.32
34cm	238.09.34	238.10.34	238.11.34	238.12.34
36cm	238.09.36	238.10.36	238.11.36	238.12.36
38cm	238.09.38	238.10.38	238.11.38	238.12.38
40cm	238.09.40	238.10.40	238.11.40	238.12.40
42cm	238.09.42	238.10.42	238.11.42	238.12.42
44cm	238.09.44	238.10.44	238.11.44	238.12.44
46cm	238.09.46	238.10.46	238.11.46	238.12.46
48cm	238.09.48	238.10.48	238.11.48	238.12.48

DIAMETER (Titanium)

Length	9MM	10MM	11MM	12MM
30cm	438.09.30	438.10.30	438.11.30	438.12.30
32cm	438.09.32	438.10.32	438.11.32	438.12.32
34cm	438.09.34	438.10.34	438.11.34	438.12.34
36cm	438.09.36	438.10.36	438.11.36	438.12.36
38cm	438.09.38	438.10.38	438.11.38	438.12.38
40cm	438.09.40	438.10.40	438.11.40	438.12.40
42cm	438.09.42	438.10.42	438.11.42	438.12.42
44cm	438.09.44	438.10.44	438.11.44	438.12.44
46cm	438.09.46	438.10.46	438.11.46	438.12.46
48cm	438.09.48	438.10.48	438.11.48	438.12.48



ITEM DESCRIPTION :

Titanium Elastic Nail 440mm

Diameter

2.0, 2.5, 3.0, 3.5, 4.0, 4.5mm

Length :

440mm

DIAMETER (S.S.)

Length	Dia (mm)	Tit.
440	2.0	261.20
440	2.5	261.25
440	3.0	261.30
440	3.5	261.35
440	4.0	261.40
440	4.5	261.45




ITEM DESCRIPTION :

Elastic Nail 440mm (S.S.)

DIAMETER (Tit.)

Length

262.001



ITEM DESCRIPTION :

Square Nail for Radius

Diameter


1.5mm to 4.0mm (0.5mm Increment)

Length :

16 cms to 30 cms. (1cm Increment)

DIAMETER (S.S.)

Length	1.5MM	2.0MM	2.5MM	3.0MM	3.5MM	4.0MM
16cm	263.16.15	263.16.20	263.16.25	263.16.30	263.16.35	263.16.40
17cm	263.17.15	263.17.20	263.17.25	263.17.30	263.17.35	263.17.40
18cm	263.18.15	263.18.20	263.18.25	263.18.30	263.18.35	263.18.40
19cm	263.19.15	263.19.20	263.19.25	263.19.30	263.19.35	263.19.40
20cm	263.20.15	263.20.20	263.20.25	263.20.30	263.20.35	263.20.40
21cm	263.21.15	263.21.20	263.21.25	263.21.30	263.21.35	263.21.40
22cm	263.22.15	263.22.20	263.22.25	263.22.30	263.22.35	263.22.40
23cm	263.23.15	263.23.20	263.23.25	263.23.30	263.23.35	263.23.40
24cm	263.24.15	263.24.20	263.24.25	263.24.30	263.24.35	263.24.40
25cm	263.25.15	263.25.20	263.25.25	263.25.30	263.25.35	263.25.40
26cm	263.26.15	263.26.20	263.26.25	263.26.30	263.26.35	263.26.40
27cm	263.27.15	263.27.20	263.27.25	263.27.30	263.27.35	263.27.40
28cm	263.28.15	263.28.20	263.28.25	263.28.30	263.28.35	263.28.40
29cm	263.29.15	263.29.20	263.29.25	263.29.30	263.29.35	263.29.40
30cm	263.30.15	263.30.20	263.30.25	263.30.30	263.30.35	263.30.40



NAILING SYSTEM

ITEM DESCRIPTION : Humerus Nail Cannulated

Proximal Shaft Dia.	8.0 mm (Except 9.0mm Nail)
Proximal Shaft Dia. 9mm Nail	9.0mm
Proximal Bolt Used	3.9mm / 3.4 mm
Distal Bolt Used	2.9mm
Guide Wire	2.0mm x 950mm

DIAMETER (S.S.)				
Length	6MM	7MM	8MM	9MM
18cm	240.06.18	240.07.18	240.08.18	240.09.18
20cm	240.06.20	240.07.20	240.08.20	240.09.20
22cm	240.06.22	240.07.22	240.08.22	240.09.22
24cm	240.06.24	240.07.24	240.08.24	240.09.24
26cm	240.06.26	240.07.26	240.08.26	240.09.26
28cm	240.06.28	240.07.28	240.08.28	240.09.28
30cm	240.06.30	240.07.30	240.08.30	240.09.30

DIAMETER (TITANIUM)				
Length	6MM	7MM	8MM	9MM
18cm	440.06.18	440.07.18	440.08.18	440.09.18
20cm	440.06.20	440.07.20	440.08.20	440.09.20
22cm	440.06.22	440.07.22	440.08.22	440.09.22
24cm	440.06.24	440.07.24	440.08.24	440.09.24
26cm	440.06.26	440.07.26	440.08.26	440.09.26
28cm	440.06.28	440.07.28	440.08.28	440.09.28
30cm	440.06.30	440.07.30	440.08.30	440.09.30

ITEM DESCRIPTION : Humerus Nail Unreamed

Proximal Shaft Dia.	8.0 mm (Except 9.0mm Nail)
Proximal Shaft Dia. 9mm Nail	9.0mm
Proximal Bolt Used	3.9mm / 3.4 mm
Distal Bolt Used	2.9mm

DIAMETER (S.S.)				
Length	6MM	7MM	8MM	9MM
18cm	241.06.18	241.07.18	241.08.18	241.09.18
20cm	241.06.20	241.07.20	241.08.20	241.09.20
22cm	241.06.22	241.07.22	241.08.22	241.09.22
24cm	241.06.24	241.07.24	241.08.24	241.09.24
26cm	241.06.26	241.07.26	241.08.26	241.09.26
28cm	241.06.28	241.07.28	241.08.28	241.09.28
30cm	241.06.30	241.07.30	241.08.30	241.09.30

DIAMETER (S.S.)				
Length	6MM	7MM	8MM	9MM
18cm	441.06.18	441.07.18	441.08.18	441.09.18
20cm	441.06.20	441.07.20	441.08.20	441.09.20
22cm	441.06.22	441.07.22	441.08.22	441.09.22
24cm	441.06.24	441.07.24	441.08.24	441.09.24
26cm	441.06.26	441.07.26	441.08.26	441.09.26
28cm	441.06.28	441.07.28	441.08.28	441.09.28
30cm	441.06.30	441.07.30	441.08.30	441.09.30



NAILING SYSTEM

ITEM DESCRIPTION :

Ender Nails

Diameter

3.5mm, 4.0mm, 4.5mm

Length :

26 Cms to 50 Cms

DIAMETER (S.S.)			
Length	3.5MM	4.0MM	4.5MM
26cm	259.35	259.40	259.45
27cm	259.35	259.40	259.45
28cm	259.35	259.40	259.45
29cm	259.35	259.40	259.45
30cm	259.35	259.40	259.45
31cm	259.35	259.40	259.45
32cm	259.35	259.40	259.45
33cm	259.35	259.40	259.45
34cm	259.35	259.40	259.45
35cm	259.35	259.40	259.45
36cm	259.35	259.40	259.45
37cm	259.35	259.40	259.45
38cm	259.35	259.40	259.45
39cm	259.35	259.40	259.45
40cm	259.35	259.40	259.45
41cm	259.35	259.40	259.45
42cm	259.35	259.40	259.45
43cm	259.35	259.40	259.45
44cm	259.35	259.40	259.45
45cm	259.35	259.40	259.45
46cm	259.35	259.40	259.45
47cm	259.35	259.40	259.45
48cm	259.35	259.40	259.45
49cm	259.35	259.40	259.45
50cm	259.35	259.40	259.45



NAILING SYSTEM

ITEM DESCRIPTION :

Multiangle Direction Femur Nail (Right)

Proximal Shaft Dia.	13 mm
Proximal Shaft Dia 12 mm Nails	12 mm
Proximal Bolt Used	4.9 mm
Distal Bolt Used	4.9 mm
Guide Wire	2.5 mm x 950mm

DIAMETER (S.S.)

Length	9MM	10MM	11MM	12MM
34cm	244.09.34	244.10.34	244.11.34	244.12.34
36cm	244.09.36	244.10.36	244.11.36	244.12.36
38cm	244.09.38	244.10.38	244.11.38	244.12.38
40cm	244.09.40	244.10.40	244.11.40	244.12.40
42cm	244.09.42	244.10.42	244.11.42	244.12.42
44cm	244.09.44	244.10.44	244.11.44	244.12.44

DIAMETER (Titanium)

Length	9MM	10MM	11MM	12MM
34cm	444.09.34	444.10.34	444.11.34	444.12.34
36cm	444.09.36	444.10.36	444.11.36	444.12.36
38cm	444.09.38	444.10.38	444.11.38	444.12.38
40cm	444.09.40	444.10.40	444.11.40	444.12.40
42cm	444.09.42	444.10.42	444.11.42	444.12.42
44cm	444.09.44	444.10.44	444.11.44	444.12.44



ITEM DESCRIPTION : Gamma Nail Short

Proximal Shaft Dia.	17 mm
Proximal Hole Dia.	12.7 mm
Distal Hole Dia.	6.5 mm
Guide Wire	3.0 mm x 440 mm

DIAMETER (S.S.)

Length	10MM	11MM	12MM
18cm	245.10.18	245.11.18	245.12.18
20cm	245.10.20	245.11.20	245.12.20
22cm	245.10.22	245.11.22	245.12.22

DIAMETER (Titanium)

Length	10MM	11MM	12MM
18cm	445.10.18	445.11.18	445.12.18
20cm	445.10.20	445.11.20	445.12.20
22cm	445.10.22	445.11.22	445.12.22



ITEM DESCRIPTION :

Kuntscher Cloverleaf Nail

Diameter

6 mm to 15 mm (1mm Increment)

Length :

18 cms to 50 cms. (1cm Increment)



DIAMETER (S.S.)										
Length	6MM	7MM	8MM	9MM	10MM	11MM	12MM	13MM	14MM	15MM
18cm	257.06.18	257.07.18	257.08.18	257.09.18	257.10.18	257.11.18	257.12.18	257.13.18	257.14.18	257.15.18
19cm	257.06.19	257.07.19	257.08.19	257.09.19	257.10.19	257.11.19	257.12.19	257.13.19	257.14.19	257.15.19
20cm	257.06.20	257.07.20	257.08.20	257.09.20	257.10.20	257.11.20	257.12.20	257.13.20	257.14.20	257.15.20
21cm	257.06.21	257.07.21	257.08.21	257.09.21	257.10.21	257.11.21	257.12.21	257.13.21	257.14.21	257.15.21
22cm	257.06.22	257.07.22	257.08.22	257.09.22	257.10.22	257.11.22	257.12.22	257.13.22	257.14.22	257.15.22
23cm	257.06.23	257.07.23	257.08.23	257.09.23	257.10.23	257.11.23	257.12.23	257.13.23	257.14.23	257.15.23
24cm	257.06.24	257.07.24	257.08.24	257.09.24	257.10.24	257.11.24	257.12.24	257.13.24	257.14.24	257.15.24
25cm	257.06.25	257.07.25	257.08.25	257.09.25	257.10.25	257.11.25	257.12.25	257.13.25	257.14.25	257.15.25
26cm	257.06.26	257.07.26	257.08.26	257.09.26	257.10.26	257.11.26	257.12.26	257.13.26	257.14.26	257.15.26
27cm	257.06.27	257.07.27	257.08.27	257.09.27	257.10.27	257.11.27	257.12.27	257.13.27	257.14.27	257.15.27
28cm	257.06.28	257.07.28	257.08.28	257.09.28	257.10.28	257.11.28	257.12.28	257.13.28	257.14.28	257.15.28
29cm	257.06.29	257.07.29	257.08.29	257.09.29	257.10.29	257.11.29	257.12.29	257.13.29	257.14.29	257.15.29
30cm	257.06.30	257.07.30	257.08.30	257.09.30	257.10.30	257.11.30	257.12.30	257.13.30	257.14.30	257.15.30
31cm	257.06.31	257.07.31	257.08.31	257.09.31	257.10.31	257.11.31	257.12.31	257.13.31	257.14.31	257.15.31
32cm	257.06.32	257.07.32	257.08.32	257.09.32	257.10.32	257.11.32	257.12.32	257.13.32	257.14.32	257.15.32
33cm	257.06.33	257.07.33	257.08.33	257.09.33	257.10.33	257.11.33	257.12.33	257.13.33	257.14.33	257.15.33
34cm	257.06.34	257.07.34	257.08.34	257.09.34	257.10.34	257.11.34	257.12.34	257.13.34	257.14.34	257.15.34
35cm	257.06.35	257.07.35	257.08.35	257.09.35	257.10.35	257.11.35	257.12.35	257.13.35	257.14.35	257.15.35
36cm	257.06.36	257.07.36	257.08.36	257.09.36	257.10.36	257.11.36	257.12.36	257.13.36	257.14.36	257.15.36
37cm	257.06.37	257.07.37	257.08.37	257.09.37	257.10.37	257.11.37	257.12.37	257.13.37	257.14.37	257.15.37
38cm	257.06.38	257.07.38	257.08.38	257.09.38	257.10.38	257.11.38	257.12.38	257.13.38	257.14.38	257.15.38
39cm	257.06.39	257.07.39	257.08.39	257.09.39	257.10.39	257.11.39	257.12.39	257.13.39	257.14.39	257.15.39
40cm	257.06.40	257.07.40	257.08.40	257.09.40	257.10.40	257.11.40	257.12.40	257.13.40	257.14.40	257.15.40
41cm	257.06.41	257.07.41	257.08.41	257.09.41	257.10.41	257.11.41	257.12.41	257.13.41	257.14.41	257.15.41
42cm	257.06.42	257.07.42	257.08.42	257.09.42	257.10.42	257.11.42	257.12.42	257.13.42	257.14.42	257.15.42
43cm	257.06.43	257.07.43	257.08.43	257.09.43	257.10.43	257.11.43	257.12.43	257.13.43	257.14.43	257.15.43
44cm	257.06.44	257.07.44	257.08.44	257.09.44	257.10.44	257.11.44	257.12.44	257.13.44	257.14.44	257.15.44
45cm	257.06.45	257.07.45	257.08.45	257.09.45	257.10.45	257.11.45	257.12.45	257.13.45	257.14.45	257.15.45
46cm	257.06.46	257.07.46	257.08.46	257.09.46	257.10.46	257.11.46	257.12.46	257.13.46	257.14.46	257.15.46
47cm	257.06.47	257.07.47	257.08.47	257.09.47	257.10.47	257.11.47	257.12.47	257.13.47	257.14.47	257.15.47
48cm	257.06.48	257.07.48	257.08.48	257.09.48	257.10.48	257.11.48	257.12.48	257.13.48	257.14.48	257.15.48
49cm	257.06.49	257.07.49	257.08.49	257.09.49	257.10.49	257.11.49	257.12.49	257.13.49	257.14.49	257.15.49
50cm	257.06.50	257.07.50	257.08.50	257.09.50	257.10.50	257.11.50	257.12.50	257.13.50	257.14.50	257.15.50

NAILING SYSTEM

ITEM DESCRIPTION : Cephalic Screw

Thread Dia	12 mm
Core Dia	8.0 mm
Shaft Dia	11.9 mm
Guide Wire	3.0 mm x 440 mm

ITEM CODES

Length	S.S.	Tit.
55mm	248.055S	448.055T
60mm	248.060S	448.060T
65mm	248.065S	448.065T
70mm	248.070S	448.070T
75mm	248.075S	448.075T
80mm	248.080S	448.080T
85mm	248.085S	448.085T
90mm	248.090S	448.090T
95mm	248.095S	448.095T
100mm	248.100S	448.100T
105mm	248.105S	448.105T
110mm	248.110S	448.110T
115mm	248.115S	448.115T
120mm	248.120S	448.120T
125mm	248.125S	448.125T
130mm	248.130S	448.130T



ITEM DESCRIPTION : Set Screw For Gamma Nail

Thread Dia	8.0 mm
Length	28 mm
Hex. Dia.	4.0mm

ITEM CODES

Stainless Steel	Titanium
248.001S	248.001T



ITEM DESCRIPTION : Distal Bolt for Gamma

Thread Dia	6.25mm
Head Dia	9.0mm
Hex. Dia.	5.0mm

ITEM CODES

Length	S.S.	Tit.
30mm	250.030S	450.030T
32mm	250.032S	450.032T
34mm	250.034S	450.034T
36mm	250.036S	450.036T
38mm	250.038S	450.038T
40mm	250.040S	450.040T
42mm	250.042S	450.042T
44mm	250.044S	450.044T
46mm	250.046S	450.046T
48mm	250.048S	450.048T
50mm	250.050S	450.050T
52mm	250.052S	450.052T
54mm	250.054S	450.054T
56mm	250.056S	450.056T
58mm	250.058S	450.058T
60mm	250.060S	450.060T



NAILING SYSTEM

ITEM DESCRIPTION :

Locking Bolts 4.9mm

Threaded Dia. Fully Threaded : 4.9 mm

Core Dia. : 4.3 mm

Hexa. Socket : 3.5 mm

Head Dia. : 8.0 mm



ITEM CODES

Length	Stainless Steel	Titanium
20mm	254.020S	454.020T
22mm	254.022S	454.022T
24mm	254.024S	454.024T
26mm	254.026S	454.026T
28mm	254.028S	454.028T
30mm	254.030S	454.030T
32mm	254.032S	454.032T
34mm	254.034S	454.034T
36mm	254.036S	454.036T
38mm	254.038S	454.038T
40mm	254.040S	454.040T
42mm	254.042S	454.042T
44mm	254.044S	454.044T
46mm	254.046S	454.046T
48mm	254.048S	454.048T
50mm	254.050S	454.050T
52mm	254.052S	454.052T
54mm	254.054S	454.054T
56mm	254.056S	454.056T
58mm	254.058S	454.058T
60mm	254.060S	454.060T
65mm	254.065S	454.065T
70mm	254.070S	454.070T
75mm	254.075S	454.075T
80mm	254.080S	454.080T
85mm	254.085S	454.085T
90mm	254.090S	454.090TT
95mm	254.095S	454.095T
100mm	254.100S	454.100T
105mm	254.105S	454.105T
110mm	254.110S	454.110T
115mm	254.115S	454.115T
120mm	254.120S	454.120T

NAILING SYSTEM

ITEM DESCRIPTION : Gamma Nail End Cap

Head Dia. 17mm
Hex. Head 3.5mm

ITEM CODES

Stainless Steel	Titanium
251.006S	251.006T



ITEM DESCRIPTION : PFN 2 Short 130° (Titanium)

Proximal Shaft Dia. 16mm
for Guide Wire 2.5mm x 950mm

DIAMETER (TITANIUM)				
Length	9MM	10MM	11MM	12MM
170mm	PFNT 09.170	PFNT 10.170	PFNT 11.170	PFNT 12.170
180mm	PFNT 09.180	PFNT 10.180	PFNT 11.180	PFNT 12.180
200mm	PFNT 09.200	PFNT 10.200	PFNT 11.200	PFNT 12.200
240mm	PFNT 09.240	PFNT 10.240	PFNT 11.240	PFNT 12.240



ITEM DESCRIPTION : PFN-2 Nail Long 130° (Tit.)

Proximal Shaft Dia. 16mm
for Guide Wire 2.5mm x 950mm

Left

DIAMETER (Titanium)				
Length	9MM	10MM	11MM	12MM
260mm	PFNT 09L	PFNT 10L	PFNT 11L	PFNT 12L
280mm	PFNT 09L	PFNT 10L	PFNT 11L	PFNT 12L
300mm	PFNT 09L	PFNT 10L	PFNT 11L	PFNT 12L
320mm	PFNT 09L	PFNT 10L	PFNT 11L	PFNT 12L
340mm	PFNT 09L	PFNT 10L	PFNT 11L	PFNT 12L
360mm	PFNT 09L	PFNT 10L	PFNT 11L	PFNT 12L
380mm	PFNT 09L	PFNT 10L	PFNT 11L	PFNT 12L
400mm	PFNT 09L	PFNT 10L	PFNT 11L	PFNT 12L
420mm	PFNT 09L	PFNT 10L	PFNT 11L	PFNT 12L
440mm	PFNT 09L	PFNT 10L	PFNT 11L	PFNT 12L

Right

DIAMETER (Titanium)				
Length	9MM	10MM	11MM	12MM
260mm	PFNT 09R	PFNT 10R	PFNT 11R	PFNT 12R
280mm	PFNT 09R	PFNT 10R	PFNT 11R	PFNT 12R
300mm	PFNT 09R	PFNT 10R	PFNT 11R	PFNT 12R
320mm	PFNT 09R	PFNT 10R	PFNT 11R	PFNT 12R
340mm	PFNT 09R	PFNT 10R	PFNT 11R	PFNT 12R
360mm	PFNT 09R	PFNT 10R	PFNT 11R	PFNT 12R
380mm	PFNT 09R	PFNT 10R	PFNT 11R	PFNT 12R
400mm	PFNT 09R	PFNT 10R	PFNT 11R	PFNT 12R
420mm	PFNT 09R	PFNT 10R	PFNT 11R	PFNT 12R
440mm	PFNT 09R	PFNT 10R	PFNT 11R	PFNT 12R



NAILING SYSTEM

ITEM DESCRIPTION :
End Cap for PFN 2

DIAMETER (Tit.)

Length

251.003



ITEM DESCRIPTION :
Blade for PFN 2 (Titanium)

DIAMETER (Titanium)

Length Tit.

70mm PFN 070T

75mm PFN 075T

80mm PFN 080T

85mm PFN 085T

90mm PFN 090T

95mm PFN 095T

100mm PFN 100T

105mm PFN 105T

110mm PFN 110T

115mm PFN 115T

120mm PFN 120T

125mm PFN 125T

130mm PFN 130T



NAILING SYSTEM

ITEM DESCRIPTION :

Locking Bolts 2.9mm

Threaded Dia. Fully Threaded : 2.9 mm
Core Dia. : 2.2 mm
Hexa. Socket : 2.5 mm
Head Dia. : 6.0 mm



ITEM CODES

Length	Stainless Steel	Titanium
16mm	252.016	452.016
18mm	252.018	452.018
20mm	252.020	452.020
22mm	252.022	452.022
24mm	252.024	452.024
26mm	252.026	452.026
28mm	252.028	452.028
30mm	252.030	452.030
32mm	252.032	452.032
34mm	252.034	452.034
36mm	252.036	452.036
38mm	252.038	452.038
40mm	252.040	452.040
42mm	252.042	452.042
44mm	252.044	452.044
46mm	252.046	452.046
48mm	252.048	452.048
50mm	252.050	452.050

ITEM DESCRIPTION :

Locking Bolts 3.9mm

Threaded Dia. Fully Threaded : 3.9 mm
Core Dia. : 3.2 mm
Hexa. Socket : 3.5 mm
Head Dia. : 8.0 mm



ITEM CODES

Length	Stainless Steel	Titanium
20mm	253.020S	453.020T
22mm	253.022S	453.022T
24mm	253.024S	453.024T
26mm	253.026S	453.026T
28mm	253.028S	453.028T
30mm	253.030S	453.030T
32mm	253.032S	453.032T
34mm	253.034S	453.034T
36mm	253.036S	453.036T
38mm	253.038S	453.038T
40mm	253.040S	453.040T
42mm	253.042S	453.042T
44mm	253.044S	453.044T
46mm	253.046S	453.046T
48mm	253.048S	453.048T
50mm	253.050S	453.050T
52mm	253.052S	453.052T
54mm	253.054S	453.054T
56mm	253.056S	453.056T
58mm	253.058S	453.058T
60mm	253.060S	453.060T

NAILING SYSTEM

ITEM DESCRIPTION : Proximal Tibia Nail End Cap

Head Hex. 3.5mm
Head Dia. 14mm

ITEM CODES

Stainless Steel	Titanium
251.001S	251.001T




ITEM DESCRIPTION : PFN Nail End Cap

Hex. 3.5mm
Head Dia. 14mm

ITEM CODES

Stainless Steel	Titanium
251.002S	251.002T



ITEM DESCRIPTION : Humeral Nail End Cap

0 Extension.

Head Dia. 5.0mm
Hex. Head 2.5mm

5mm & 15mm Extension.

Head Dia. 8.0mm
Hex. Head 2.5mm

ITEM CODES

Stainless Steel	Titanium
251.003S	251.003T



ITEM DESCRIPTION : Multiangle Nail End Cap

Head Dia 13 mm
Hex. Dia. 3.5 mm

ITEM CODES

Stainless Steel	Titanium
251.004S	251.004T



ITEM DESCRIPTION : Supra Condylar Nail End Cap

Head Dia. 13mm
Hex. Head 3.5mm

ITEM CODES

Stainless Steel	Titanium
251.005S	251.005T



NAILING SYSTEM

ITEM DESCRIPTION :

Locking Bolts 6.5mm Cannulated
(Self Tapping)

Threaded Dia. : 6.5 mm
Hexa. Socket : 5.0 mm
Head Dia. : 9.0 mm
Core Dia : 4.7 mm
Shaft Dia. : 6.5 mm

ITEM CODES

Length	Stainless Steel	Titanium
50mm	255.050S	455.050T
55mm	255.055S	455.055T
60mm	255.060S	455.060T
65mm	255.065S	455.065T
70mm	255.070S	455.070T
75mm	255.075S	455.075T
80mm	255.080S	455.080T
85mm	255.085S	455.085T
90mm	255.090S	455.090T
95mm	255.095S	455.095T
100mm	255.100S	455.100T
105mm	255.105S	455.105T
110mm	255.110S	455.110T
115mm	255.115S	455.115T
120mm	255.120S	455.120T

ITEM DESCRIPTION :

Locking Bolts 7.5mm Cannulated
(Self Tapping)

Threaded Dia. : 7.5 mm
Hexa. Socket : 5.0 mm
Head Dia. : 9.0 mm
Core Dia. : 5.5mm
Shaft Dia. : 7.5mm

ITEM CODES

Length	Stainless Steel	Titanium
50mm	256.050S	456.050T
55mm	256.055S	456.055T
60mm	256.060S	456.060T
65mm	256.065S	456.065T
70mm	256.070S	456.070T
75mm	256.075S	456.075T
80mm	256.080S	456.080T
85mm	256.085S	456.085T
90mm	256.090S	456.090T
95mm	256.095S	456.095T
100mm	256.100S	456.100T
105mm	256.105S	456.105T
110mm	256.110S	456.110T
115mm	256.115S	456.115T
120mm	256.120S	456.120T



ITEM DESCRIPTION : Gamma Nail Long

Proximal Shaft Dia.	17 mm
Proximal Hole Dia.	12.7 mm
Distal Hole Dia.	6.5 mm
Guide Wire	3.0 mm x 440 mm

Left

DIAMETER (S.S.)

Length	10MM	11MM	12MM
30cm	246.10.30	246.11.30	246.12.30
32cm	246.10.32	246.11.32	246.12.32
34cm	246.10.34	246.11.34	246.12.34
36cm	246.10.36	246.11.36	246.12.36
38cm	246.10.38	246.11.38	246.12.38
40cm	246.10.40	246.11.40	246.12.40
42cm	246.10.42	246.11.42	246.12.42
44cm	246.10.44	246.11.44	246.12.44

DIAMETER (S.S.)

Length	10MM	11MM	12MM
30cm	446.10.30	446.11.30	446.12.30
32cm	446.10.32	446.11.32	446.12.32
34cm	446.10.34	446.11.34	446.12.34
36cm	446.10.36	446.11.36	446.12.36
38cm	446.10.38	446.11.38	446.12.38
40cm	446.10.40	446.11.40	446.12.40
42cm	446.10.42	446.11.42	446.12.42
44cm	446.10.44	446.11.44	446.12.44

Right

DIAMETER (S.S.)

Length	10MM	11MM	12MM
30cm	247.10.30	247.11.30	247.12.30
32cm	247.10.32	247.11.32	247.12.32
34cm	247.10.34	247.11.34	247.12.34
36cm	247.10.36	247.11.36	247.12.36
38cm	247.10.38	247.11.38	247.12.38
40cm	247.10.40	247.11.40	247.12.40
42cm	247.10.42	247.11.42	247.12.42
44cm	247.10.44	247.11.44	247.12.44

DIAMETER (S.S.)

Length	10MM	11MM	12MM
30cm	447.10.30	447.11.30	447.12.30
32cm	447.10.32	447.11.32	447.12.32
34cm	447.10.34	447.11.34	447.12.34
36cm	447.10.36	447.11.36	447.12.36
38cm	447.10.38	447.11.38	447.12.38
40cm	447.10.40	447.11.40	447.12.40
42cm	447.10.42	447.11.42	447.12.42
44cm	447.10.44	447.11.44	447.12.44



NAILING SYSTEM

ITEM DESCRIPTION :

Bend Kuntscher Cloverleaf Nail Tibia

Diameter

6 mm to 13 mm (1mm Increment)

Length :

18 cms to 44 cms. (1cm Increment)



DIAMETER (S.S.)

Length	6MM	7MM	8MM	9MM	10MM	11MM	12MM	13MM
18cm	258.06.18	258.07.18	258.08.18	258.09.18	258.10.18	258.11.18	258.12.18	258.13.18
19cm	258.06.19	258.07.19	258.08.19	258.09.19	258.10.19	258.11.19	258.12.19	258.13.19
20cm	258.06.20	258.07.20	258.08.20	258.09.20	258.10.20	258.11.20	258.12.20	258.13.20
21cm	258.06.21	258.07.21	258.08.21	258.09.21	258.10.21	258.11.21	258.12.21	258.13.21
22cm	258.06.22	258.07.22	258.08.22	258.09.22	258.10.22	258.11.22	258.12.22	258.13.22
23cm	258.06.23	258.07.23	258.08.23	258.09.23	258.10.23	258.11.23	258.12.23	258.13.23
24cm	258.06.24	258.07.24	258.08.24	258.09.24	258.10.24	258.11.24	258.12.24	258.13.24
25cm	258.06.25	258.07.25	258.08.25	258.09.25	258.10.25	258.11.25	258.12.25	258.13.25
26cm	258.06.26	258.07.26	258.08.26	258.09.26	258.10.26	258.11.26	258.12.26	258.13.26
27cm	258.06.27	258.07.27	258.08.27	258.09.27	258.10.27	258.11.27	258.12.27	258.13.27
28cm	258.06.28	258.07.28	258.08.28	258.09.28	258.10.28	258.11.28	258.12.28	258.13.28
29cm	258.06.29	258.07.29	258.08.29	258.09.29	258.10.29	258.11.29	258.12.29	258.13.29
30cm	258.06.30	258.07.30	258.08.30	258.09.30	258.10.30	258.11.30	258.12.30	258.13.30
31cm	258.06.31	258.07.31	258.08.31	258.09.31	258.10.31	258.11.31	258.12.31	258.13.31
32cm	258.06.32	258.07.32	258.08.32	258.09.32	258.10.32	258.11.32	258.12.32	258.13.32
33cm	258.06.33	258.07.33	258.08.33	258.09.33	258.10.33	258.11.33	258.12.33	258.13.33
34cm	258.06.34	258.07.34	258.08.34	258.09.34	258.10.34	258.11.34	258.12.34	258.13.34
35cm	258.06.35	258.07.35	258.08.35	258.09.35	258.10.35	258.11.35	258.12.35	258.13.35
36cm	258.06.36	258.07.36	258.08.36	258.09.36	258.10.36	258.11.36	258.12.36	258.13.36
37cm	258.06.37	258.07.37	258.08.37	258.09.37	258.10.37	258.11.37	258.12.37	258.13.37
38cm	258.06.38	258.07.38	258.08.38	258.09.38	258.10.38	258.11.38	258.12.38	258.13.38
39cm	258.06.39	258.07.39	258.08.39	258.09.39	258.10.39	258.11.39	258.12.39	258.13.39
40cm	258.06.40	258.07.40	258.08.40	258.09.40	258.10.40	258.11.40	258.12.40	258.13.40
41cm	258.06.41	258.07.41	258.08.41	258.09.41	258.10.41	258.11.41	258.12.41	258.13.41
42cm	258.06.42	258.07.42	258.08.42	258.09.42	258.10.42	258.11.42	258.12.42	258.13.42
43cm	258.06.43	258.07.43	258.08.43	258.09.43	258.10.43	258.11.43	258.12.43	258.13.43
44cm	258.06.44	258.07.44	258.08.44	258.09.44	258.10.44	258.11.44	258.12.44	258.13.44

ITEM DESCRIPTION : Multiangle Direction Tibia Nail

Proximal Shaft Dia.	11.5mm (Except 12mm Nails)
Proximal Shaft Dia 12 mm Nails	12 mm
Proximal Bolt Used	4.9 mm
Distal Bolt Used	4.9 mm (Except 8.0mm Nails)
Distal Bolt Used in 8.0mm Nails	3.9mm
Guide Wire	2.5mm x 950mm

DIAMETER (S.S.)

Length	8MM	9MM	10MM	11MM	12MM
26cm	242.08.26	242.09.26	242.10.26	242.11.26	242.12.26
28cm	242.08.28	242.09.28	242.10.28	242.11.28	242.12.28
30cm	242.08.30	242.09.30	242.10.30	242.11.30	242.12.30
32cm	242.08.32	242.09.32	242.10.32	242.11.32	242.12.32
34cm	242.08.34	242.09.34	242.10.34	242.11.34	242.12.34
36cm	242.08.36	242.09.36	242.10.36	242.11.36	242.12.36
38cm	242.08.38	242.09.38	242.10.38	242.11.38	242.12.38

DIAMETER (Titanium)

Length	8MM	9MM	10MM	11MM	12MM
26	442.08.26	442.09.26	442.10.26	442.11.26	442.12.26
28	442.08.28	442.09.28	442.10.28	442.11.28	442.12.28
30	442.08.30	442.09.30	442.10.30	442.11.30	442.12.30
32	442.08.32	442.09.32	442.10.32	442.11.32	442.12.32
34	442.08.34	442.09.34	442.10.34	442.11.34	442.12.34
36	442.08.36	442.09.36	442.10.36	442.11.36	442.12.36
38	442.08.38	442.09.38	442.10.38	442.11.38	442.12.38



ITEM DESCRIPTION : Multiangle Direction Femur Nail (Left)

Proximal Shaft Dia.	13 mm
Proximal Shaft Dia 12 mm Nails	12 mm
Proximal Bolt Used	4.9 mm
Distal Bolt Used	4.9 mm
Guide Wire	2.5 mm x 950mm

DIAMETER (S.S.)

Length	9MM	10MM	11MM	12MM
34cm	243.09.34	243.10.34	243.11.34	243.12.34
36cm	243.09.36	243.10.36	243.11.36	243.12.36
38cm	243.09.38	243.10.38	243.11.38	243.12.38
40cm	243.09.40	243.10.40	243.11.40	243.12.40
42cm	243.09.42	243.10.42	243.11.42	243.12.42
44cm	243.09.44	243.10.44	243.11.44	243.12.44

DIAMETER (Titanium)

Length	9MM	10MM	11MM	12MM
34cm	443.09.34	443.10.34	443.11.34	443.12.34
36cm	443.09.36	443.10.36	443.11.36	443.12.36
38cm	443.09.38	443.10.38	443.11.38	443.12.38
40cm	443.09.40	443.10.40	443.11.40	443.12.40
42cm	443.09.42	443.10.42	443.11.42	443.12.42
44cm	443.09.44	443.10.44	443.11.44	443.12.44



NAILING SYSTEM

ITEM DESCRIPTION :

Rush Nail (Hook Intermedary)

Diameter

2.0mm to 6.0mm (0.5mm Increament)

Length :

3 Cms to 40 Cms (1Cms Increament)



DIAMETER (S.S.)

Length	2.0MM	2.5MM	3.0MM	3.5MM	4.0MM	4.5MM	5.0MM	6.0MM
3cm	260.20							
4cm	260.20							
5cm	260.20							
6cm	260.20							
7cm	260.20							
8cm	260.20							
9cm	260.20							
10cm	260.20	260.25	260.30	260.35				
11cm	260.20	260.25	260.30	260.35				
12cm	260.20	260.25	260.30	260.35				
13cm	260.20	260.25	260.30	260.35				
14cm	260.20	260.25	260.30	260.35				
15cm	260.20	260.25	260.30	260.35	260.40	260.45		
16cm	260.20	260.25	260.30	260.35	260.40	260.45		
17cm		260.25	260.30	260.35	260.40	260.45		
18cm		260.25	260.30	260.35	260.40	260.45		
19cm		260.25	260.30	260.35	260.40	260.45		
20cm		260.25	260.30	260.35	260.40	260.45	260.50	260.60
21cm		260.25	260.30	260.35	260.40	260.45	260.50	260.60
22cm		260.25	260.30	260.35	260.40	260.45	260.50	260.60
23cm		260.25	260.30	260.35	260.40	260.45	260.50	260.60
24cm		260.25	260.30	260.35	260.40	260.45	260.50	260.60
25cm					260.40	260.45	260.50	260.60
26cm					260.40	260.45	260.50	260.60
27cm					260.40	260.45	260.50	260.60
28cm					260.40	260.45	260.50	260.60
29cm					260.40	260.45	260.50	260.60
30cm					260.40	260.45	260.50	260.60
31cm							260.50	260.60
32cm							260.50	260.60
33cm							260.50	260.60
34cm							260.50	260.60
35cm							260.50	260.60
36cm							260.50	260.60
37cm							260.50	260.60
38cm							260.50	260.60
39cm							260.50	260.60
40cm							260.50	260.60

ITEM DESCRIPTION : Proximal Femoral Nails (Stainless Steel)

Proximal Shaft Dia. 14 mm
 Proximal Bolt Used 6.5 & 7.5 mm
 Distal Bolt Used 4.9 mm
 Guide Wire 2.5mm x 950mm

DIAMETER (S.S.) LEFT

Length	9MM	10MM	11MM	12MM
30cm	239.09.30	239.10.30	239.11.30	239.12.30
32cm	239.09.32	239.10.32	239.11.32	239.12.32
34cm	239.09.34	239.10.34	239.11.34	239.12.34
36cm	239.09.36	239.10.36	239.11.36	239.12.36
38cm	239.09.38	239.10.38	239.11.38	239.12.38
40cm	239.09.40	239.10.40	239.11.40	239.12.40
42cm	239.09.42	239.10.42	239.11.42	239.12.42
44cm	239.09.44	239.10.44	239.11.44	239.12.44
46cm	239.09.46	239.10.46	239.11.46	239.12.46
48cm	239.09.48	239.10.48	239.11.48	239.12.48

DIAMETER (Titanium) LEFT

Length	9MM	10MM	11MM	12MM
30cm	439.09.30	439.10.30	439.11.30	439.12.30
32cm	439.09.32	439.10.32	439.11.32	439.12.32
34cm	439.09.34	439.10.34	439.11.34	439.12.34
36cm	439.09.36	439.10.36	439.11.36	439.12.36
38cm	439.09.38	439.10.38	439.11.38	439.12.38
40cm	439.09.40	439.10.40	439.11.40	439.12.40
42cm	439.09.42	439.10.42	439.11.42	439.12.42
44cm	439.09.44	439.10.44	439.11.44	439.12.44
46cm	439.09.46	439.10.46	439.11.46	439.12.46
48cm	439.09.48	439.10.48	439.11.48	439.12.48

DIAMETER (S.S.) RIGHT

Length	9MM	10MM	11MM	12MM
30cm	249.09.30	249.10.30	249.11.30	249.12.30
32cm	249.09.32	249.10.32	249.11.32	249.12.32
34cm	249.09.34	249.10.34	249.11.34	249.12.34
36cm	249.09.36	249.10.36	249.11.36	249.12.36
38cm	249.09.38	249.10.38	249.11.38	249.12.38
40cm	249.09.40	249.10.40	249.11.40	249.12.40
42cm	249.09.42	249.10.42	249.11.42	249.12.42
44cm	249.09.44	249.10.44	249.11.44	249.12.44
46cm	249.09.46	249.10.46	249.11.46	249.12.46
48cm	249.09.48	249.10.48	249.11.48	249.12.48

DIAMETER (Titanium) RIGHT

Length	9MM	10MM	11MM	12MM
30cm	449.09.30	449.10.30	449.11.30	449.12.30
32cm	449.09.32	449.10.32	449.11.32	449.12.32
34cm	449.09.34	449.10.34	449.11.34	449.12.34
36cm	449.09.36	449.10.36	449.11.36	449.12.36
38cm	449.09.38	449.10.38	449.11.38	449.12.38
40cm	449.09.40	449.10.40	449.11.40	449.12.40
42cm	449.09.42	449.10.42	449.11.42	449.12.42
44cm	449.09.44	449.10.44	449.11.44	449.12.44
46cm	449.09.46	449.10.46	449.11.46	449.12.46
48cm	449.09.48	449.10.48	449.11.48	449.12.48



NAILING SYSTEM

ITEM DESCRIPTION :


Square Nail for Ulna

Diameter

1.5mm to 4.0mm (0.5mm Increment)

Length :

16 cms to 30 cms. (1cm Increment)



DIAMETER (S.S.)

Length	1.5MM	2.0MM	2.5MM	3.0MM	3.5MM	4.0MM
16cm	264.16.15	264.16.20	264.16.25	264.16.30	264.16.35	264.16.40
17cm	264.17.15	264.17.20	264.17.25	264.17.30	264.17.35	264.17.40
18cm	264.18.15	264.18.20	264.18.25	264.18.30	264.18.35	264.18.40
19cm	264.19.15	264.19.20	264.19.25	264.19.30	264.19.35	264.19.40
20cm	264.20.15	264.20.20	264.20.25	264.20.30	264.20.35	264.20.40
21cm	264.21.15	264.21.20	264.21.25	264.21.30	264.21.35	264.21.40
22cm	264.22.15	264.22.20	264.22.25	264.22.30	264.22.35	264.22.40
23cm	264.23.15	264.23.20	264.23.25	264.23.30	264.23.35	264.23.40
24cm	264.24.15	264.24.20	264.24.25	264.24.30	264.24.35	264.24.40
25cm	264.25.15	264.25.20	264.25.25	264.25.30	264.25.35	264.25.40
26cm	264.26.15	264.26.20	264.26.25	264.26.30	264.26.35	264.26.40
27cm	264.27.15	264.27.20	264.27.25	264.27.30	264.27.35	264.27.40
28cm	264.28.15	264.28.20	264.28.25	264.28.30	264.28.35	264.28.40
29cm	264.29.15	264.29.20	264.29.25	264.29.30	264.29.35	264.29.40
30cm	264.30.15	264.30.20	264.30.25	264.30.30	264.30.35	264.30.40

ITEM DESCRIPTION : Femoral Nails Unreamed (Stainless Steel)

Proximal Shaft Dia. 14 mm
Proximal Bolt Used 4.9 mm
Distal Bolt Used 4.9 mm

DIAMETER (S.S.)					
Length	9MM	10MM	11MM	12MM	13MM
32cm	235.09.032	235.10.032	235.11.032	235.12.032	235.13.032
34cm	235.09.034	235.10.034	235.11.034	235.12.034	235.13.034
36cm	235.09.036	235.10.036	235.11.036	235.12.036	235.13.036
38cm	235.09.038	235.10.038	235.11.038	235.12.038	235.13.038
40cm	235.09.040	235.10.040	235.11.040	235.12.040	235.13.040
42mm	235.09.042	235.10.042	235.11.042	235.12.042	235.13.042
44mm	235.09.044	235.10.044	235.11.044	235.12.044	235.13.044
46mm	235.09.046	235.10.046	235.11.046	235.12.046	235.13.046

DIAMETER (Titanium)					
Length	9MM	10MM	11MM	12MM	13MM
32cm	435.09.032	435.10.032	435.11.032	435.12.032	435.13.032
34cm	435.09.034	435.10.034	435.11.034	435.12.034	435.13.034
36cm	435.09.036	435.10.036	435.11.036	435.12.036	435.13.036
38cm	435.09.038	435.10.038	435.11.038	435.12.038	435.13.038
40cm	435.09.040	435.10.040	435.11.040	435.12.040	435.13.040
42mm	435.09.042	435.10.042	435.11.042	435.12.042	435.13.042
44mm	435.09.044	435.10.044	435.11.044	435.12.044	435.13.044
46mm	435.09.046	435.10.046	435.11.046	435.12.046	435.13.046

ITEM DESCRIPTION : Supra Condylar Nail / IMSC Nail

Proximal Shaft Dia. 13 mm
Proximal Bolt Used 4.9 mm
Distal Bolt Used 4.9 mm
Guide Wire 2.5mm x 950mm

DIAMETER (S.S.)				
Length	10MM	11MM	12MM	13MM
15cm	236.10.015	236.11.015	236.12.015	236.13.015
20cm	236.10.020	236.11.020	236.12.020	236.13.020
25cm	236.10.025	236.11.025	236.12.025	236.13.025
30cm	236.10.030	236.11.030	236.12.030	236.13.030

DIAMETER (S.S.)				
Length	10MM	11MM	12MM	13MM
15cm	436.10.015	436.11.015	436.12.015	436.13.015
20cm	436.10.020	436.11.020	436.12.020	436.13.020
25cm	436.10.025	436.11.025	436.12.025	436.13.025
30cm	436.10.030	436.11.030	436.12.030	436.13.030

NAILING INSTRUMENTS

ITEM DESCRIPTION : Kuntscher Nail set

Cat. No.

267.003



ITEM DESCRIPTION :

K-Nail Reamer

DIAMETER (S.S.)

Length	Dia (mm)	Cat No.
14mm	6.0mm	267.60
18mm	7.0mm	267.70
18mm	8.0mm	267.80
18mm	9.0mm	267.90
18mm	10mm	267.10
18mm	11mm	267.11
18mm	12mm	267.12
18mm	13mm	267.13
18mm	14mm	267.14



ITEM DESCRIPTION :

Cannulated Hand Reamer 6mm to 14mm Tibia / Femur

DIAMETER (S.S.)


Length	Dia (mm)	Cat No.
14mm	6.0mm	268.60
18mm	7.0mm	268.70
18mm	8.0mm	268.80
18mm	9.0mm	268.90
18mm	10mm	268.10
18mm	11mm	268.11
18mm	12mm	268.12
18mm	13mm	268.13
18mm	14mm	268.14



ITEM DESCRIPTION : K. Nail Driver

Cat. No.

267.004



ITEM DESCRIPTION : K. Nail Punch Sloted

Cat. No.

267.005



ITEM DESCRIPTION : Tibial Nails (Stainless Steel)

Proximal Shaft Dia.	14 mm
Proximal Bolt Used	4.9 mm
Distal Bolt Used	4.9 mm (Except in 8.0mm Nails)
Distal Bolt in 8.0mm	3.9 mm
Guide Wire	2.5mm x 950mm

DIAMETER (S.S.)				
Length	8MM	9MM	10MM	11MM
26cm	231.08.026	231.09.026	231.10.026	231.11.026
28cm	231.08.028	231.09.028	231.10.028	231.11.028
30cm	231.08.030	231.09.030	231.10.030	231.11.030
32cm	231.08.032	231.09.032	231.10.032	231.11.032
34cm	231.08.034	231.09.034	231.10.034	231.11.034
36cm	231.08.036	231.09.036	231.10.036	231.11.036
38cm	231.08.038	231.09.038	231.10.038	231.11.038

DIAMETER (TITANIUM)				
Length	8MM	9MM	10MM	11MM
26cm	431.08.026	431.09.026	431.10.026	431.11.026
28cm	431.08.028	431.09.028	431.10.028	431.11.028
30cm	431.08.030	431.09.030	431.10.030	431.11.030
32cm	431.08.032	431.09.032	431.10.032	431.11.032
34cm	431.08.034	431.09.034	431.10.034	431.11.034
36cm	431.08.036	431.09.036	431.10.036	431.11.036
38cm	431.08.038	431.09.038	431.10.038	431.11.038

ITEM DESCRIPTION : Tibial Nails Distal Tip (Stainless Steel)

Proximal Shaft Dia.	14 mm
Proximal Bolt Used	4.9 mm
Distal Bolt Used	4.9 mm (Except in 8.0mm Nails)
Distal Bolt in 8.0mm	3.9 mm
Guide Wire	2.5mm x 950mm

DIAMETER (S.S.)					
Length	8MM	9MM	10MM	11MM	12MM
26cm	232.08.026	232.09.026	232.10.026	232.11.026	232.12.026
28cm	232.08.028	232.09.028	232.10.028	232.11.028	232.12.028
30cm	232.08.030	232.09.030	232.10.030	232.11.030	232.12.030
32cm	232.08.032	232.09.032	232.10.032	232.11.032	232.12.032
34cm	232.08.034	232.09.034	232.10.034	232.11.034	232.12.034
36cm	232.08.036	232.09.036	232.10.036	232.11.036	232.12.036
38cm	232.08.038	232.09.038	232.10.038	232.11.038	232.12.038

DIAMETER (S.S.)					
Length	8MM	9MM	10MM	11MM	12MM
26cm	432.08.026	432.09.026	432.10.026	432.11.026	432.12.026
28cm	432.08.028	432.09.028	432.10.028	432.11.028	432.12.028
30cm	432.08.030	432.09.030	432.10.030	432.11.030	432.12.030
32cm	432.08.032	432.09.032	432.10.032	432.11.032	432.12.032
34cm	432.08.034	432.09.034	432.10.034	432.11.034	432.12.034
36cm	432.08.036	432.09.036	432.10.036	432.11.036	432.12.036
38cm	432.08.038	432.09.038	432.10.038	432.11.038	432.12.038

ARTHOPLASTY

ITEM DESCRIPTION :

Austin Moore Hip Prostheses
Standard (Strile)


Dia.	Strile	Non-Strile
37mm	269.037S	269.037NS
38mm	269.038ST	269.038NS
39mm	269.039ST	269.039NS
40mm	269.040ST	269.040NS
41mm	269.041ST	269.041NS
42mm	269.042ST	269.042NS
43mm	269.043ST	269.043NS
44mm	269.044ST	269.044NS
45mm	269.045ST	269.045NS
46mm	269.046ST	269.046NS
47mm	269.047ST	269.047NS
48mm	269.048ST	269.048NS
49mm	269.049ST	269.049NS
50mm	269.050ST	269.050NS
51mm	269.051ST	269.051NS
52mm	269.052ST	269.052NS
53mm	269.053ST	269.053NS
54mm	269.054ST	269.054NS
55mm	269.055ST	269.055NS



ITEM DESCRIPTION :

Austin Moore Hip Prostheses
Narrow Stem

Dia.	Strile	Non-Strile
37mm	270.137ST	270.137NST
38mm	270.138ST	270.138NST
39mm	270.139ST	270.139NST
40mm	270.140ST	270.140NST
41mm	270.141ST	270.141NST
42mm	270.142ST	270.142NST
43mm	270.143ST	270.143NST
44mm	270.144ST	270.144NST
45mm	270.145ST	270.145NST
46mm	270.146ST	270.146NST
47mm	270.147ST	270.147NST
48mm	270.148ST	270.148NST
49mm	270.149ST	270.149NST
50mm	270.150ST	270.150NST
51mm	270.151ST	270.151NST
52mm	270.152ST	270.152NST
53mm	270.153ST	270.153NST
54mm	270.154ST	270.154NST
55mm	270.155ST	270.155NST



ITEM DESCRIPTION :

Austin Moore Hip Prostheses Broad Stem

Dia.	Strile	Non-Strile
37mm	271.37S	471.37NS
38mm	271.38S	471.38NS
39mm	271.39S	471.39NS
40mm	271.40S	471.40NS
41mm	271.41S	471.41NS
42mm	271.42S	471.42NS
43mm	271.43S	471.43NS
44mm	271.44S	471.44NS
45mm	271.45S	471.45NS
46mm	271.46S	471.46NS
47mm	271.47S	471.47NS
48mm	271.48S	471.48NS
49mm	271.49S	471.49NS
50mm	271.50S	471.50NS
51mm	271.51S	471.51NS
52mm	271.52S	471.52NS
53mm	271.53S	471.53NS
54mm	271.54S	471.54NS
55mm	271.55S	471.55NS



ITEM DESCRIPTION :

Austin Moore Hip Prostheses Long Stem

Dia.	Strile	Non-Strile
37mm	272.37S	472.37NS
38mm	272.38S	472.38NS
39mm	272.39S	472.39NS
40mm	272.40S	472.40NS
41mm	272.41S	472.41NS
42mm	272.42S	472.42NS
43mm	272.43S	472.43NS
44mm	272.44S	472.44NS
45mm	272.45S	472.45NS
46mm	272.46S	472.46NS
47mm	272.47S	472.47NS
48mm	272.48S	472.48NS
49mm	272.49S	472.49NS
50mm	272.50S	472.50NS
51mm	272.51S	472.51NS
52mm	272.52S	472.52NS
53mm	272.53S	472.53NS
54mm	272.54S	472.54NS
55mm	272.55S	472.55NS



ARTHOPLASTY

ITEM DESCRIPTION :

Thompson Hip Prostheses Standard

Dia.	Strile	Non-Strile
37mm	273.37S	473.37NS
38mm	273.38S	473.38NS
39mm	273.39S	473.39NS
40mm	273.40S	473.40NS
41mm	273.41S	473.41NS
42mm	273.42S	473.42NS
43mm	273.43S	473.43NS
44mm	273.44S	473.44NS
45mm	273.45S	473.45NS
46mm	273.46S	473.46NS
47mm	273.47S	473.47NS
48mm	273.48S	473.48NS
49mm	273.49S	473.49NS
50mm	273.50S	473.50NS
51mm	273.51S	473.51NS
52mm	273.52S	473.52NS
53mm	273.53S	473.53NS
54mm	273.54S	473.54NS
55mm	273.55S	473.55NS



ITEM DESCRIPTION :

Thompson Hip Prostheses Narrow Stem

Dia.	Strile	Non-Strile
37mm	274.37S	474.37NS
38mm	274.38S	474.38NS
39mm	274.39S	474.39NS
40mm	274.40S	474.40NS
41mm	274.41S	474.41NS
42mm	274.42S	474.42NS
43mm	274.43S	474.43NS
44mm	274.44S	474.44NS
45mm	274.45S	474.45NS
46mm	274.46S	474.46NS
47mm	274.47S	474.47NS
48mm	274.48S	474.48NS
49mm	274.49S	474.49NS
50mm	274.50S	474.50NS
51mm	274.51S	474.51NS
52mm	274.52S	474.52NS
53mm	274.53S	474.53NS
54mm	274.54S	474.54NS
55mm	274.55S	474.55NS



ITEM DESCRIPTION :
Bipolar Hip Prosthesis (Fenestrated)

Dia.	Cat. No.
37mm	275.37BHPF
38mm	275.38BHPF
39mm	275.39BHPF
40mm	275.40BHPF
41mm	275.41BHPF
42mm	275.42BHPF
43mm	275.43BHPF
44mm	275.44BHPF
45mm	275.45BHPF
46mm	275.46BHPF
47mm	275.47BHPF
48mm	275.48BHPF
49mm	275.49BHPF
50mm	275.50BHPF
51mm	275.51BHPF
52mm	275.52BHPF
53mm	275.53BHPF
54mm	275.54BHPF
55mm	275.55BHPF



ITEM DESCRIPTION :
Bipolar Hip Prosthesis (Non-Fenestrated)

Dia.	Cat. No.
37mm	276.37BHPNF
38mm	276.38BHPNF
39mm	276.39BHPNF
40mm	276.40BHPNF
41mm	276.41BHPNF
42mm	276.42BHPNF
43mm	276.43BHPNF
44mm	276.44BHPNF
45mm	276.45BHPNF
46mm	276.46BHPNF
47mm	276.47BHPNF
48mm	276.48BHPNF
49mm	276.49BHPNF
50mm	276.50BHPNF
51mm	276.51BHPNF
52mm	276.52BHPNF
53mm	276.53BHPNF
54mm	276.54BHPNF
55mm	276.55BHPNF



ARTHOPLASTY

ITEM DESCRIPTION : Femoral Tapered Stem

Size	Cat. No.
7.5mm	277.075
10mm	277.010
12mm	277.012



ITEM DESCRIPTION : Femoral Neck Ball

Dia.	Size	Cat. No.
28mm	-3	278.28-03
28mm	0	278.28.00
28mm	+3	278.28+03



ITEM DESCRIPTION : Modular Bipolar Cup

Dia.	Size 0	Size -3	Size +3
39mm	280.39-0	280.39-3	280.39+3
40mm	280.40-0	280.40-3	280.40+3
41mm	280.41-0	280.41-3	280.41+3
42mm	280.42-0	280.42-3	280.42+3
43mm	280.43-0	280.43-3	280.43+3
44mm	280.44-0	280.44-3	280.44+3
45mm	280.45-0	280.45-3	280.45+3
46mm	280.46-0	280.46-3	280.46+3
47mm	280.47-0	280.47-3	280.47+3
48mm	280.48-0	280.48-3	280.48+3
49mm	280.49-0	280.49-3	280.49+3
50mm	280.50-0	280.50-3	280.50+3
51mm	280.51-0	280.51-3	280.51+3
52mm	280.52-0	280.52-3	280.52+3
53mm	280.53-0	280.53-3	280.53+3
54mm	280.54-0	280.54-3	280.54+3
55mm	280.55-0	280.55-3	280.55+3



ITEM DESCRIPTION : Acetabular Cup

Dia.(mm)	Cat. No.
44, I.D.28mm	279.28.044
46, I.D.28mm	279.28.046
48, I.D.28mm	279.28.048
50, I.D.28mm	279.28.050
52, I.D.28mm	279.28.052
54, I.D.28mm	279.28.054
56, I.D.28mm	279.28.056
58, I.D.28mm	279.28.058



ITEM DESCRIPTION :
Shoulder Prosthesis Sterile

Dia.	Cat. No.
31mm	281.031S
33mm	281.033S
35mm	281.035S
38mm	281.038S
39mm	281.039S
40mm	281.040S
42mm	281.042S
44mm	281.044S
46mm	281.046S



INSTRUMENTS FOR FEMORAL HEAD

ITEM DESCRIPTION :
Bone Skid Murphy Lane

Cat. No.
282.001



ITEM DESCRIPTION :
Gauge for Prostheses, Set of Nine

Cat. No.
282.003



ITEM DESCRIPTION :
Hook for A.M. Extractor

Cat. No.
282.002



ITEM DESCRIPTION :
Hollows Chisel, Austin Moore type

Cat. No.
282.004



ITEM DESCRIPTION :
Impactor For Femoral Head
Tufnol Faced Aluminum

Cat. No.
282.005



ITEM DESCRIPTION :
Judet Auger Extractor S.S.

Cat. No.
282.007



INSTRUMENTS FOR FEMORAL HEAD


ITEM DESCRIPTION :
A.M. Impactor Aluminum

Cat. No.
282.006



ITEM DESCRIPTION :
Rasp. Moore Type Tommy Bar
(Standard Stem)

Cat. No.
282.008




ITEM DESCRIPTION :
Austine Moore Rasp Narrow

Cat. No.
282.009



ITEM DESCRIPTION :
Rasp. Thompson Type with
Tommy Bar (Standard)

Cat. No.
282.010



ITEM DESCRIPTION :
Rasp. Thompson Type with
Tommy Bar (Narrow)

Cat. No.
282.011



ITEM DESCRIPTION :
Rasp Moore type-Extra long

Cat. No.
282.012



INSTRUMENTS FOR FEMORAL HEAD

ITEM DESCRIPTION :
Shoulder Rasp

Cat. No.
282.013




ITEM DESCRIPTION :
Rasp Moore Type Broad

Cat. No.
282.014



ITEM DESCRIPTION :
Rasp For Bi-Polar

Cat. No.
282.015



ITEM DESCRIPTION :
Putty Rasp

Cat. No.
282.016



ITEM DESCRIPTION :
Extractor Set for
A.M. Prosthesis with 2 Hooks


Cat. No.
282.017



INSTRUMENTS FOR FEMORAL HEAD

ITEM DESCRIPTION :
Judet Retractor

Cat. No.
282.018



ITEM DESCRIPTION :
Straight Reamer 11mm

Cat. No.
282.019



ITEM DESCRIPTION :
Bone File, Fiber Handle

Cat. No.
282.021



ITEM DESCRIPTION :
Straight Reamer 14mm

Cat. No.
282.020



PIN, WIRE, STAPLE & INSTRUMENT

ITEM DESCRIPTION :

Steinman Pin 3.0mm

Dia(mm)	Length	Cat No.
3.0mm	150mm	283.30.150
3.0mm	175mm	283.30.175
3.0mm	200mm	283.30.200
3.0mm	225mm	283.30.225
3.0mm	250mm	283.30.250
3.5mm	125mm	283.30.125
3.5mm	150mm	283.30.150
3.5mm	175mm	283.30.175
3.5mm	200mm	283.30.200
3.5mm	225mm	283.30.225
3.5mm	250mm	283.30.250
4.0mm	150mm	283.30.150
4.0mm	175mm	283.30.175
4.0mm	200mm	283.30.200
4.0mm	225mm	283.30.225
4.0mm	250mm	283.30.250
4.5mm	150mm	283.30.150
4.5mm	175mm	283.30.175
4.5mm	200mm	283.30.200
4.5mm	225mm	283.30.225
4.5mm	250mm	283.30.250
5.0mm	150mm	283.30.150
5.0mm	175mm	283.30.175
5.0mm	200mm	283.30.200
5.0mm	225mm	283.30.225
5.0mm	250mm	283.30.250

ITEM DESCRIPTION :


Kirschner Wire Single Ended

Dia(mm)	Length	Cat No.
1.0mm	150mm	283.10.150KWSE
1.5mm	150mm	283.15.150KWSE
2.0mm	150mm	283.20.150KWSE
2.5mm	150mm	283.25.150KWSE
3.0mm	150mm	283.30.150KWSE
1.0mm	225mm	283.10.225KWSE
1.5mm	225mm	283.15.225KWSE
2.0mm	225mm	283.20.225KWSE
2.5mm	225mm	283.25.225KWSE
3.0mm	225mm	283.30.225KWSE
1.0mm	300mm	283.10.300KWSE
1.5mm	300mm	283.15.300KWSE
2.0mm	300mm	283.20.300KWSE
2.5mm	300mm	283.25.300KWSE
3.0mm	300mm	283.30.300KWSE

PIN, WIRE, STAPLE & INSTRUMENT

ITEM DESCRIPTION : Kirschner Wire Double Ended

Dia(mm)	Length	Cat No.
1.0mm	150mm	284.10.150
1.5mm	150mm	284.15.150
2.0mm	150mm	284.20.150
2.5mm	150mm	284.25.150
3.0mm	150mm	284.30.150
1.0mm	225mm	284.10.225
1.5mm	225mm	284.15.225
2.0mm	225mm	284.20.225
2.5mm	225mm	284.25.225
3.0mm	225mm	284.30.225
1.0mm	300mm	284.10.300
1.5mm	300mm	284.15.300
2.0mm	300mm	284.20.300
2.5mm	300mm	284.25.300
3.0mm	300mm	284.30.300



ITEM DESCRIPTION : Wire, Suture 3 mtr roll

Dia(Swg.)	Cat No.
16	285.16.03m
18	285.18.03m
20	285.20.03m
22	285.22.03m
24	285.24.03m
26	285.26.03m
28	285.28.03m
30	285.30.03m
32	285.32.03m
34	285.34.03m
36	285.36.03m



ITEM DESCRIPTION : Wire, Suture 10 mtr roll

Dia(Swg.)	Cat No.
16	285.16.10m
18	285.18.10m
20	285.20.10m
22	285.22.10m
24	285.24.10m
26	285.26.10m
28	285.28.10m
30	285.30.10m
32	285.32.10m
34	285.34.10m
36	285.36.10m



PIN, WIRE, STAPLE & INSTRUMENT

ITEM DESCRIPTION :

Full Threaded Krirschner Wire 225mm

Dia(mm)	Length	Cat No.
1.5mm	225mm	286.15.225FT
2.0mm	225mm	286.20.225FT
2.5mm	225mm	286.25.225FT



ITEM DESCRIPTION :

Partially Threaded Krirschner Wire 225mm


Dia(mm)	Length	Cat No.
1.0mm	225mm	286.10.225PT
1.5mm	225mm	286.15.225PT
2.0mm	225mm	286.20.225PT
2.5mm	225mm	286.25.225PT



ITEM DESCRIPTION :

Centrally Threaded Steinmen Pin

Dia(mm)	Length	Cat No.
4.0mm	175mm	287.175CTSP
4.0mm	200mm	287.200CTSP
4.5mm	175mm	287.175CTSP
4.5mm	200mm	287.200CTSP
5.0mm	175mm	287.175CTSP
5.0mm	200mm	287.200CTSP
6.0mm	175mm	287.175CTSP
6.0mm	200mm	287.200CTSP



ITEM DESCRIPTION :

Blount Staples

Dia(mm)	15mm	WIDTH	
		20mm	25mm
1.5mm	288.15.15	288.20.15	288.25.15
2.0mm	288.15.20	288.20.20	288.25.20
2.5mm	288.15.25	288.20.25	288.25.25
3.0mm	288.15.30	288.20.30	288.25.30



PIN, WIRE, STAPLE & INSTRUMENT

ITEM DESCRIPTION : Coventry Staples

Length	Cat No.
5 Step	289.005
10 Step	289.010
15 Step	289.015



ITEM DESCRIPTION : Bone Awl with eye Aluminum Handle

Dia	Cat No.
1.5mm	290.015
2.0mm	290.020
2.5mm	290.025
3.0mm	290.030




ITEM DESCRIPTION : Bone Awl with Eye Fibre Handle

Dia	Cat No.
1.5mm	291.015
2.0mm	291.020
2.5mm	291.025
3.0mm	291.030



ITEM DESCRIPTION : Steinman Pin Introducer S.S. with S.S. Chuck & Key

Cat. No.
282.022



ITEM DESCRIPTION : Wire twister S.S. (Conventional Model)

Cat. No.
282.023




PIN, WIRE, STAPLE & INSTRUMENT

ITEM DESCRIPTION :

Wire twister S.S. with 2 Pegs

Cat. No.

282.024


ITEM DESCRIPTION :

Wire Tightening Forceps (A.O. Type)

Cat. No.

282.025


ITEM DESCRIPTION :

Plier Cum Wire Bender Cum
Wire Cutter

Cat. No.

282.026


ITEM DESCRIPTION :

Wire Bender

Cat. No.

282.027


ITEM DESCRIPTION :

Cerclage Wire Holding Forceps

Cat. No.

282.028


ITEM DESCRIPTION :

Wire Tightner Cum Twister Cum Cutter

Cat. No.

282.029



PIN, WIRE, STAPLE & INSTRUMENT

ITEM DESCRIPTION : K-Wire Bender

Size	Cat. No.
1.5/2.0	292.15.20
2.0/2.5	292.20.25
2.5/3.0	292.25.30



ITEM DESCRIPTION : Wire Cutter, S.S.

Cat. No.
282.030



ITEM DESCRIPTION : Guide Wire Introducer, Watson Jones Type

Cat. No.
282.031



ITEM DESCRIPTION : Jumbo Cutter (Deluxe)

Size	Cat No.
6"	293.006
12"	293.012
18"	293.018
24"	293.024



PIN, WIRE, STAPLE & INSTRUMENT

ITEM DESCRIPTION :

Wire Cutter Superior (Deluxe)

Size	Cat No.
6"	294.006
9"	294.009
12"	294.012



ITEM DESCRIPTION :

Vice Grip (Deluxe)

Cat. No.
282.031



ITEM DESCRIPTION :

Maun Cutter 6" (Deluxe)

Size	Cat No.
6"	282.032.06
8"	282.033.08



BONE DRILL & TWIST DRILL

ITEM DESCRIPTION :
Bone Cutting, Drilling & Reaming System

Cat. No.
282.034BCM

PRODUCTS
CATALOGUE



BONE DRILL & TWIST DRILL

ITEM DESCRIPTION :

Universal Bone Drill with S.S Chuck & Key

Cat. No.

295.002UBD




ITEM DESCRIPTION :

Open Gear Drill Machine with S.S.chuck & key

Cat. No.

295.003OGDM



ITEM DESCRIPTION :

Electric Bone Drill Machine with Coupler

Cat. No.

295.001EBDM



ITEM DESCRIPTION :

Twist Drill (Drill Bit) Q.C.

Dia	Length	Cat No.
1.5mm	100mm	296.15TDQ
2.0mm	100mm	296.20TDQ
2.5mm	130mm	296.25TDQ
2.7mm	130mm	296.27TDQ
3.2mm	130mm	296.32TDQ
3.5mm	130mm	296.35TDQ
4.5mm	130mm	296.45TDQ



ITEM DESCRIPTION :

Twist Drill (Drill Bit) -Plain Shank

Dia	Length	Cat No.
1.5mm	100mm	297.15TDP
2.0mm	100mm	297.20TDP
2.5mm	130mm	297.25TDP
2.7mm	130mm	297.27TDP
3.2mm	130mm	297.32TDP
3.5mm	130mm	297.35TDP
4.5mm	130mm	297.45TDP



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :
Mini Reduction Forceps (Pointed)

Cat. No.
282.077



ITEM DESCRIPTION :
Mini Plate Holding Forceps

Cat. No.
282.078



ITEM DESCRIPTION :
Mini Bone Holding Forceps

Cat. No.
282.079




ITEM DESCRIPTION :
Patella Bone Holding

Size	Cat. No.
3 Prong	282.080PBH



ITEM DESCRIPTION :
Patella Bone Holding

Size	Cat. No.
4 Prong	282.081PBH



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Chisel With Fibre Handle Curved

Size (mm)	Cat. No.
5mm	303.005
6mm	303.006
8mm	303.008
10mm	303.010
12mm	303.012
15mm	303.015
16mm	303.016
18mm	303.018
20mm	303.020
22mm	303.022
24mm	303.024
25mm	303.025
30mm	303.030



ITEM DESCRIPTION :

Osteotomes Stilly Type Straight

Size (mm)	Cat. No.
6mm	304.006
8mm	304.008
10mm	304.010
12mm	304.012
15mm	304.015
16mm	304.016
18mm	304.018
20mm	304.020
22mm	304.022
24mm	304.024
25mm	304.025
30mm	304.030



ITEM DESCRIPTION :

Chisel With Fibre Handle Straight

Size (mm)	Cat. No.
5mm	302.005
6mm	302.006
8mm	302.008
10mm	302.010
12mm	302.012
15mm	302.015
16mm	302.016
18mm	302.018
20mm	302.020
22mm	302.022
24mm	302.024
25mm	302.025
30mm	302.030



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :
Kerrission Punch Upward 45°

Size	Cat. No.
2mm	282.066.02KPU
3mm	282.066.03KPU
4mm	282.066.04KPU



ITEM DESCRIPTION :
Kerrission Punch Downward 45°

Size	Cat. No.
2mm	282.067.02KPD
3mm	282.067.03KPD
4mm	282.067.04KPD



ITEM DESCRIPTION :
Spurling Rongeurs (Disc Punch) Straight

Size	Cat. No.
2mm	282.068.02SRS
3mm	282.068.03SRS



ITEM DESCRIPTION :
Spurling Rongeurs (Disc Punch) Upword

Size	Cat. No.
2mm	282.069.02SRU
3mm	282.069.03SRU



ITEM DESCRIPTION :
Spurling Rongeurs (Disc Punch) Downword

Size	Cat. No.
2mm	282.070.02SRD
3mm	282.070.03SRD



ITEM DESCRIPTION :
Burn's Bone Holding Forceps

Cat. No.
282.071BBHF



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Gouge Stilly Type Curved

Size (mm)	Cat. No.
5mm	309.005
6mm	309.006
8mm	309.008
10mm	309.010
12mm	309.012
15mm	309.015
16mm	309.016
18mm	309.018
20mm	309.020
22mm	309.022
24mm	309.024
25mm	309.025
30mm	309.030



ITEM DESCRIPTION :

Gouge with Fibre Handle Straight

Size (mm)	Cat. No.
6mm	310.006
8mm	310.008
10mm	310.010
12mm	310.012
15mm	310.015
16mm	310.016
18mm	310.018
20mm	310.020
22mm	310.022
24mm	310.024
25mm	310.025
30mm	310.030



ITEM DESCRIPTION :

Gouge Stilly Type Straight

Size (mm)	Cat. No.
5mm	308.005
6mm	308.006
8mm	308.008
10mm	308.010
12mm	308.012
15mm	308.015
16mm	308.016
18mm	308.018
20mm	308.020
22mm	308.022
24mm	308.024
25mm	308.025
30mm	308.030




GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Bone Cutting Forceps (Double Action) Curved

Size	Cat. No.
190mm	282.060.190DAC
225mm	282.060.225DAC
270mm	282.060.270DAC



ITEM DESCRIPTION :

Bone Nibbler (Single Action) Straight

Size	Cat. No.
5"	282.061.05SA
6"	282.061.06SA
7"	282.061.07SA



ITEM DESCRIPTION :

Bone Nibbler (Single Action) Curved

Size	Cat. No.
5"	282.062.05SA
6"	282.062.06SA
7"	282.062.07SA



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :
Retractor, Volkman's

Size	Cat. No.
2 Prong	313.001.02
3 Prong	313.001.03
4 Prong	313.001.04
5 Prong	313.001.05



ITEM DESCRIPTION :
Retractor, Senn Miller

Cat. No.
282.037



ITEM DESCRIPTION :
Retractor and Elevator, Bennett's

Cat. No.
282.038



ITEM DESCRIPTION :
Charnely Hip Retractor with
Weight & Chain

Cat. No.
282.039



ITEM DESCRIPTION :
Elevator, Doyen's Perosteal (L/R)

Cat. No.
282.040



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :
Mc Donald's Retractor

Cat. No.
282.052MDR



ITEM DESCRIPTION :
Hohmann Retractor

Size	Cat. No.
6mm x 160mm	282.06.160
8mm x 160mm	282.08.160
8mm x 220mm	282.08.220
18mm x 235mm	282.18.235
22mm x 250mm	282.22.250
24mm x 250mm	282.24.250
43mm x 240mm	282.43.240
70mm x 240mm	282.70.240



ITEM DESCRIPTION :
Zerny's Retractor

Cat. No.
282.053ZR



ITEM DESCRIPTION :
Alm's Retractor

Cat. No.
282.054AR



ITEM DESCRIPTION :
Cobs Elevator

Size	Cat No.
5mm	282.05CE
10mm	282.10CE
15mm	282.15CE
20mm	282..20CE



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Periosteal Elevator - Straight Stilly

Size	Cat. No.
6mm	282.050.06
8mm	282.050.08
10mm	282.050.10
12mm	282.050.12
14mm	282.050.14
16mm	282.050.16



ITEM DESCRIPTION :

Periosteal Elevator - Curved (Farabeuf) Stilly

Size	Cat. No.
6mm	282.051.06
8mm	282.051.08
10mm	282.051.10
12mm	282.051.12
14mm	282.051.14
16mm	282.051.16



ITEM DESCRIPTION :

Periosteal Elevator - Straight (Farabeuf) Fibre Handle

Size	Cat. No.
6mm	282.052.06
8mm	282.052.08
10mm	282.052.10
12mm	282.052.12
14mm	282.052.14
16mm	282.052.16



ITEM DESCRIPTION :

Periosteal Elevator - Curved (Farabeuf) Fibre Handle

Size	Cat. No.
6mm	282.053.06
8mm	282.053.08
10mm	282.053.10
12mm	282.053.12
14mm	282.053.14
16mm	282.053.16



ITEM DESCRIPTION :

Sharp Hook

Cat. No.
282.051SH



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Lever for Bone, Lanes types S.S. with Serrated End

Cat. No.

282.041



ITEM DESCRIPTION :

Lever for Bone, Lanes Type

Size Cat. No.

Small 282.042S

Large 282.043L



ITEM DESCRIPTION :

Lever for Bone Trethowen's Type

Cat. No.

282.044LB



ITEM DESCRIPTION :

Hook for Bone (A.O Type)

Size Cat. No.

Small 282.045S

Medium 282.046M

Large 282.047L



ITEM DESCRIPTION :

Skin Hook One Prong

Size Cat. No.

1 Prong 282.048




ITEM DESCRIPTION :

Skin Hook Two Prong

Size Cat. No.

2 Prong 282.049




GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Gelpi Retractor

Size	Cat. No.
Small	282.55.01S
Medium	282.55.02M
Large	282.55.02L



ITEM DESCRIPTION :

Mostroid Retractor

Size	Cat. No.
Small	282.56.01S
Medium	282.56.02M
Large	282.56.02L



ITEM DESCRIPTION :

Tuder Edward Bone Cutting Forceps


Cat. No.
282.057TE



ITEM DESCRIPTION :

Bone Cutting Forceps (Single Action)


Size	Cat. No.
5"	282.058.05
6"	282.058.06
7"	282.058.07
8"	282.058.08
9"	282.058.09



ITEM DESCRIPTION :

Bone Cutting Forceps (Double Action) Straight

Size	Cat. No.
190mm	282.059.190BCF
225mm	282.059.225BCF
270mm	282.059.270BCF



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :
Osteotomes Stilly Type Curved

Size (mm)	Cat. No.
6mm	311.006
8mm	311.008
10mm	311.010
12mm	311.012
15mm	311.015
16mm	311.016
18mm	311.018
20mm	311.020
22mm	311.022
24mm	311.024
25mm	311.025
30mm	311.030



ITEM DESCRIPTION :
Retractor, Self Retaining

Size	Cat. No.
Small 8"	312.08S
Medium 10"	312.10M
Large 11½"	312.11L
Extra Large 15"	312.15EL



ITEM DESCRIPTION :
Retractor, Bristow's

Cat. No.
282.035



ITEM DESCRIPTION :
Retractor, Legenback

Size	Cat. No.
Small	312.000S
Medium	312.001M
Large	312.002L



ITEM DESCRIPTION :
Retractor, Nerve Root

Size	Cat. No.
Small	282.036




GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Bone Nibbler (Double Action) Straight

Size	Cat. No.
190mm	282.063.190DA
225mm	282.063.225DA
270mm	282.063.270DA



ITEM DESCRIPTION :

Bone Nibbler (Double Action) Angular


Size	Cat. No.
190mm	282.064.190DA
225mm	282.064.225DA
270mm	282.064.270DA



ITEM DESCRIPTION :

Bone Nibbler (Double Action) Curved

Size	Cat. No.
190mm	282.065.190DA
225mm	282.065.225DA
270mm	282.065.270DA



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Osteotomes with Fibre Handle Straight

Size (mm)	Cat. No.
6mm	306.006
8mm	306.008
10mm	306.010
12mm	306.012
15mm	306.015
16mm	306.016
18mm	306.018
20mm	306.020
22mm	306.022
24mm	306.024
25mm	306.025
30mm	306.030



ITEM DESCRIPTION :

Osteotomes with Fibre Handle Curved

Size (mm)	Cat. No.
6mm	307.006
8mm	307.008
10mm	307.010
12mm	307.012
15mm	307.015
16mm	307.016
18mm	307.018
20mm	307.020
22mm	307.022
24mm	307.024
25mm	307.025
30mm	307.030



ITEM DESCRIPTION :

Osteotomes Stilly Type Curved

Size (mm)	Cat. No.
6mm	305.006
8mm	305.008
10mm	305.010
12mm	305.012
15mm	305.015
16mm	305.016
18mm	305.018
20mm	305.020
22mm	305.022
24mm	305.024
25mm	305.025
30mm	305.030



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Hey Grooves Bone Holding Forceps

Size	Cat. No.
Small 8"	282.072.08
Medium 10"	282.072.10
Large 12"	282.072.12



ITEM DESCRIPTION :

Fergusson's or Lion Bone Holding Forceps


Size	Cat. No.
6"	282.073.06
8"	282.073.08
10"	282.073.10



ITEM DESCRIPTION :

Lane's Bone Holding Forceps (with Ratchet)

Size	Cat. No.
12"	282.074.12
17"	282.074.17



ITEM DESCRIPTION :

Lane's Bone Holding Forceps (without Ratchet)

Size	Cat. No.
12"	282.075.12
17"	282.075.17



ITEM DESCRIPTION :

Mini Reduction Forceps (Serretted)

Cat. No.
282.076MRF



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Curette, Burn Bone

Size(mm)	Cat. No.
3mm	299.003
4mm	299.004
5mm	299.005
7mm	299.007
8mm	299.008
10mm	299.010
11mm	299.011
12mm	299.012
15mm	299.015



ITEM DESCRIPTION :

Chiesel Stilly Type Straight

Size (mm)	Cat. No.
5mm	300.005
6mm	300.006
8mm	300.008
10mm	300.010
12mm	300.012
15mm	300.015
16mm	300.016
18mm	300.018
20mm	300.020
22mm	300.022
24mm	300.024
25mm	300.025
30mm	300.030



ITEM DESCRIPTION :

Chiesel Stilly Type Curved


Size (mm)	Cat. No.
5mm	301.005
6mm	301.006
8mm	301.008
10mm	301.010
12mm	301.012
15mm	301.015
16mm	301.016
18mm	301.018
20mm	301.020
22mm	301.022
24mm	301.024
25mm	301.025
30mm	301.030



ITEM DESCRIPTION :

Curette, Volkman Double ended

Size(mm)	Cat. No.
4x6	298.4X6
6x9	298.6X9
9x12	298.9X12



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Modified Patella Bone Holding Forceps

Size	Cat. No.
3 Prong	282.082BHF
4 Prong	282.083BHF



ITEM DESCRIPTION :

Self Centering Bone Holding Forceps Light Weight

Size	Cat. No.
150mm	282.084.150
190mm	282.084.190
240mm	282.084.240
260mm	282.084.260
280mm	282.084.280



ITEM DESCRIPTION :

Reduction Forceps (Ratchet Lock) Serretted


Size	Cat. No.
140mm	282.085.140
170mm	282.085.170
200mm	282.085.200
240mm	282.085.240



ITEM DESCRIPTION :

Reduction Forceps (Ratchet Lock) Pointed

Size	Cat. No.
140mm	282.086.140
170mm	282.086.170
200mm	282.086.200
240mm	282.086.240



ITEM DESCRIPTION :

Reduction Forceps (Thread Lock) Serretted

Size	Cat. No.
140mm	282.087.140
170mm	282.087.170
200mm	282.087.200
240mm	282.087.240



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :
Reduction Forceps (Thread Lock) Pointed

Size	Cat. No.
140mm	282.088.140
170mm	282.088.170
200mm	282.088.200
240mm	282.088.240



ITEM DESCRIPTION :
Bone And Plate Holding Forceps

Cat. No.
282.089BPH




ITEM DESCRIPTION :
Lowman Bone Clamp

Size	Cat. No.
Fingers (Mini)	282.090FM
Forearms (Small)	282.090FS
Humerous (Medium)	282.090HM
Tibia (Large)	282.090TL
Femur (Extra Large)	282.090FE



ITEM DESCRIPTION :
Malleolar Forceps with 2 Points at 15° angle 210mm

Cat. No.
282.091MF



GENERAL ORTHOPAEDIC INSTRUMENTS

ITEM DESCRIPTION :

Hammer, Nylon Faced

Size	Cat. No.
200 Gms.	282.092NF
350 Gms.	282.092NF
500 Gms.	282.092NF



ITEM DESCRIPTION :

Hammer Nylon faced with fiber Handle

Size	Cat. No.
200 Gms.	282.093.200
350 Gms.	282.093.350
500 Gms.	282.093.500
700 Gms.	282.093.700



ITEM DESCRIPTION :

Hammer Bone S.S. with S.S. Handle

Size	Cat. No.
200 Gms.	282.094.200
350 Gms.	282.094.350
500 Gms.	282.094.500
700 Gms.	282.094.700



ITEM DESCRIPTION :

Hammer, Bone S.S. with Fiber Handle

Size	Cat. No.
200 Gms.	282.095.200
350 Gms.	282.095.350
500 Gms.	282.095.500
700 Gms.	282.095.700



PLASTER ROOM EQUIPMENT

ITEM DESCRIPTION :
Bandage Cutting Scissors 7"

Cat. No.
282.096BCS



ITEM DESCRIPTION :
Plaster Bender, Bohler 10"

Cat. No.
282.097PB



ITEM DESCRIPTION :
Plaster Opener, Daws

Cat. No.
282.098PO



ITEM DESCRIPTION :
Amputation Saw 9" Blade

Cat. No.
282.099ASB



ITEM DESCRIPTION :
Plaster Saw, Burgman's

Cat. No.
282.100PSB



PLASTER ROOM EQUIPMENT

ITEM DESCRIPTION :
Plaster Saw - Heavy Handle

Cat. No.
314.001PS



ITEM DESCRIPTION :
Plaster Shear Bohler

Cat. No.
316.001PS



ITEM DESCRIPTION :
Plaster Saw - Engel

Cat. No.
315.001PS



ITEM DESCRIPTION :
Finger Saw

Cat. No.
317.001FS



ITEM DESCRIPTION :
Plaster Saw (Electric) Deluxe

Cat. No.
316.001PS



PLASTER ROOM EQUIPMENT

ITEM DESCRIPTION :
Henning Plaster Cast Spreader

Cat. No.
316.001HPCS



ITEM DESCRIPTION :
Plaster Knife

Cat. No.
317.001PK



ITEM DESCRIPTION :
Plaster Shears, Stilly

Size	Cat. No.
8"	318.008PS
15"	318.015PS



ITEM DESCRIPTION :
Blade for Plaster Saw

Cat. No.
318.001BPS



INSTRUMENT FOR SKULL SURGERY

ITEM DESCRIPTION :

Gigli Saw Wire-Ordinary

Length	Cat. No.
30mm	321.00.30GSW
50mm	321.00.50GSW



ITEM DESCRIPTION :

Gigli Saw Handle

Cat. No.
319.001GSH



ITEM DESCRIPTION :

Gigli Saw Wire-Fine

Length	Cat. No.
30mm	322.00.30GSW
50mm	322.00.50GSW
75mm	322.00.75GSW



ITEM DESCRIPTION :

Garden well skull Traction Tongs


Cat. No.
323.001GW



ITEM DESCRIPTION :

Crutch Field Tong with Two Burrs

Size	Cat. No.
Small	318.000CFTS
Medium	318.000CFTM
Large	318.000CFTL



INSTRUMENT FOR SKULL SURGERY

ITEM DESCRIPTION :
Gigli Saw guide (Deluxe)

Cat. No.
320.001GSG



ITEM DESCRIPTION :
Gigli Saw Introducer S.S

Cat. No.
321.001GSI



ITEM DESCRIPTION :
Cones Caliper


Cat. No.
324.001CC



KNEE SURGERY IMPLANTS & INSTRUMENTS

ITEM DESCRIPTION : ACL Screw S.S

Dia	Length	S.S.	Titanium
7.0mm	20mm	325.07.20S	525.07.20T
7.0mm	25mm	325.07.25S	525.07.25T
7.0mm	30mm	325.07.30S	525.07.30T
7.0mm	35mm	325.07.35S	525.07.35T
8.0mm	20mm	325.08.20S	525.08.20T
8.0mm	25mm	325.08.25S	525.08.25T
8.0mm	30mm	325.08.30S	525.08.30T
8.0mm	35mm	325.08.35S	525.08.35T
9.0mm	20mm	325.09.20S	525.09.20T
9.0mm	25mm	325.09.25S	525.09.25T
9.0mm	30mm	325.09.30S	525.09.30T
9.0mm	35mm	325.09.35S	525.09.35T



ITEM DESCRIPTION : Suture Disk

Cat. No.
327.001EB



ITEM DESCRIPTION : Endo Button

Cat. No.
326.001EB



ITEM DESCRIPTION :

Transverse Connect (Titanium)

Length	S.S.	Titanium
Small	328.000TCSS	328.000TCST
Large	328.000TCLS	328.000TCLT



ITEM DESCRIPTION :

Single Lock Mono Axial Screw Titanium


Dia.	Length	Cat No.
4.0mm	25mm	330.40.025MAS
4.0mm	30mm	330.40.030MAS
4.0mm	35mm	330.40.035MAS
4.0mm	40mm	330.40.040MAS
4.0mm	45mm	330.40.045MAS
4.0mm	50mm	330.40.050MAS
5.0mm	25mm	330.40.025MAS
5.0mm	30mm	330.40.030MAS
5.0mm	35mm	330.40.035MAS
5.0mm	40mm	330.40.040MAS
5.0mm	45mm	330.40.045MAS
5.0mm	50mm	330.40.050MAS
6.0mm	25mm	330.40.025MAS
6.0mm	30mm	330.40.030MAS
6.0mm	35mm	330.40.035MAS
6.0mm	40mm	330.40.040MAS
6.0mm	45mm	330.40.045MAS
6.0mm	50mm	330.40.050MAS
7.0mm	25mm	330.40.025MAS
7.0mm	30mm	330.40.030MAS
7.0mm	35mm	330.40.035MAS
7.0mm	40mm	330.40.040MAS
7.0mm	45mm	330.40.045MAS
7.0mm	50mm	330.40.050MAS



ITEM DESCRIPTION :

Cross Link (Titanium)

Length	Cat No.
Small	329.000CLS
Medium	329.000CLM
Large	329.000CLL




SPINAL IMPLANTS & INSTRUMENTS

ITEM DESCRIPTION :

Single Lock Mono Axial Screw Titanium

Dia.	Length	Cat No.
4.0mm	25mm	331.40.425
4.0mm	30mm	331.40.430
4.0mm	35mm	331.40.435
4.0mm	40mm	331.40.440
4.0mm	45mm	331.40.445
4.0mm	50mm	331.40.450
5.0mm	25mm	331.50.425
5.0mm	30mm	331.50.430
5.0mm	35mm	331.50.435
5.0mm	40mm	331.50.440
5.0mm	45mm	331.50.445
5.0mm	50mm	331.50.450
6.0mm	25mm	331.60.425
6.0mm	30mm	331.60.430
6.0mm	35mm	331.60.435
6.0mm	40mm	331.60.440
6.0mm	45mm	331.60.445
6.0mm	50mm	331.60.450
7.0mm	25mm	331.70.425
7.0mm	30mm	331.70.430
7.0mm	35mm	331.70.435
7.0mm	40mm	331.70.440
7.0mm	45mm	331.70.445
7.0mm	50mm	331.70.450



ITEM DESCRIPTION :

Connecting Rod

Length	Cat No.
80mm	332.080CR
90mm	332.290CR
100mm	332.100CR
120mm	332.120CR
130mm	332.130CR
150mm	332.150CR
200mm	332.200CR
250mm	332.250CR
300mm	332.300CR
400mm	332.400CR
500mm	332.500CR



ITEM DESCRIPTION :

Cervical Screw Titanium used with Anterior Cervical Z-Plate

Length	Cat No.
12mm	333.012CS
14mm	333.014CS
16mm	333.016CS
18mm	333.018CS
20mm	333.020CS
22mm	333.022CS



SPINAL IMPLANTS & INSTRUMENTS

ITEM DESCRIPTION :

Cervical Spine Plate 3.5mm Screw

Dia.	Length	S.S.	Titanium
5.0mm	23mm	335.05.023S	535.05.023T
5.0mm	25mm	335.05.025S	535.05.025T
5.0mm	28mm	335.05.028S	535.05.028T
8.0mm	41mm	335.08.041S	535.08.041T
8.0mm	46mm	335.08.046S	535.08.046T
11mm	59mm	335.11.059S	535.11.059T



ITEM DESCRIPTION :

Anterior Cervical Plate (Z-Plate)

Titanium with Cervical Screw 4.0mm

Length	Cat No.
25mm	334.025CP
30mm	334.030CP
35mm	334.035CP
40mm	334.040CP
45mm	334.045CP
50mm	334.050CP
55mm	334.055CP
60mm	334.060CP
65mm	334.065CP
70mm	334.070CP



TUBULAR EXTERNAL FIXATOR

ITEM DESCRIPTION :
Tube to Tube Clamp

Cat. No.
342.001TTC



ITEM DESCRIPTION :
Compression Device

Cat. No.
343.001CD




ITEM DESCRIPTION :
Open Clamp

Cat. No.
338.001OC



ITEM DESCRIPTION :
Connecting Clamp

Cat. No.
339.001CC



ITEM DESCRIPTION :
Transverse Clamp

Cat. No.
340.001TC



ITEM DESCRIPTION :
Universal Joint For Two Tubes (Straight)

Cat. No.
341.001UJ



TUBULAR EXTERNAL FIXATOR

ITEM DESCRIPTION :
Single Adjustable Clamp

Cat. No.
336.001SAC



ITEM DESCRIPTION :
Double Adjustable Clamp

Cat. No.
337.001DAC



ITEM DESCRIPTION :
Small Clamp

Dia.	Length	Cat No.
4.0mm	2.5mm	345.40.25SC
4.0mm	4.0mm	345.40.40SC



ITEM DESCRIPTION :
Small Connecting Bar / Rod 4mm

Length	Cat No.
100	344.100SCB
150	344.150SCB
200	344.200SCB
250	344.250SCB
300	344.300SCB



TUBULAR EXTERNAL FIXATOR

ITEM DESCRIPTION :

Tubular Rods

Length	Cat No.
4"	346.00.04TR
5"	346.00.05TR
6"	346.00.06TR
8"	346.00.08TR
10"	346.00.10TR
12"	346.00.12TR
14"	346.00.14TR
16"	346.00.16TR
18"	346.00.18TR
20"	346.00.20TR



ITEM DESCRIPTION :

Schanz Screw (Side Thread Pins)

Length	2.5mm	4.0mm	4.5mm	5.0mm	6.5mm
100mm	347.25.100	347.40.100	347.45.100		
125mm	347.25.125	347.40.125	347.45.125		
150mm	347.25.150	347.40.150	347.45.150		
170mm	347.25.170	347.40.170	347.45.170		
200mm	347.25.200	347.40.200	347.45.200	347.50.200	
250mm	347.25.250	347.40.250	347.45.250	347.50.250	347.65.250
300mm				347.50.300	347.65.300



ITEM DESCRIPTION :

Mono Rail External Fixator

Size	Cat No.
300mm	349.300
350mm	349.350
400mm	349.400



ITEM DESCRIPTION :

Spanner

Size	Cat No.
8-9	348.001S
10-11	348.002S



TUBULAR EXTERNAL FIXATOR


ITEM DESCRIPTION :
Dynamic External Fixator

Size	Cat No.
Small	350.001DEFS
Medium	350.002DEFM
Large	350.003DEFL



ITEM DESCRIPTION :
Schanz Pin Introducer

Cat. No.
352.001SPI



ITEM DESCRIPTION :
Close End Spanner

Size	Cat No.
8-9	351.001CES
10-11	351.002CES



ITEM DESCRIPTION :
Triple Trocar Set with Handle Extra Long

Cat. No.
354.001TTS



ITEM DESCRIPTION :
Distal end Radius Fixator
(Orthofix)

Cat. No.
353.001DERF



External Fixation

ITEM DESCRIPTION :

Charnley Compression Clamp with 2 Pins

Cat No.


356.001CCC



ITEM DESCRIPTION :

Bohler's Steinman pin Holder

Length	Small	Medium	Large
6"	355.00.06S	355.00.06M	355.00.06L
8"	355.00.08S	355.00.08M	355.00.08L
10"	355.00.10S	355.00.10M	355.00.10L
12"	355.00.12S	355.00.12M	355.00.12L
14"	355.00.14S	355.00.14M	355.00.14L
16"	355.00.16S	355.00.16M	355.00.16L
18"	355.00.18S	355.00.18M	355.00.18L
20"	355.00.20S	355.00.20M	355.00.20L



C.T.E.V. Set (Small)

ITEM DESCRIPTION :
Open Clamp Small

Cat No.

359.000OCS



ITEM DESCRIPTION :
Straight Rod Knurled

Dia	Length	Cat No.
3.0mm	4"	358.30.04SRK
3.0mm	6"	358.30.06SRK
3.0mm	8"	358.30.08SRK
3.0mm	10"	358.30.10SRK



ITEM DESCRIPTION :
Distractor (M-4)

Size	Cat No.
100mm	357.100
150mm	357.150



ITEM DESCRIPTION :
Link Joint Small

Cat No.

359.000OLJS



ITEM DESCRIPTION :
C.T.E.V. L-Rod (3.0mm)

Size	Cat No.
Small	360.000S
Large	360.000L



C.T.E.V. Set (Small)

ITEM DESCRIPTION :
C.T.E.V. Z-Rod (3.0mm)

Cat. No.

361.30Z



ITEM DESCRIPTION :
K-Wire 1.5mm x 150mm

Cat. No.

362.15.150K



ITEM DESCRIPTION :
Spanner 6-7mm

Cat No.

363.6-7S



ITEM DESCRIPTION :
Allen Key

Cat No.

364.000AK



Ilizarov Ring Fixator

ITEM DESCRIPTION : Ilizarov 5/8th Ring S.S

Size	Cat No.
100mm	366.100HR
120mm	366.120HR
140mm	366.140HR
160mm	366.160HR
180mm	366.180HR
200mm	366.200HR
220mm	366.220HR
240mm	366.240HR
260mm	366.260HR



ITEM DESCRIPTION : Half Ring-S.S

Size	Cat No.
80mm	365.080HR
100mm	365.100HR
120mm	365.120HR
140mm	365.140HR
160mm	365.160HR
180mm	365.180HR
200mm	365.200HR
220mm	365.220HR
240mm	365.240HR
260mm	365.260HR



ITEM DESCRIPTION : Carbon Fibre 5/8th Ring

Size	Cat No.
100mm	368.100HR
120mm	368.120HR
140mm	368.140HR
160mm	368.160HR
180mm	368.180HR
200mm	368.200HR
220mm	368.220HR
240mm	368.240HR
260mm	368.260HR



ITEM DESCRIPTION : Half Rings - Carbon Fibre

Size	Cat No.
80mm	367.080HR
100mm	367.100HR
120mm	367.120HR
140mm	367.140HR
160mm	367.160HR
180mm	367.180HR
200mm	367.200HR
220mm	367.220HR
240mm	367.240HR



Ilizarov Ring Fixator

ITEM DESCRIPTION :

Italian Femoral Arch (S.S.)

Size	90°	120°
100mm	371.90.100	371.120.100
120mm	371.90.120	371.120.120
140mm	371.90.140	371.120.140
160mm	371.90.160	371.120.160
180mm	371.90.180	371.120.180
200mm	371.90.200	371.120.200
220mm	371.90.220	371.120.220
240mm	371.90.240	371.120.240



ITEM DESCRIPTION :

Italian Femoral Arch Carbon


Size	90°	120°
100mm	372.90.100	372.120.100
120mm	372.90.120	372.120.120
140mm	372.90.140	372.120.140
160mm	372.90.160	372.120.160
180mm	372.90.180	372.120.180
200mm	372.90.200	372.120.200
220mm	372.90.220	372.120.220
240mm	372.90.240	372.120.240



ITEM DESCRIPTION :

Carbon Fibre Rod 11mm


Size	Cat No.
100mm	370.100CFR
125mm	370.125CFR
150mm	370.150CFR
175mm	370.175CFR
200mm	370.200CFR
250mm	370.250CFR
300mm	370.300CFR
350mm	370.350CFR
400mm	370.400CFR
450mm	370.450CFR



ITEM DESCRIPTION :

External Fixator - Ilizarov Full Ring

Size	Cat No.
80mm	369.080EF
100mm	369.100EF
120mm	369.120EF
140mm	369.140EF
160mm	369.160EF
180mm	369.180EF
200mm	369.200EF
220mm	396.220EF
240mm	369.240EF



Ilizarov Ring Fixator

ITEM DESCRIPTION : Threaded Rod Slotted

Size	Cat No.
75mm	373.075TRS
100mm	373.100TRS
125mm	373.125TRS
150mm	373.150TRS



ITEM DESCRIPTION : Threaded Rod

Size	Cat No.
75mm	372.075TR
100mm	372.100TR
125mm	372.125TR
150mm	372.150TR
200mm	372.200TR
250mm	372.250TR
300mm	372.300TR
350mm	372.350TR
400mm	372.400TR
450mm	372.450TR



ITEM DESCRIPTION : Post Female

Holes	Cat No.
2	376.02PF
3	376.03PF
4	376.04PF



ITEM DESCRIPTION : Telescopic Rod

Size	Cat No.
100mm	374.100TR
150mm	374.150TR
200mm	374.200TR
250mm	374.250TR
300mm	374.300TR



ITEM DESCRIPTION : Graduated Telescopic Rod

Size	Cat No.
100mm	375.100GTR
150mm	375.150GTR
200mm	375.200GTR



Ilizarov Ring Fixator

ITEM DESCRIPTION : Post Male

Holes	Cat No.
2	378.02PM
3	378.03PM
4	378.04PM



ITEM DESCRIPTION : Twisted Plate

Holes	Cat No.
2	383.02TP
3	383.03TP
4	383.04TP



ITEM DESCRIPTION : Hinge Male

Cat. No.
380.000HM



ITEM DESCRIPTION : Hinge - 90°

Cat. No.
381.000H 90°



ITEM DESCRIPTION : Short Connection Plates

Holes	Cat No.
2	382.02SCP
3	382.03SCP
4	382.04SCP
5	382.05SCP
6	382.06SCP
7	382.07SCP
8	382.08SCP
9	382.09SCP
10	382.10SCP



ITEM DESCRIPTION : Hinge Female

Cat. No.
379.000HF



Ilizarov Ring Fixator

ITEM DESCRIPTION :

Bushing

Cat. No.

384.001B



ITEM DESCRIPTION :

Threaded Socket

Size **Cat No.**

20 385.20TS

30 385.30TS

40 385.40TS

60 385.60TS



ITEM DESCRIPTION :

Ilizarov Wire Bayonet Point - 1.8mm

Cat. No.

386.001.18




ITEM DESCRIPTION :

Wire Fixation Bolt Cannulated

Cat. No.

389.001WFBC



ITEM DESCRIPTION :

Single Pin Fixation Bolt

Cat. No.

388.001SPFB



ITEM DESCRIPTION :

Olive Wire Bayonet Point - 1.8mm

Cat. No.

387.001.18



Ilizarov Ring Fixator

ITEM DESCRIPTION :
Wire Fixation Bolt Slotted

Cat. No.
390.000WFBS



ITEM DESCRIPTION :
Connection Bolt

Size	Cat No.
16mm	391.16CB
20mm	391.20CB
30mm	391.30CB



ITEM DESCRIPTION :
Flat Sided Washer

Cat. No.
395.000FSW



ITEM DESCRIPTION :
Nut 10mm

Cat. No.
393.10N



ITEM DESCRIPTION :
Oblique Support

Cat. No.
394.000OS



ITEM DESCRIPTION :
Wrenchoque

Holes	Cat No.
1	392.01W
2	392.02W
3	392.03W
4	392.04W
5	392.05W



Ilizarov Ring Fixator

ITEM DESCRIPTION :
Slotted Washer

Cat. No.
396.000SW



ITEM DESCRIPTION :
Spacing Washer

Cat. No.
397.000SW



ITEM DESCRIPTION :
Dynamometer Tensioner

Cat. No.
400.000DT



ITEM DESCRIPTION :
Conical Washer

Cat. No.
399.000CW



ITEM DESCRIPTION :
Nylon Insert Nut

Cat. No.
398.000NIN



ITEM DESCRIPTION :
Manual Tensioner

Cat. No.
401.000MT



Miscellaneous Items

ITEM DESCRIPTION :
Pneumatic Tourniquet

Cat. No.
402.000PT



ITEM DESCRIPTION :
Skin Grafting Blade

Cat. No.
404.000SGB



ITEM DESCRIPTION :
Skin Grafting Handle (Deluxe)

Size	Cat No.
Small	403.000SGHS
Large	403.000SGHL




ITEM DESCRIPTION :
Sterilization Tubes

Size	Cat No.
150	406.150ST
225	406.225ST
300	406.300ST
400	406.400ST
500	406.500ST



ITEM DESCRIPTION :
Distractor for Tibia & Femur

Size	Cat No.
Small	405.000DTF
Large	405.001DTL





196/5, Street No. 9, Singh Nagar, Anand Parbat,
New Delhi - 110005 (INDIA)

☎ 7838729748, 9289134472

🌐 uniquesurgicare.in